For personal use only

16 October 2026

Aurum hits gold outside BST1 resource ahead of MRE update

Aurum Resources (**ASX: AUE**, "**Aurum**" or "**the Company**") is pleased to announce the latest gold intercepts from an ongoing and expanded 150,000m diamond drilling program at its 3.22Moz Boundiali Gold Project[1] in Côte d'Ivoire. Aurum has received assay results from 25 diamond drill (DD) holes totalling 7,121.75m, completed as a mix of infill, step-out and extensional drilling at the **BST1** deposit, located on the **BST** tenement (100% interest).

Key drill intercepts from the latest drilling include[2]:

BST1 (22Mt @ 0.8 g/t Au for 570koz)[1]

- **9.55m @ 5.18 g/t Au** from 75.45m inc. **0.65m @ 41.38 g/t Au** (BSDD0165)
- **1m @ 43.93 g/t Au** from 268.00m (BSDD0147)
- **1.26m @ 23.10 g/t Au** from 25.00m (BSDD0159)
- **13m @ 2.08 g/t Au** from 258.00m inc. **5m @ 3.32 g/t Au** (BSDD0149)
- **5m @ 5.26 g/t Au** from 283.00m (BSDD0157)
- **20m @ 1.25 g/t Au** from 145.00m inc. **6m @ 2.29 g/t Au** (BSDD0149)
- **18.45m @ 1.32 g/t Au** from 318.55m inc. **3m @ 3.79 g/t Au** (BSDD0153)
- **10m @ 2.35 g/t Au** from 236.00m inc. **6m @ 3.62 g/t Au** (BSDD0149).

Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation system at **BST1** deposit remains open along strike and at depth.
- **180,000m drilling on track in CY2026:** 16 Aurum-owned diamond drill rigs operating to drive resource growth at **Boundiali** (targeting 150,000m for CY2026 and **Napié** (30,000m drilling to start this quarter).
- **Boundiali MRE update** is targeted for release end October 2026 (drill collar cut-off 30 September 2026).
- **Boundiali Definitive Feasibility Study** (DFS) expected late 2026.
- Group Mineral Resources total **4.38Moz gold, comprising the** flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**[3].
- **Well funded**: Cash balance of more than A$95 million (unaudited) following recent placement[4].

Aurum's Managing Director Dr Caigen Wang said: *"We have received assays for a further 25 diamond holes totalling 7,122m at **BST1**, all drilled before the 30 September 2026 cut-off date for our next Boundiali Mineral Resource Estimate. These holes form part of the 120 holes for more than 31,000m (based on drill logs) completed at **BST1** since the last Mineral Resource update, drilled to extend known mineralisation and to increase confidence in Inferred Mineral Resources. These results will be considered by the Competent Person for inclusion in the updated MRE, expected by the end of October, which in turn feeds the Boundiali DFS targeted for late CY2026.*

"With more than A$95 million in cash[4] and 16 company-owned diamond rigs, we are running drilling, studies and permitting for Boundiali concurrently. Environmental approval was granted in May 2026, and we delivered the Pre-Feasibility Study and Maiden Ore Reserve in June 2026. Our focus now is securing grant of the Mining Licences and completion of the DFS, ahead of a final investment decision and the start of construction, targeting first gold in H1 CY2028.

"Boundiali continues to grow in scale, and today's results are expected to add to that."

[1] "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au
[2] Refer to tables accompanying this report for collar location information and assay results for the new drilling
[3] "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au
[4] "A$52.5m firm commitments to accelerate Boundiali development" released to the Australian Securities Exchange on 23 September 2026 and available to view on www.asx.com.au

For personal use only

New drilling at BST1 – Boundiali Gold Project[5]

Aurum has received assay results[6] for 25 diamond drill (DD) holes totalling 7,121.75m at the **BST1** deposit, located on the **BST** tenement (100% interest). The holes were a mix of infill, step-out and extensional drilling designed to:

- Test the limits of known mineralisation along strike and at depth;
- Drill previously unclassified mineralisation to a spacing sufficient for Inferred classification; and
- Upgrade Inferred Mineral Resources to Indicated.

Hole BSDD0181 intersected gold mineralisation outside the current Mineral Resource (12.25m @ 1.76 g/t Au from 489.9m inc. 4.15m @ 4.23 g/t Au) and ended in mineralisation at 502.15m, with most holes returning multiple mineralised zones downhole. The holes form part of the ongoing and expanded 150,000m Boundiali drilling program for CY2026 (increased by 50%), which aims to grow the Mineral Resource and increase its confidence.

These results, together with assays and geological data still to be received from holes completed by 30 September 2026, will be assessed for inclusion in the next Boundiali Mineral Resource Estimate (MRE), with the updated MRE targeted for release at the end of October 2026.

Drill collar locations are provided in Table 1 and significant assay results[7] in Table 2. Project location and details are shown in Figure 3 to Figure 5. A detailed plan showing the latest assay results is presented in Figure 1, Figure 2 is a representative cross section and Figure 6 is a long section of all the assay data . To assess the extent of the current drilling program, a comparative long section is provided in Figure 7 that shows the assays that were used in the last MRE update at **BST1**. Significant intercepts include (full results in Table 2):

BST1 (22Mt @ 0.8 g/t Au for 570koz)

- **9.55m @ 5.18 g/t Au** from 75.45m inc. **0.65m @ 41.38 g/t Au** (BSDD0165)
- **1m @ 43.93 g/t Au** from 268.00m (BSDD0147)
- **1.26m @ 23.10 g/t Au** from 25.00m (BSDD0159)
- **13m @ 2.08 g/t Au** from 258.00m inc. **5m @ 3.32 g/t Au** (BSDD0149)
- **5m @ 5.26 g/t Au** from 283.00m (BSDD0157)
- **20m @ 1.25 g/t Au** from 145.00m inc. **6m @ 2.29 g/t Au** (BSDD0149)
- **18.45m @ 1.32 g/t Au** from 318.55m inc. **3m @ 3.79 g/t Au** (BSDD0153)
- **10m @ 2.35 g/t Au** from 236.00m inc. **6m @ 3.62 g/t Au** (BSDD0149).

These new results are in addition to previous exploration drilling at **BST1** that returned[8]:

- **28.80m @ 22.92 g/t Au** from 204m inc. **17.95m @ 36.57 g/t Au** (BSDD0152)
- **30m @ 8.30 g/t Au** from 39m (NDC007)
- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **20m @ 10.45 g/t Au** from 38m (BRC0004S BIS)
- **2.63m @ 76.74 g/t Au** from 195.20m inc. **1.30m @ 155.00 g/t Au** (BSDD0137)
- **5.63m @ 31.79 g/t Au** from 32m inc. **2.63m @ 67.60 g/t Au** (BSDD0097)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **24m @ 6.31 g/t Au** from 108m inc. **7m @ 19.25 g/t Au** (BSDD0143)
- **28m @ 4.04 g/t Au** from 3m (BRC003)
- **1.43m @ 53.54 g/t Au** from 74m (BSDD0134)
- **9.50m @ 7.59 g/t Au** from 168.50m inc. **2.85m @ 21.12 g/t Au** (BSDD0135).

[5] Refer to About Aurum's Boundiali Gold Project
[6] Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling
[7] All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied
[8] Refer to previously released information, holes that are not prefix *BSDD* were drilled by Predictive Discovery Limited or Turaco Gold Limited

For personal use only



Figure 1: Plan view showing new drill results (yellow) for the BST1 deposit[9]

[9] Only showing selected new intercepts, full list of new intercepts included in assay results table

For personal use only



Figure 2: Oblique Cross Section looking northeast (±25m) showing new drill results (yellow) for BST1 deposit[10]

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone (Figure 4), is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower-grade disseminated mineralisation envelop higher grade zones, which are in some instances associated with quartz veining with visible gold. Extensive sulphide and carbonate alteration occurs with higher grade zones, being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth; the sedimentary protolith is soft and friable.

[10] Only showing selected new intercepts, full list of new intercepts included in assay results table

Gold mineralisation at **BST1** remains open along strike and at depth. Results from these holes will be assessed for inclusion in the next Boundiali Mineral Resource update, and Aurum is planning follow-up drilling to test the gold mineralisation identified outside the current resource. Aurum's drill rigs continue to work on the **BM** and **BST** tenements.

To date, Aurum's drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for further discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

Next Steps

Aurum will continue to use its strong balance sheet and company-owned drill fleet of 16 diamond rigs to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (150,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for release at the end of October (drilling cut-off 30 September 2026).
- **DFS Delivery:** Results from 2026 drilling will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program planned to grow the 1.16Moz gold resource will commence this quarter.
- **Drilling Efficiency**: Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new prospective targets identified via soil anomalies and geological mapping across the 75km of N-S mineralised corridor.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV**[11] and **Major Star Plus**[12] partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

[11] ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section
[12] ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

For personal use only

For personal use only

FORWARD-LOOKING STATEMENTS

This release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study (PFS), the Definitive Feasibility Study (DFS), permitting, project funding, development timelines and the timing of first gold production. Forward-looking statements are identified by words such as "target", "expect", "plan", "potential", "anticipate", "goal" and similar expressions. These statements reflect the Company's current expectations, estimates and assumptions as at the date of this release. They are subject to risks and uncertainties that could cause actual results to differ materially. Those risks include, exploration and drilling outcomes, uncertainty in resource and reserve estimation, gold price and currency movements, obtaining and maintaining regulatory, environmental and mining approvals, including grant of the Mining Licences, securing development funding, project execution and operational risks, sovereign and geopolitical risks associated with Côte d'Ivoire, broader economic and market conditions. The production target and Ore Reserve referred to in this release are based on the PFS (ASX:AUE, 11 June 2026). As set out in the Compliance Statement, the Company confirms that the material assumptions underpinning them continue to apply and have not materially changed. Those assumptions will be reviewed as part of the DFS, and outcomes may differ. Investors should not place undue reliance on forward-looking statements. Except as required by law or the ASX Listing Rules, the Company undertakes no obligation to update them.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Results is based on, and fairly represents, information and supporting documentation prepared by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek is an Executive Director of the Company. Mr Strizek was a Non-Executive Director from 1 February 2024 and was appointed Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, the Company confirms that it is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

For personal use only

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

9 Oct 2026, Aurum extends BM gold across BMT1, BMT2 and BMT3 (ASX:AUE)
1 Oct 2026, Aurum hits project best gold intercept at Boundiali BST1 (ASX:AUE)
30 Sep 2026, Annual Report to shareholders (ASX:AUE)
25 Sep 2026, Aurum extends BST1 gold ahead of Boundiali MRE update (ASX:AUE)
23 Sep 2026, A$52.5m firm commitments to accelerate Boundiali development (ASX:AUE)
18 Sep 2026, Boundiali BM drilling hits high-grade gold outside Resource (ASX:AUE)
4 Sep 2026. Aurum adds more high grade gold at Boundiali BST1 deposit (ASX:AUE)
17 Aug 2026, Gold extended at Boundiali BST1 deposit and BST2 prospect (ASX:AUE)
7 Aug 2026, Aurum hits 0.72m @ 367g/t gold at Boundiali BMT3 (ASX:AUE)
28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)
29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
23 Mar 2026, Aurum raises $28.8M via Strategic Placement (ASX:AUE)
13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Cote d'Ivoire (ASX:AUE)
23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
28 Nov 2025, Aurum completes $22.98M Montage share sale (ASX:AUE)
18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX: AUE)
29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
07 May 2025, Aurum to raise $35.6 million from strategic investment (ASX:AUE)
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
6 Dec 2024, AUE receives firm commitments for A$10 million placement (ASX:AUE)
29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
30 Oct 2024, Bidders Statement (ASX:AUE)
16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
22 Jan 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
21 November 2023, AUE Acquisition Presentation (ASX:AUE)
21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)
21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR.ASX)
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)
15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI.ASX)
27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI.ASX)
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)
26 Nov 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only



Figure 3: Location of Aurum's projects in Côte d'Ivoire

For personal use only



Figure 4: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For personal use only



Figure 5: Aurum's Boundiali Gold Project

For personal use only



Figure 6: Long Section looking west (+/-300m) showing all assays and projected MRE outline for BST1 deposit[13]



Figure 7: Long Section looking west (+/-300m) showing assays used for current MRE (BST1)

[13] Gold assays are plotted using Maximum Intensity Projection (MIP)

For personal use only

Table 1: Drill collar information for new holes drilled at Boundiali (BST1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0146	784,488	1,035,199	413	522.70	75	-60	BST1	DD
BSDD0147	784,530	1,035,150	415	482.90	78	-64		
BSDD0149	784,641	1,035,295	413	410.55	78	-58		
BSDD0153	784,486	1,035,101	417	381.80	81	-56		
BSDD0154	784,567	1,035,250	413	471.50	78	-60		
BSDD0156	784,605	1,035,249	414	421.40	78	-58		
BSDD0157	784,645	1,035,249	415	392.10	81	-58		
BSDD0159	784,788	1,034,803	414	72.30	90	-55		
BSDD0161	784,546	1,034,699	409	270.60	84	-62		
BSDD0162	784,568	1,034,597	406	222.60	84	-60		
BSDD0163	784,718	1,034,648	410	101.60	87	-55		
BSDD0164	784,596	1,034,549	406	222.70	84	-60		
BSDD0165	784,607	1,034,749	412	193.50	87	-58		
BSDD0166	784,729	1,034,500	407	66.85	90	-55		
BSDD0167	784,527	1,034,600	405	300.20	81	-60		
BSDD0168	784,568	1,034,450	403	186.00	87	-58		
BSDD0169	784,565	1,034,651	407	243.25	84	-60		
BSDD0170	784,575	1,034,500	405	201.30	84	-60		
BSDD0172	784,688	1,034,500	407	102.30	87	-55		
BSDD0173	784,559	1,034,749	411	277.80	84	-60		
BSDD0175	784,674	1,034,651	409	121.20	87	-55		
BSDD0176	784,511	1,034,551	404	302.70	81	-62		
BSDD0177	784,646	1,034,499	406	151.25	87	-57		
BSDD0178	784,529	1,035,449	408	500.50	75	-58		
BSDD0181	784,519	1,035,497	407	502.15	75	-56		
25 holes				**7,121.75m**			**Total**	

Table 2: Significant assay results for new holes drilled at Boundiali (BST1)[14]

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0146	0.00	1.50	1.50	0.140			
BST1	BSDD0146	12.00	13.00	1.00	0.660	2.00 m @ 0.48 g/t Au	1.0	
BST1	BSDD0146	13.00	14.00	1.00	0.310			
BST1	BSDD0146	35.50	36.48	0.98	0.180			
BST1	BSDD0146	61.00	62.00	1.00	0.170			
BST1	BSDD0146	72.00	73.00	1.00	0.160			
BST1	BSDD0146	73.00	74.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0146	80.00	81.00	1.00	**1.240**	1.00 m @ 1.24 g/t Au	1.2	**1.00 m @ 1.24 g/t Au**
BST1	BSDD0146	88.00	89.00	1.00	**1.040**	**4.00 m @ 0.86 g/t Au**	**3.5**	**1.00 m @ 1.04 g/t Au**
BST1	BSDD0146	89.00	90.00	1.00	0.160			
BST1	BSDD0146	90.00	91.00	1.00	0.260			
BST1	BSDD0146	91.00	92.00	1.00	**1.990**			**1.00 m @ 1.99 g/t Au**
BST1	BSDD0146	99.00	100.00	1.00	0.180			
BST1	BSDD0146	101.00	102.00	1.00	0.100			
BST1	BSDD0146	102.00	103.00	1.00	0.600	1.00 m @ 0.60 g/t Au	0.6	
BST1	BSDD0146	110.00	111.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0146	115.00	116.00	1.00	**1.020**	2.00 m @ 0.67 g/t Au	1.3	**1.00 m @ 1.02 g/t Au**
BST1	BSDD0146	116.00	117.00	1.00	0.310			
BST1	BSDD0146	135.00	136.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0146	160.00	161.00	1.00	0.160			

[14] 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0146	215.00	216.00	1.00	0.180			
BST1	BSDD0146	221.00	222.00	1.00	0.390	2.00 m @ 0.34 g/t Au	0.7	
BST1	BSDD0146	222.00	223.00	1.00	0.300			
BST1	BSDD0146	242.00	243.00	1.00	0.410	2.00 m @ 0.46 g/t Au	0.9	
BST1	BSDD0146	243.00	244.00	1.00	0.500			
BST1	BSDD0146	248.00	249.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0146	253.00	254.00	1.00	0.130			
BST1	BSDD0146	256.00	257.00	1.00	0.910	1.00 m @ 0.91 g/t Au	0.9	
BST1	BSDD0146	263.00	264.00	1.00	0.440	3.00 m @ 0.27 g/t Au	0.8	
BST1	BSDD0146	264.00	265.00	1.00	0.050			
BST1	BSDD0146	265.00	266.00	1.00	0.320			
BST1	BSDD0146	277.00	278.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0146	281.00	282.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0146	285.00	286.00	1.00	**1.040**	1.00 m @ 1.04 g/t Au	1.0	**1.00 m @ 1.04 g/t Au**
BST1	BSDD0146	324.00	325.00	1.00	0.920	1.00 m @ 0.92 g/t Au	0.9	
BST1	BSDD0146	329.00	330.00	1.00	0.120			
BST1	BSDD0146	337.00	338.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0146	356.00	357.00	1.00	**1.120**	2.00 m @ 0.72 g/t Au	1.4	**1.00 m @ 1.12 g/t Au**
BST1	BSDD0146	357.00	358.00	1.00	0.320			
BST1	BSDD0146	368.00	369.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0146	373.00	374.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0146	374.00	375.00	1.00	0.130			
BST1	BSDD0146	378.00	379.00	1.00	0.410	3.00 m @ 0.32 g/t Au	1.0	
BST1	BSDD0146	379.00	380.00	1.00	0.210			
BST1	BSDD0146	380.00	381.00	1.00	0.350			
BST1	BSDD0146	387.00	388.00	1.00	0.150			
BST1	BSDD0146	389.45	390.00	0.55	0.460	**23.55 m @ 0.67 g/t Au**	**15.8**	
BST1	BSDD0146	390.00	391.00	1.00	0.740			
BST1	BSDD0146	391.00	392.00	1.00	0.130			
BST1	BSDD0146	392.00	393.00	1.00	0.040			
BST1	BSDD0146	393.00	394.00	1.00	0.750			
BST1	BSDD0146	394.00	395.00	1.00	0.460			
BST1	BSDD0146	395.00	396.00	1.00	0.720			
BST1	BSDD0146	396.00	397.00	1.00	**1.270**			**3.00 m @ 1.87 g/t Au**
BST1	BSDD0146	397.00	398.00	1.00	**2.060**			
BST1	BSDD0146	398.00	399.00	1.00	**2.280**			
BST1	BSDD0146	399.00	400.00	1.00	0.080			
BST1	BSDD0146	400.00	401.00	1.00	0.010			
BST1	BSDD0146	401.00	402.00	1.00	0.260			
BST1	BSDD0146	402.00	403.00	1.00	0.090			
BST1	BSDD0146	403.00	404.00	1.00	**1.390**			**1.00 m @ 1.39 g/t Au**
BST1	BSDD0146	404.00	405.00	1.00	0.120			
BST1	BSDD0146	405.00	406.00	1.00	0.050			
BST1	BSDD0146	406.00	407.00	1.00	0.480			
BST1	BSDD0146	407.00	408.00	1.00	0.710			
BST1	BSDD0146	408.00	409.00	1.00	**1.500**			**2.00 m @ 1.45 g/t Au**
BST1	BSDD0146	409.00	410.00	1.00	**1.400**			
BST1	BSDD0146	410.00	411.00	1.00	0.740			
BST1	BSDD0146	411.00	412.00	1.00	0.010			
BST1	BSDD0146	412.00	413.00	1.00	0.270			
BST1	BSDD0146	413.00	414.00	1.00	0.160			
BST1	BSDD0146	414.00	415.00	1.00	0.180			
BST1	BSDD0146	418.00	419.00	1.00	**3.690**	**4.00 m @ 1.32 g/t Au**	**5.3**	**3.00 m @ 1.69 g/t Au**
BST1	BSDD0146	419.00	420.00	1.00	0.080			
BST1	BSDD0146	420.00	421.00	1.00	**1.310**			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0146	421.00	422.00	1.00	0.220			
BST1	BSDD0146	424.00	425.00	1.00	0.170			
BST1	BSDD0146	427.00	428.00	1.00	0.220			
BST1	BSDD0146	428.00	429.00	1.00	0.080	4.00 m @ 0.29 g/t Au	1.2	
BST1	BSDD0146	429.00	430.00	1.00	0.390			
BST1	BSDD0146	430.00	431.00	1.00	0.460			
BST1	BSDD0146	437.00	438.00	1.00	0.100			
BST1	BSDD0146	438.00	439.00	1.00	0.300			
BST1	BSDD0146	439.00	440.00	1.00	0.040			
BST1	BSDD0146	440.00	441.00	1.00	0.060			
BST1	BSDD0146	441.00	442.00	1.00	0.950			
BST1	BSDD0146	442.00	443.00	1.00	0.090			
BST1	BSDD0146	443.00	444.00	1.00	0.010			
BST1	BSDD0146	444.00	445.00	1.00	0.310			
BST1	BSDD0146	445.00	446.00	1.00	**1.960**			**1.00 m @ 1.96 g/t Au**
BST1	BSDD0146	446.00	447.00	1.00	0.170			
BST1	BSDD0146	447.00	448.00	1.00	0.560			
BST1	BSDD0146	448.00	449.00	1.00	**1.120**			**1.00 m @ 1.12 g/t Au**
BST1	BSDD0146	449.00	450.00	1.00	0.140			
BST1	BSDD0146	450.00	451.00	1.00	0.460			
BST1	BSDD0146	451.00	451.84	0.84	0.120	**26.00 m @ 0.40 g/t Au**	**10.4**	
BST1	BSDD0146	451.84	453.00	1.16	0.010			
BST1	BSDD0146	453.00	454.00	1.00	**1.070**			**1.00 m @ 1.07 g/t Au**
BST1	BSDD0146	454.00	455.00	1.00	0.140			
BST1	BSDD0146	455.00	456.00	1.00	0.030			
BST1	BSDD0146	456.00	457.00	1.00	0.310			
BST1	BSDD0146	457.00	458.00	1.00	0.230			
BST1	BSDD0146	458.00	459.00	1.00	0.310			
BST1	BSDD0146	459.00	460.00	1.00	0.670			
BST1	BSDD0146	460.00	461.00	1.00	0.010			
BST1	BSDD0146	461.00	462.00	1.00	0.330			
BST1	BSDD0146	462.00	463.00	1.00	0.040			
BST1	BSDD0146	463.00	464.00	1.00	0.960			
BST1	BSDD0146	467.00	468.00	1.00	0.310			
BST1	BSDD0146	468.00	469.00	1.00	0.010	4.00 m @ 0.24 g/t Au	1.0	
BST1	BSDD0146	469.00	470.00	1.00	0.010			
BST1	BSDD0146	470.00	471.00	1.00	0.630			
BST1	BSDD0146	474.00	475.00	1.00	0.150			
BST1	BSDD0146	475.00	476.00	1.00	0.930	1.00 m @ 0.93 g/t Au	0.9	
BST1	BSDD0146	476.00	477.00	1.00	0.130			
BST1	BSDD0146	484.00	485.00	1.00	**2.140**	1.00 m @ 2.14 g/t Au	2.1	**1.00 m @ 2.14 g/t Au**
BST1	BSDD0146	494.00	495.00	1.00	0.180			
BST1	BSDD0146	514.00	515.00	1.00	**2.390**	1.00 m @ 2.39 g/t Au	2.4	**1.00 m @ 2.39 g/t Au**
BST1	BSDD0147	0.00	1.50	1.50	0.280			
BST1	BSDD0147	1.50	3.00	1.50	0.330	6.00 m @ 0.27 g/t Au	1.6	
BST1	BSDD0147	3.00	4.50	1.50	0.240			
BST1	BSDD0147	4.50	6.00	1.50	0.240			
BST1	BSDD0147	11.00	12.00	1.00	**1.780**	1.00 m @ 1.78 g/t Au	1.8	**1.00 m @ 1.78 g/t Au**
BST1	BSDD0147	15.50	16.50	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0147	16.50	17.18	0.68	0.110			
BST1	BSDD0147	17.18	18.00	0.82	0.140			
BST1	BSDD0147	19.00	20.00	1.00	**1.460**	1.00 m @ 1.46 g/t Au	1.5	**1.00 m @ 1.46 g/t Au**
BST1	BSDD0147	20.00	21.00	1.00	0.100			
BST1	BSDD0147	22.00	22.50	0.50	0.290	0.50 m @ 0.29 g/t Au	0.1	
BST1	BSDD0147	28.00	29.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0147	34.50	35.30	0.80	**2.480**	0.80 m @ 2.48 g/t Au	2.0	**0.80 m @ 2.48 g/t Au**
BST1	BSDD0147	36.00	37.50	1.50	0.810			
BST1	BSDD0147	37.50	39.00	1.50	0.010			
BST1	BSDD0147	39.00	40.50	1.50	0.840	**6.15 m @ 0.46 g/t Au**	**2.9**	
BST1	BSDD0147	40.50	41.00	0.50	0.010			
BST1	BSDD0147	41.00	42.15	1.15	0.310			
BST1	BSDD0147	43.50	45.00	1.50	0.910			
BST1	BSDD0147	45.00	46.50	1.50	0.180	3.80 m @ 0.56 g/t Au	2.1	
BST1	BSDD0147	46.50	47.30	0.80	0.620			
BST1	BSDD0147	54.00	54.60	0.60	0.230	0.60 m @ 0.23 g/t Au	0.1	
BST1	BSDD0147	92.00	93.00	1.00	**1.510**			**1.00 m @ 1.51 g/t Au**
BST1	BSDD0147	93.00	94.00	1.00	0.090			
BST1	BSDD0147	94.00	95.00	1.00	0.560			
BST1	BSDD0147	95.00	96.00	1.00	0.040			
BST1	BSDD0147	96.00	97.00	1.00	0.010			
BST1	BSDD0147	97.00	98.00	1.00	0.510			
BST1	BSDD0147	98.00	99.00	1.00	**1.660**	**14.00 m @ 0.65 g/t Au**	**9.2**	**2.00 m @ 2.43 g/t Au**
BST1	BSDD0147	99.00	100.00	1.00	**3.200**			
BST1	BSDD0147	100.00	101.00	1.00	0.030			
BST1	BSDD0147	101.00	102.00	1.00	0.440			
BST1	BSDD0147	102.00	103.00	1.00	0.150			
BST1	BSDD0147	103.00	104.00	1.00	0.170			
BST1	BSDD0147	104.00	105.00	1.00	0.580			
BST1	BSDD0147	105.00	106.00	1.00	0.210			
BST1	BSDD0147	106.00	106.54	0.54	0.100			
BST1	BSDD0147	141.00	142.00	1.00	0.120			
BST1	BSDD0147	150.00	151.00	1.00	**2.060**	2.00 m @ 1.21 g/t Au	2.4	**1.00 m @ 2.06 g/t Au**
BST1	BSDD0147	151.00	152.00	1.00	0.360			
BST1	BSDD0147	162.00	162.66	0.66	0.150			
BST1	BSDD0147	186.00	187.00	1.00	0.670	1.00 m @ 0.67 g/t Au	0.7	
BST1	BSDD0147	190.00	191.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0147	193.00	194.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0147	206.00	207.00	1.00	0.240			
BST1	BSDD0147	216.00	217.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0147	250.00	251.00	1.00	0.130			
BST1	BSDD0147	258.00	259.00	1.00	0.310	2.00 m @ 0.55 g/t Au	1.1	
BST1	BSDD0147	259.00	260.00	1.00	0.790			
BST1	BSDD0147	263.00	264.00	1.00	**1.060**	1.00 m @ 1.06 g/t Au	1.1	**1.00 m @ 1.06 g/t Au**
BST1	BSDD0147	268.00	269.00	1.00	**43.930**	**1.00 m @ 43.93 g/t Au**	**43.9**	**1.00 m @ 43.93 g/t Au**
BST1	BSDD0147	276.00	277.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0147	296.00	297.00	1.00	0.130			
BST1	BSDD0147	297.00	298.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0147	311.00	311.80	0.80	0.250	0.80 m @ 0.25 g/t Au	0.2	
BST1	BSDD0147	311.80	313.00	1.20	0.170			
BST1	BSDD0147	316.00	317.00	1.00	0.470	2.00 m @ 0.89 g/t Au	1.8	
BST1	BSDD0147	317.00	318.00	1.00	**1.300**			**1.00 m @ 1.30 g/t Au**
BST1	BSDD0147	320.00	321.00	1.00	0.130			
BST1	BSDD0147	321.00	322.00	1.00	0.200			
BST1	BSDD0147	322.00	323.00	1.00	**1.120**			**1.00 m @ 1.12 g/t Au**
BST1	BSDD0147	323.00	324.00	1.00	0.910			
BST1	BSDD0147	324.00	325.00	1.00	0.470	**8.00 m @ 0.83 g/t Au**	**6.6**	
BST1	BSDD0147	325.00	326.00	1.00	0.390			
BST1	BSDD0147	326.00	327.40	1.40	**2.060**			**1.40 m @ 2.06 g/t Au**
BST1	BSDD0147	327.40	328.00	0.60	0.290			
BST1	BSDD0147	328.00	329.00	1.00	0.480			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0147	331.00	332.00	1.00	0.130			
BST1	BSDD0147	332.00	333.00	1.00	0.150			
BST1	BSDD0147	337.00	338.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
BST1	BSDD0147	345.00	346.00	1.00	0.720	**5.00 m @ 1.57 g/t Au**	**7.8**	
BST1	BSDD0147	346.00	347.00	1.00	0.080			
BST1	BSDD0147	347.00	348.00	1.00	**3.570**			**3.00 m @ 2.34 g/t Au**
BST1	BSDD0147	348.00	349.00	1.00	0.070			
BST1	BSDD0147	349.00	350.00	1.00	**3.390**			
BST1	BSDD0147	356.00	357.00	1.00	0.260	**3.00 m @ 0.84 g/t Au**	**2.5**	
BST1	BSDD0147	357.00	358.00	1.00	**1.800**			**1.00 m @ 1.80 g/t Au**
BST1	BSDD0147	358.00	359.00	1.00	0.470			
BST1	BSDD0147	359.00	360.00	1.00	0.170			
BST1	BSDD0147	362.00	363.00	1.00	0.170			
BST1	BSDD0147	363.00	364.00	1.00	**1.710**	**6.00 m @ 0.47 g/t Au**	**2.8**	**1.00 m @ 1.71 g/t Au**
BST1	BSDD0147	364.00	365.00	1.00	0.100			
BST1	BSDD0147	365.00	366.00	1.00	0.010			
BST1	BSDD0147	366.00	367.00	1.00	0.410			
BST1	BSDD0147	367.00	368.00	1.00	0.030			
BST1	BSDD0147	368.00	369.00	1.00	0.560			
BST1	BSDD0147	374.00	375.00	1.00	0.210	**5.00 m @ 2.32 g/t Au**	**11.6**	
BST1	BSDD0147	375.00	376.00	1.00	0.240			
BST1	BSDD0147	376.00	377.00	1.00	**10.110**			**1.00 m @ 10.11 g/t Au**
BST1	BSDD0147	377.00	378.00	1.00	0.350			
BST1	BSDD0147	378.00	379.00	1.00	0.680			
BST1	BSDD0147	382.00	383.00	1.00	0.210	**9.00 m @ 0.35 g/t Au**	**3.2**	
BST1	BSDD0147	383.00	384.00	1.00	0.010			
BST1	BSDD0147	384.00	385.00	1.00	0.610			
BST1	BSDD0147	385.00	386.00	1.00	0.030			
BST1	BSDD0147	386.00	387.00	1.00	0.150			
BST1	BSDD0147	387.00	388.00	1.00	0.690			
BST1	BSDD0147	388.00	389.00	1.00	0.500			
BST1	BSDD0147	389.00	390.00	1.00	0.150			
BST1	BSDD0147	390.00	391.00	1.00	0.810			
BST1	BSDD0147	392.00	393.00	1.00	0.100			
BST1	BSDD0147	395.00	396.00	1.00	0.520	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0147	397.00	398.00	1.00	0.110			
BST1	BSDD0147	404.00	405.00	1.00	0.340	6.00 m @ 0.34 g/t Au	2.1	
BST1	BSDD0147	405.00	406.00	1.00	0.560			
BST1	BSDD0147	406.00	407.00	1.00	0.040			
BST1	BSDD0147	407.00	408.00	1.00	0.430			
BST1	BSDD0147	408.00	409.00	1.00	0.120			
BST1	BSDD0147	409.00	410.00	1.00	0.560			
BST1	BSDD0147	412.00	413.00	1.00	0.130			
BST1	BSDD0147	413.00	414.00	1.00	0.160			
BST1	BSDD0147	416.00	417.00	1.00	0.760	1.00 m @ 0.76 g/t Au	0.8	
BST1	BSDD0147	418.00	419.00	1.00	0.110			
BST1	BSDD0147	420.00	421.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0147	421.00	422.00	1.00	0.120			
BST1	BSDD0147	426.00	427.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
BST1	BSDD0147	430.00	431.00	1.00	**1.130**	3.00 m @ 0.57 g/t Au	1.7	**1.00 m @ 1.13 g/t Au**
BST1	BSDD0147	431.00	432.00	1.00	0.020			
BST1	BSDD0147	432.00	433.00	1.00	0.550			
BST1	BSDD0147	433.00	434.00	1.00	0.160			
BST1	BSDD0147	440.00	441.00	1.00	0.110			
BST1	BSDD0147	441.00	442.00	1.00	0.780	1.00 m @ 0.78 g/t Au	0.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0147	445.00	446.00	1.00	0.130			
BST1	BSDD0147	454.00	455.00	1.00	0.480	**2.00 m @ 2.95 g/t Au**	**5.9**	
BST1	BSDD0147	455.00	456.00	1.00	**5.420**			**1.00 m @ 5.42 g/t Au**
BST1	BSDD0147	463.00	464.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0147	481.00	482.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0149	0.00	0.90	0.90	0.490	0.90 m @ 0.49 g/t Au	0.4	
BST1	BSDD0149	2.11	3.49	1.38	0.192			
BST1	BSDD0149	26.10	27.00	0.90	0.177			
BST1	BSDD0149	33.00	34.00	1.00	0.187			
BST1	BSDD0149	34.00	35.00	1.00	**1.092**	1.00 m @ 1.09 g/t Au	1.1	**1.00 m @ 1.09 g/t Au**
BST1	BSDD0149	60.00	61.00	1.00	0.130			
BST1	BSDD0149	62.00	63.00	1.00	0.151			
BST1	BSDD0149	63.00	64.00	1.00	0.158			
BST1	BSDD0149	64.00	65.00	1.00	0.126			
BST1	BSDD0149	87.40	88.00	0.60	0.121			
BST1	BSDD0149	107.00	108.00	1.00	0.122			
BST1	BSDD0149	117.03	118.00	0.97	0.535			
BST1	BSDD0149	118.00	119.00	1.00	0.657			
BST1	BSDD0149	119.00	120.00	1.00	0.994			
BST1	BSDD0149	120.00	121.00	1.00	**2.284**			**3.00 m @ 2.08 g/t Au**
BST1	BSDD0149	121.00	122.00	1.00	0.936			
BST1	BSDD0149	122.00	123.00	1.00	**3.032**	**10.97 m @ 0.94 g/t Au**	**10.3**	
BST1	BSDD0149	123.00	124.00	1.00	0.177			
BST1	BSDD0149	124.00	125.00	1.00	0.275			
BST1	BSDD0149	125.00	126.00	1.00	0.351			
BST1	BSDD0149	126.00	127.00	1.00	0.699			
BST1	BSDD0149	127.00	128.00	1.00	0.347			
BST1	BSDD0149	132.00	133.00	1.00	0.644			
BST1	BSDD0149	133.00	134.00	1.00	0.530			
BST1	BSDD0149	134.00	135.00	1.00	0.474			
BST1	BSDD0149	135.00	136.00	1.00	0.264			
BST1	BSDD0149	136.00	137.00	1.00	0.637	**10.00 m @ 0.55 g/t Au**	**5.5**	
BST1	BSDD0149	137.00	138.00	1.00	0.892			
BST1	BSDD0149	138.00	139.00	1.00	**1.750**			**1.00 m @ 1.75 g/t Au**
BST1	BSDD0149	139.00	140.00	1.00	0.008			
BST1	BSDD0149	140.00	140.61	0.61	0.069			
BST1	BSDD0149	140.61	142.00	1.39	0.212			
BST1	BSDD0149	142.00	143.00	1.00	0.172			
BST1	BSDD0149	143.00	144.00	1.00	0.150			
BST1	BSDD0149	144.00	145.00	1.00	0.114			
BST1	BSDD0149	145.00	146.00	1.00	0.267			
BST1	BSDD0149	146.00	146.76	0.76	0.603			
BST1	BSDD0149	146.76	148.00	1.24	**1.811**			**3.24 m @ 2.11 g/t Au**
BST1	BSDD0149	148.00	149.00	1.00	**3.096**			
BST1	BSDD0149	149.00	150.00	1.00	**1.509**			
BST1	BSDD0149	150.00	151.00	1.00	0.682			
BST1	BSDD0149	151.00	152.00	1.00	0.415			
BST1	BSDD0149	152.00	153.00	1.00	0.207	**20.00 m @ 1.25 g/t Au**	**24.9**	
BST1	BSDD0149	153.00	154.00	1.00	**1.958**			**6.00 m @ 2.29 g/t Au**
BST1	BSDD0149	154.00	155.00	1.00	0.469			
BST1	BSDD0149	155.00	156.00	1.00	**7.034**			
BST1	BSDD0149	156.00	157.00	1.00	**1.896**			
BST1	BSDD0149	157.00	158.00	1.00	0.972			
BST1	BSDD0149	158.00	159.00	1.00	**1.438**			
BST1	BSDD0149	159.00	160.00	1.00	0.236			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0149	160.00	161.00	1.00	0.566			
BST1	BSDD0149	161.00	162.39	1.39	0.628			
BST1	BSDD0149	162.39	163.00	0.61	0.194			
BST1	BSDD0149	163.00	164.00	1.00	0.296			
BST1	BSDD0149	164.00	165.00	1.00	0.203			
BST1	BSDD0149	165.00	166.00	1.00	0.102			
BST1	BSDD0149	167.00	168.00	1.00	0.175			
BST1	BSDD0149	173.00	174.00	1.00	0.124			
BST1	BSDD0149	174.00	175.00	1.00	0.116			
BST1	BSDD0149	177.00	178.00	1.00	0.175			
BST1	BSDD0149	178.00	179.00	1.00	0.404			
BST1	BSDD0149	179.00	180.00	1.00	0.562			
BST1	BSDD0149	180.00	181.00	1.00	0.149			
BST1	BSDD0149	181.00	182.00	1.00	0.877	**8.00 m @ 0.73 g/t Au**	**5.9**	
BST1	BSDD0149	182.00	183.00	1.00	**1.292**			**2.30 m @ 1.28 g/t Au**
BST1	BSDD0149	183.00	184.30	1.30	**1.268**			
BST1	BSDD0149	184.30	185.00	0.70	0.623			
BST1	BSDD0149	185.00	186.00	1.00	0.491			
BST1	BSDD0149	186.00	187.00	1.00	0.163			
BST1	BSDD0149	191.00	192.00	1.00	0.173			
BST1	BSDD0149	195.00	196.00	1.00	0.145			
BST1	BSDD0149	196.00	197.00	1.00	0.748	1.00 m @ 0.75 g/t Au	0.7	
BST1	BSDD0149	202.00	203.00	1.00	0.159			
BST1	BSDD0149	204.00	205.00	1.00	0.632	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0149	205.00	206.00	1.00	0.103			
BST1	BSDD0149	222.00	223.00	1.00	0.435	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0149	233.00	234.00	1.00	0.177			
BST1	BSDD0149	235.00	236.00	1.00	0.186			
BST1	BSDD0149	236.00	237.00	1.00	0.956			
BST1	BSDD0149	237.00	238.00	1.00	0.091			
BST1	BSDD0149	238.00	239.00	1.00	0.512			
BST1	BSDD0149	239.00	240.00	1.00	**1.271**			
BST1	BSDD0149	240.00	241.00	1.00	0.833	**10.00 m @ 2.35 g/t Au**	**23.5**	
BST1	BSDD0149	241.00	242.00	1.00	**1.328**			**6.00 m @ 3.62 g/t Au**
BST1	BSDD0149	242.00	243.00	1.00	0.556			
BST1	BSDD0149	243.00	244.00	1.00	**16.089**			
BST1	BSDD0149	244.00	245.00	1.00	**1.617**			
BST1	BSDD0149	245.00	246.00	1.00	0.271			
BST1	BSDD0149	251.00	252.00	1.00	0.211			
BST1	BSDD0149	252.00	253.00	1.00	0.089	**3.00 m @ 0.97 g/t Au**	**2.9**	
BST1	BSDD0149	253.00	254.00	1.00	**2.612**			**1.00 m @ 2.61 g/t Au**
BST1	BSDD0149	255.00	256.00	1.00	0.187			
BST1	BSDD0149	258.00	259.00	1.00	0.385			
BST1	BSDD0149	259.00	260.00	1.00	0.401			
BST1	BSDD0149	260.00	261.00	1.00	**2.092**			
BST1	BSDD0149	261.00	262.00	1.00	**7.235**			**5.00 m @ 3.32 g/t Au**
BST1	BSDD0149	262.00	263.00	1.00	**2.772**			
BST1	BSDD0149	263.00	264.00	1.00	0.207			
BST1	BSDD0149	264.00	265.00	1.00	**4.302**	**13.00 m @ 2.08 g/t Au**	**27.1**	
BST1	BSDD0149	265.00	266.00	1.00	0.064			
BST1	BSDD0149	266.00	267.00	1.00	0.139			
BST1	BSDD0149	267.00	268.00	1.00	**4.028**			
BST1	BSDD0149	268.00	269.00	1.00	0.144			**4.00 m @ 2.37 g/t Au**
BST1	BSDD0149	269.00	270.00	1.00	0.508			
BST1	BSDD0149	270.00	271.00	1.00	**4.798**			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0149	272.00	273.00	1.00	0.194			
BST1	BSDD0149	274.00	275.00	1.00	**6.576**	**2.00 m @ 3.67 g/t Au**	**7.3**	**1.00 m @ 6.58 g/t Au**
BST1	BSDD0149	275.00	276.00	1.00	0.765			
BST1	BSDD0149	291.00	292.00	1.00	0.318	2.00 m @ 0.27 g/t Au	0.5	
BST1	BSDD0149	292.00	293.00	1.00	0.226			
BST1	BSDD0149	296.00	297.00	1.00	0.422	2.00 m @ 0.49 g/t Au	1.0	
BST1	BSDD0149	297.00	298.00	1.00	0.561			
BST1	BSDD0149	309.00	310.00	1.00	0.903	5.00 m @ 0.50 g/t Au	2.5	
BST1	BSDD0149	310.00	311.15	1.15	0.339			
BST1	BSDD0149	311.15	312.00	0.85	0.866			
BST1	BSDD0149	312.00	313.00	1.00	0.097			
BST1	BSDD0149	313.00	314.00	1.00	0.354			
BST1	BSDD0149	317.00	318.00	1.00	0.102			
BST1	BSDD0149	319.00	320.00	1.00	**2.813**	**2.40 m @ 1.31 g/t Au**	**3.2**	**1.00 m @ 2.81 g/t Au**
BST1	BSDD0149	320.00	321.40	1.40	0.241			
BST1	BSDD0149	321.40	322.00	0.60	0.117			
BST1	BSDD0149	333.00	334.00	1.00	0.149			
BST1	BSDD0149	336.00	337.00	1.00	0.234	2.00 m @ 0.71 g/t Au	1.4	
BST1	BSDD0149	337.00	338.00	1.00	**1.189**			**1.00 m @ 1.19 g/t Au**
BST1	BSDD0149	339.00	340.10	1.10	0.169			
BST1	BSDD0149	340.10	341.00	0.90	0.992	3.90 m @ 0.29 g/t Au	1.1	
BST1	BSDD0149	341.00	342.00	1.00	0.008			
BST1	BSDD0149	342.00	343.00	1.00	0.008			
BST1	BSDD0149	343.00	344.00	1.00	0.221			
BST1	BSDD0149	350.00	351.00	1.00	0.163			
BST1	BSDD0149	353.00	354.00	1.00	0.554	**5.00 m @ 1.39 g/t Au**	**6.9**	
BST1	BSDD0149	354.00	355.00	1.00	0.788			
BST1	BSDD0149	355.00	356.00	1.00	0.042			
BST1	BSDD0149	356.00	357.00	1.00	0.008			
BST1	BSDD0149	357.00	358.00	1.00	**5.545**			**1.00 m @ 5.54 g/t Au**
BST1	BSDD0149	362.00	363.00	1.00	0.185			
BST1	BSDD0149	372.00	373.00	1.00	0.155			
BST1	BSDD0149	389.00	390.00	1.00	0.646	1.00 m @ 0.65 g/t Au	0.6	
BST1	BSDD0153	0.00	1.07	1.07	0.350	1.07 m @ 0.35 g/t Au	0.4	
BST1	BSDD0153	3.55	4.50	0.95	0.174			
BST1	BSDD0153	30.95	32.45	1.50	**1.270**	1.50 m @ 1.27 g/t Au	1.9	**1.50 m @ 1.27 g/t Au**
BST1	BSDD0153	42.00	43.50	1.50	0.169			
BST1	BSDD0153	46.50	47.31	0.81	0.582	0.81 m @ 0.58 g/t Au	0.5	
BST1	BSDD0153	52.50	54.00	1.50	0.156			
BST1	BSDD0153	57.00	58.50	1.50	**1.424**	3.00 m @ 0.82 g/t Au	2.5	**1.50 m @ 1.42 g/t Au**
BST1	BSDD0153	58.50	60.00	1.50	0.218			
BST1	BSDD0153	63.00	64.50	1.50	**1.714**	**1.50 m @ 1.71 g/t Au**	**2.6**	**1.50 m @ 1.71 g/t Au**
BST1	BSDD0153	67.50	69.00	1.50	**2.694**	**2.50 m @ 2.11 g/t Au**	**5.3**	**2.50 m @ 2.11 g/t Au**
BST1	BSDD0153	69.00	70.00	1.00	**1.235**			
BST1	BSDD0153	82.00	83.00	1.00	0.405	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0153	109.00	110.21	1.21	0.348	1.21 m @ 0.35 g/t Au	0.4	
BST1	BSDD0153	159.00	160.00	1.00	0.127			
BST1	BSDD0153	194.00	195.00	1.00	0.164			
BST1	BSDD0153	207.00	208.00	1.00	0.163			
BST1	BSDD0153	212.00	213.00	1.00	0.481	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0153	242.00	243.00	1.00	0.158			
BST1	BSDD0153	262.00	263.25	1.25	0.625	1.25 m @ 0.62 g/t Au	0.8	
BST1	BSDD0153	268.00	269.00	1.00	0.464	1.00 m @ 0.46 g/t Au	0.5	
BST1	BSDD0153	271.00	272.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0153	274.00	275.00	1.00	0.500	1.00 m @ 0.50 g/t Au	0.5	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0153	275.00	276.00	1.00	0.151			
BST1	BSDD0153	291.00	292.00	1.00	0.349	1.00 m @ 0.35 g/t Au	0.3	
BST1	BSDD0153	296.00	297.00	1.00	0.655			
BST1	BSDD0153	297.00	298.00	1.00	0.168	3.00 m @ 0.42 g/t Au	1.3	
BST1	BSDD0153	298.00	299.00	1.00	0.451			
BST1	BSDD0153	313.00	314.00	1.00	0.107			
BST1	BSDD0153	318.00	318.55	0.55	0.105			
BST1	BSDD0153	318.55	319.50	0.95	**1.380**			
BST1	BSDD0153	319.50	320.20	0.70	**2.892**			
BST1	BSDD0153	320.20	321.00	0.80	0.969			**4.45 m @ 2.18 g/t Au**
BST1	BSDD0153	321.00	322.00	1.00	0.060			
BST1	BSDD0153	322.00	323.00	1.00	**5.535**			
BST1	BSDD0153	323.00	324.00	1.00	0.709			
BST1	BSDD0153	324.00	325.00	1.00	**3.464**			
BST1	BSDD0153	325.00	326.00	1.00	0.133			**3.00 m @ 3.79 g/t Au**
BST1	BSDD0153	326.00	327.00	1.00	**7.784**			
BST1	BSDD0153	327.00	328.00	1.00	0.026	**18.45 m @ 1.32 g/t Au**	**24.3**	
BST1	BSDD0153	328.00	329.00	1.00	0.642			
BST1	BSDD0153	329.00	330.00	1.00	0.054			
BST1	BSDD0153	330.00	331.00	1.00	0.258			
BST1	BSDD0153	331.00	332.00	1.00	0.008			
BST1	BSDD0153	332.00	333.00	1.00	0.017			
BST1	BSDD0153	333.00	334.00	1.00	**1.086**			**1.00 m @ 1.09 g/t Au**
BST1	BSDD0153	334.00	335.00	1.00	0.008			
BST1	BSDD0153	335.00	336.00	1.00	0.020			
BST1	BSDD0153	336.00	337.00	1.00	0.392			
BST1	BSDD0153	339.00	340.00	1.00	0.108			
BST1	BSDD0153	340.00	341.00	1.00	0.168			
BST1	BSDD0153	341.00	342.00	1.00	0.432			
BST1	BSDD0153	342.00	343.00	1.00	0.172	3.00 m @ 0.81 g/t Au	2.4	
BST1	BSDD0153	343.00	344.00	1.00	**1.831**			**1.00 m @ 1.83 g/t Au**
BST1	BSDD0153	347.00	348.50	1.50	0.274			
BST1	BSDD0153	348.50	349.00	0.50	**1.020**			**1.50 m @ 1.52 g/t Au**
BST1	BSDD0153	349.00	350.00	1.00	**1.771**	**5.50 m @ 0.77 g/t Au**	**4.2**	
BST1	BSDD0153	350.00	351.00	1.00	0.239			
BST1	BSDD0153	351.00	352.00	1.00	0.148			
BST1	BSDD0153	352.00	352.50	0.50	**2.285**			**0.50 m @ 2.29 g/t Au**
BST1	BSDD0153	358.00	359.00	1.00	0.434	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0153	363.00	363.65	0.65	0.495			
BST1	BSDD0153	363.65	364.60	0.95	0.928			
BST1	BSDD0153	364.60	366.00	1.40	0.477			
BST1	BSDD0153	366.00	367.00	1.00	0.848			
BST1	BSDD0153	367.00	368.00	1.00	0.256			
BST1	BSDD0153	368.00	369.00	1.00	0.008			
BST1	BSDD0153	369.00	370.10	1.10	**3.105**	**14.00 m @ 0.78 g/t Au**	**10.9**	**1.10 m @ 3.10 g/t Au**
BST1	BSDD0153	370.10	371.00	0.90	0.008			
BST1	BSDD0153	371.00	372.00	1.00	0.032			
BST1	BSDD0153	372.00	373.00	1.00	0.356			
BST1	BSDD0153	373.00	374.30	1.30	0.035			
BST1	BSDD0153	374.30	375.32	1.02	**3.277**			**1.02 m @ 3.28 g/t Au**
BST1	BSDD0153	375.32	376.00	0.68	0.029			
BST1	BSDD0153	376.00	377.00	1.00	0.649			
BST1	BSDD0153	378.00	378.63	0.63	0.142			
BST1	BSDD0153	380.00	380.88	0.88	**6.955**	**1.80 m @ 3.55 g/t Au**	**6.4**	**0.88 m @ 6.96 g/t Au**
BST1	BSDD0153	380.88	381.80	0.92	0.293			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0154	0.00	1.50	1.50	0.700	1.50 m @ 0.70 g/t Au	1.1	
BST1	BSDD0154	3.00	4.10	1.10	0.140			
BST1	BSDD0154	4.50	6.00	1.50	0.120			
BST1	BSDD0154	11.00	12.00	1.00	0.130			
BST1	BSDD0154	13.00	14.00	1.00	0.100			
BST1	BSDD0154	30.00	31.00	1.00	0.690	1.00 m @ 0.69 g/t Au	0.7	
BST1	BSDD0154	31.00	32.00	1.00	0.110			
BST1	BSDD0154	32.00	33.00	1.00	0.130			
BST1	BSDD0154	57.00	58.00	1.00	0.730			
BST1	BSDD0154	58.00	59.00	1.00	0.200			
BST1	BSDD0154	59.00	60.00	1.00	0.030	**5.00 m @ 0.68 g/t Au**	**3.4**	
BST1	BSDD0154	60.00	61.00	1.00	0.090			
BST1	BSDD0154	61.00	62.00	1.00	**2.360**			**1.00 m @ 2.36 g/t Au**
BST1	BSDD0154	68.00	69.00	1.00	0.200			
BST1	BSDD0154	69.00	70.00	1.00	0.450	4.00 m @ 0.61 g/t Au	2.5	
BST1	BSDD0154	70.00	71.00	1.00	**1.440**			**1.00 m @ 1.44 g/t Au**
BST1	BSDD0154	71.00	72.00	1.00	0.370			
BST1	BSDD0154	87.00	88.00	1.00	0.160			
BST1	BSDD0154	95.00	96.00	1.00	0.140			
BST1	BSDD0154	215.00	216.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0154	245.00	246.00	1.00	0.120			
BST1	BSDD0154	258.00	259.00	1.00	0.150			
BST1	BSDD0154	260.55	262.00	1.45	0.230	1.45 m @ 0.23 g/t Au	0.3	
BST1	BSDD0154	277.00	278.00	1.00	0.500	1.00 m @ 0.50 g/t Au	0.5	
BST1	BSDD0154	298.00	299.00	1.00	0.150			
BST1	BSDD0154	299.00	300.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0154	302.00	303.00	1.00	0.100			
BST1	BSDD0154	307.00	308.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0154	311.00	312.00	1.00	0.430			
BST1	BSDD0154	312.00	313.00	1.00	0.150			
BST1	BSDD0154	313.00	314.00	1.00	**4.050**			**1.00 m @ 4.05 g/t Au**
BST1	BSDD0154	314.00	315.00	1.00	0.120			
BST1	BSDD0154	315.00	316.00	1.00	0.480			
BST1	BSDD0154	316.00	317.00	1.00	0.010	**10.00 m @ 0.58 g/t Au**	**5.8**	
BST1	BSDD0154	317.00	318.00	1.00	0.020			
BST1	BSDD0154	318.00	319.00	1.00	0.220			
BST1	BSDD0154	319.00	320.00	1.00	0.050			
BST1	BSDD0154	320.00	321.00	1.00	0.250			
BST1	BSDD0154	324.00	325.00	1.00	0.170			
BST1	BSDD0154	333.00	334.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	
BST1	BSDD0154	335.00	336.00	1.00	0.180			
BST1	BSDD0154	337.00	338.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0154	340.00	341.00	1.00	0.180			
BST1	BSDD0154	345.00	346.30	1.30	0.120			
BST1	BSDD0154	346.30	347.00	0.70	0.820	0.70 m @ 0.82 g/t Au	0.6	
BST1	BSDD0154	349.00	350.00	1.00	0.100			
BST1	BSDD0154	350.00	351.00	1.00	**1.460**			**1.00 m @ 1.46 g/t Au**
BST1	BSDD0154	351.00	352.00	1.00	0.060	4.00 m @ 0.56 g/t Au	2.2	
BST1	BSDD0154	352.00	353.00	1.00	0.050			
BST1	BSDD0154	353.00	354.00	1.00	0.660			
BST1	BSDD0154	358.00	359.00	1.00	0.100			
BST1	BSDD0154	359.00	360.00	1.00	**2.090**			**1.00 m @ 2.09 g/t Au**
BST1	BSDD0154	360.00	361.00	1.00	0.450	**3.00 m @ 0.94 g/t Au**	**2.8**	
BST1	BSDD0154	361.00	362.00	1.00	0.290			
BST1	BSDD0154	364.00	365.00	1.00	0.140			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0154	365.00	366.00	1.00	**1.220**			**1.00 m @ 1.22 g/t Au**
BST1	BSDD0154	366.00	367.00	1.00	0.490			
BST1	BSDD0154	367.00	368.00	1.00	0.030			
BST1	BSDD0154	368.00	369.00	1.00	0.790	**7.00 m @ 0.44 g/t Au**	**3.1**	
BST1	BSDD0154	369.00	370.00	1.00	0.030			
BST1	BSDD0154	370.00	371.00	1.00	0.050			
BST1	BSDD0154	371.00	372.00	1.00	0.490			
BST1	BSDD0154	372.00	373.00	1.00	0.110			
BST1	BSDD0154	375.00	376.00	1.00	0.740			
BST1	BSDD0154	376.00	377.00	1.00	0.030	4.00 m @ 0.40 g/t Au	1.6	
BST1	BSDD0154	377.00	378.00	1.00	0.080			
BST1	BSDD0154	378.00	379.00	1.00	0.730			
BST1	BSDD0154	382.00	383.00	1.00	0.470			
BST1	BSDD0154	383.00	384.00	1.00	0.220			
BST1	BSDD0154	384.00	385.00	1.00	0.250			
BST1	BSDD0154	385.00	386.00	1.00	0.980			
BST1	BSDD0154	386.00	387.00	1.00	0.030	**8.00 m @ 0.34 g/t Au**	**2.7**	
BST1	BSDD0154	387.00	388.00	1.00	0.290			
BST1	BSDD0154	388.00	389.00	1.00	0.040			
BST1	BSDD0154	389.00	390.00	1.00	0.440			
BST1	BSDD0154	394.00	394.50	0.50	**1.770**	0.50 m @ 1.77 g/t Au	0.9	**0.50 m @ 1.77 g/t Au**
BST1	BSDD0154	397.00	398.00	1.00	0.710	1.00 m @ 0.71 g/t Au	0.7	
BST1	BSDD0154	398.00	399.00	1.00	0.180			
BST1	BSDD0154	402.00	403.00	1.00	**1.510**			**1.00 m @ 1.51 g/t Au**
BST1	BSDD0154	403.00	404.00	1.00	0.010	**4.00 m @ 0.86 g/t Au**	**3.4**	
BST1	BSDD0154	404.00	405.00	1.00	0.020			
BST1	BSDD0154	405.00	406.00	1.00	**1.900**			**1.00 m @ 1.90 g/t Au**
BST1	BSDD0154	406.00	407.00	1.00	0.160			
BST1	BSDD0154	411.00	412.00	1.00	0.150			
BST1	BSDD0154	419.00	420.00	1.00	0.430			
BST1	BSDD0154	420.00	421.00	1.00	0.030	3.00 m @ 0.31 g/t Au	0.9	
BST1	BSDD0154	421.00	422.00	1.00	0.480			
BST1	BSDD0154	426.00	427.00	1.00	**1.330**	1.00 m @ 1.33 g/t Au	1.3	**1.00 m @ 1.33 g/t Au**
BST1	BSDD0154	432.00	433.00	1.00	0.510	2.00 m @ 0.94 g/t Au	1.9	
BST1	BSDD0154	433.00	434.00	1.00	**1.380**			**1.00 m @ 1.38 g/t Au**
BST1	BSDD0154	438.00	439.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0154	445.00	446.00	1.00	0.120			
BST1	BSDD0154	446.00	447.00	1.00	0.540	1.00 m @ 0.54 g/t Au	0.5	
BST1	BSDD0154	452.00	453.00	1.00	0.860	1.00 m @ 0.86 g/t Au	0.9	
BST1	BSDD0154	461.00	462.00	1.00	0.150			
BST1	BSDD0154	462.00	463.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
BST1	BSDD0156	0.00	1.00	1.00	0.150			
BST1	BSDD0156	1.00	2.39	1.39	0.130			
BST1	BSDD0156	14.40	15.50	1.10	0.350	1.70 m @ 0.51 g/t Au	0.9	
BST1	BSDD0156	15.50	16.10	0.60	0.800			
BST1	BSDD0156	19.50	21.00	1.50	0.940	1.50 m @ 0.94 g/t Au	1.4	
BST1	BSDD0156	35.04	36.00	0.96	0.110			
BST1	BSDD0156	36.00	37.00	1.00	0.100			
BST1	BSDD0156	37.00	38.00	1.00	0.110			
BST1	BSDD0156	40.00	41.00	1.00	0.470			
BST1	BSDD0156	41.00	42.00	1.00	0.520	3.00 m @ 0.42 g/t Au	1.3	
BST1	BSDD0156	42.00	43.00	1.00	0.270			
BST1	BSDD0156	53.00	54.00	1.00	**1.340**	1.00 m @ 1.34 g/t Au	1.3	**1.00 m @ 1.34 g/t Au**
BST1	BSDD0156	57.00	58.00	1.00	0.170			
BST1	BSDD0156	58.00	59.00	1.00	0.100			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0156	59.60	61.00	1.40	**1.580**	**4.40 m @ 0.75 g/t Au**	**3.3**	**1.40 m @ 1.58 g/t Au**
BST1	BSDD0156	61.00	62.00	1.00	0.720			
BST1	BSDD0156	62.00	63.00	1.00	0.160			
BST1	BSDD0156	63.00	64.00	1.00	0.220			
BST1	BSDD0156	73.00	74.00	1.00	**1.170**	**2.00 m @ 1.66 g/t Au**	**3.3**	**2.00 m @ 1.66 g/t Au**
BST1	BSDD0156	74.00	75.00	1.00	**2.140**			
BST1	BSDD0156	78.00	79.00	1.00	0.190			
BST1	BSDD0156	81.00	82.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0156	97.00	98.00	1.00	0.370	**4.00 m @ 0.71 g/t Au**	**2.8**	
BST1	BSDD0156	98.00	99.00	1.00	**1.380**			**1.00 m @ 1.38 g/t Au**
BST1	BSDD0156	99.00	100.00	1.00	0.330			
BST1	BSDD0156	100.00	101.00	1.00	0.750			
BST1	BSDD0156	108.00	109.00	1.00	0.680	2.00 m @ 0.92 g/t Au	1.8	
BST1	BSDD0156	109.00	110.00	1.00	**1.150**			**1.00 m @ 1.15 g/t Au**
BST1	BSDD0156	124.00	125.00	1.00	0.130			
BST1	BSDD0156	125.00	126.00	1.00	0.160			
BST1	BSDD0156	130.00	131.00	1.00	0.130			
BST1	BSDD0156	135.00	136.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0156	143.00	144.00	1.00	0.510	5.00 m @ 0.39 g/t Au	1.9	
BST1	BSDD0156	144.00	145.00	1.00	0.080			
BST1	BSDD0156	145.00	146.00	1.00	**1.010**			**1.00 m @ 1.01 g/t Au**
BST1	BSDD0156	146.00	147.00	1.00	0.050			
BST1	BSDD0156	147.00	148.00	1.00	0.280			
BST1	BSDD0156	170.00	171.00	1.00	0.120			
BST1	BSDD0156	171.00	172.00	1.00	0.160			
BST1	BSDD0156	199.00	200.00	1.00	0.100			
BST1	BSDD0156	235.00	236.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0156	240.00	241.00	1.00	0.110			
BST1	BSDD0156	248.00	249.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0156	249.00	250.00	1.00	0.180			
BST1	BSDD0156	253.00	254.00	1.00	0.100			
BST1	BSDD0156	256.00	257.00	1.00	**1.280**	1.00 m @ 1.28 g/t Au	1.3	**1.00 m @ 1.28 g/t Au**
BST1	BSDD0156	260.00	261.00	1.00	0.120			
BST1	BSDD0156	262.00	263.00	1.00	0.190			
BST1	BSDD0156	265.00	266.00	1.00	0.100			
BST1	BSDD0156	268.00	269.00	1.00	0.260	2.00 m @ 0.28 g/t Au	0.6	
BST1	BSDD0156	269.00	270.00	1.00	0.310			
BST1	BSDD0156	272.00	273.00	1.00	0.140			
BST1	BSDD0156	275.00	276.00	1.00	0.130			
BST1	BSDD0156	278.00	279.00	1.00	0.180			
BST1	BSDD0156	279.00	280.00	1.00	0.730	2.00 m @ 0.49 g/t Au	1.0	
BST1	BSDD0156	280.00	281.00	1.00	0.260			
BST1	BSDD0156	282.00	283.00	1.00	0.150			
BST1	BSDD0156	285.00	286.00	1.00	0.520	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0156	286.00	287.00	1.00	0.170			
BST1	BSDD0156	291.00	292.00	1.00	0.390	**19.00 m @ 0.40 g/t Au**	**7.7**	
BST1	BSDD0156	292.00	293.00	1.00	0.060			
BST1	BSDD0156	293.00	294.00	1.00	0.010			
BST1	BSDD0156	294.00	295.00	1.00	**1.400**			**2.00 m @ 1.23 g/t Au**
BST1	BSDD0156	295.00	296.00	1.00	**1.060**			
BST1	BSDD0156	296.00	297.00	1.00	0.440			
BST1	BSDD0156	297.00	298.00	1.00	0.010			
BST1	BSDD0156	298.00	299.00	1.00	0.810			
BST1	BSDD0156	299.00	300.00	1.00	0.010			
BST1	BSDD0156	300.00	301.00	1.00	0.290			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0156	301.00	302.00	1.00	0.060			
BST1	BSDD0156	302.00	303.00	1.00	0.010			
BST1	BSDD0156	303.00	304.00	1.00	**1.880**			**1.00 m @ 1.88 g/t Au**
BST1	BSDD0156	304.00	305.00	1.00	0.030			
BST1	BSDD0156	305.00	306.00	1.00	0.010			
BST1	BSDD0156	306.00	307.00	1.00	0.200			
BST1	BSDD0156	307.00	308.00	1.00	0.010			
BST1	BSDD0156	308.00	309.00	1.00	0.130			
BST1	BSDD0156	309.00	310.00	1.00	0.850			
BST1	BSDD0156	313.00	314.00	1.00	0.630			
BST1	BSDD0156	314.00	315.00	1.00	0.010			
BST1	BSDD0156	315.00	316.00	1.00	0.020			
BST1	BSDD0156	316.00	317.00	1.00	0.240	**8.00 m @ 0.39 g/t Au**	**3.1**	
BST1	BSDD0156	317.00	318.00	1.00	0.310			
BST1	BSDD0156	318.00	319.00	1.00	0.020			
BST1	BSDD0156	319.00	320.00	1.00	**1.300**			**1.00 m @ 1.30 g/t Au**
BST1	BSDD0156	320.00	321.00	1.00	0.560			
BST1	BSDD0156	327.00	328.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0156	328.00	329.00	1.00	0.110			
BST1	BSDD0156	335.00	336.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0156	340.00	341.00	1.00	0.340			
BST1	BSDD0156	341.00	342.00	1.00	0.280			
BST1	BSDD0156	342.00	343.00	1.00	0.010	5.00 m @ 0.24 g/t Au	1.2	
BST1	BSDD0156	343.00	344.00	1.00	0.050			
BST1	BSDD0156	344.00	345.00	1.00	0.540			
BST1	BSDD0156	348.00	349.42	1.42	0.150			
BST1	BSDD0156	349.42	350.00	0.58	**1.620**			**3.58 m @ 1.01 g/t Au**
BST1	BSDD0156	350.00	351.00	1.00	0.140			
BST1	BSDD0156	351.00	352.00	1.00	0.010	**4.58 m @ 0.90 g/t Au**	**4.1**	
BST1	BSDD0156	352.00	353.00	1.00	**2.510**			
BST1	BSDD0156	353.00	354.00	1.00	0.500			
BST1	BSDD0156	359.00	360.00	1.00	**1.610**			**1.00 m @ 1.61 g/t Au**
BST1	BSDD0156	360.00	361.00	1.00	0.040			
BST1	BSDD0156	361.00	362.00	1.00	0.130			
BST1	BSDD0156	362.00	363.00	1.00	**1.590**	**7.00 m @ 0.68 g/t Au**	**4.7**	**1.00 m @ 1.59 g/t Au**
BST1	BSDD0156	363.00	364.00	1.00	0.290			
BST1	BSDD0156	364.00	365.00	1.00	0.130			
BST1	BSDD0156	365.00	366.00	1.00	0.950			
BST1	BSDD0156	374.00	375.00	1.00	**2.370**			**1.00 m @ 2.37 g/t Au**
BST1	BSDD0156	375.00	376.00	1.00	0.400			
BST1	BSDD0156	376.00	377.00	1.00	0.030			
BST1	BSDD0156	377.00	378.00	1.00	0.050	**7.00 m @ 0.66 g/t Au**	**4.7**	
BST1	BSDD0156	378.00	379.00	1.00	**1.410**			**1.00 m @ 1.41 g/t Au**
BST1	BSDD0156	379.00	380.00	1.00	0.010			
BST1	BSDD0156	380.00	381.00	1.00	0.380			
BST1	BSDD0156	388.00	389.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
BST1	BSDD0156	393.00	394.00	1.00	**1.680**	**2.00 m @ 1.36 g/t Au**	**2.7**	**2.00 m @ 1.36 g/t Au**
BST1	BSDD0156	394.00	395.00	1.00	**1.050**			
BST1	BSDD0156	402.00	403.00	1.00	**1.140**	1.00 m @ 1.14 g/t Au	1.1	**1.00 m @ 1.14 g/t Au**
BST1	BSDD0156	410.00	411.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0156	417.00	418.00	1.00	0.170			
BST1	BSDD0156	418.00	419.00	1.00	0.120			
BST1	BSDD0157	1.15	2.43	1.28	0.120			
BST1	BSDD0157	15.00	16.00	1.00	0.110			
BST1	BSDD0157	16.00	17.00	1.00	0.100			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0157	19.00	20.00	1.00	0.160			
BST1	BSDD0157	20.00	21.00	1.00	0.100			
BST1	BSDD0157	21.00	21.96	0.96	0.120			
BST1	BSDD0157	26.00	27.00	1.00	0.280	2.00 m @ 0.34 g/t Au	0.7	
BST1	BSDD0157	27.00	28.00	1.00	0.400			
BST1	BSDD0157	28.00	29.00	1.00	0.160			
BST1	BSDD0157	30.00	31.00	1.00	0.110			
BST1	BSDD0157	31.00	32.00	1.00	**1.400**	1.00 m @ 1.40 g/t Au	1.4	**1.00 m @ 1.40 g/t Au**
BST1	BSDD0157	35.00	36.00	1.00	0.120			
BST1	BSDD0157	39.00	40.00	1.00	0.100			
BST1	BSDD0157	46.00	47.07	1.07	0.110			
BST1	BSDD0157	49.50	51.00	1.50	0.110			
BST1	BSDD0157	60.00	61.00	1.00	0.120			
BST1	BSDD0157	61.00	62.00	1.00	0.120			
BST1	BSDD0157	69.00	70.00	1.00	0.170			
BST1	BSDD0157	75.00	76.00	1.00	0.190			
BST1	BSDD0157	79.00	80.00	1.00	0.120			
BST1	BSDD0157	83.00	84.30	1.30	0.120			
BST1	BSDD0157	103.00	104.00	1.00	0.120			
BST1	BSDD0157	104.00	105.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0157	109.00	110.00	1.00	0.140			
BST1	BSDD0157	110.00	111.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0157	118.00	119.00	1.00	0.100			
BST1	BSDD0157	119.00	120.00	1.00	0.100			
BST1	BSDD0157	123.00	124.00	1.00	0.280	2.00 m @ 0.35 g/t Au	0.7	
BST1	BSDD0157	124.00	125.00	1.00	0.430			
BST1	BSDD0157	129.00	130.00	1.00	0.110			
BST1	BSDD0157	134.00	135.00	1.00	0.100			
BST1	BSDD0157	146.00	147.00	1.00	0.170			
BST1	BSDD0157	147.00	148.00	1.00	0.210	4.00 m @ 0.33 g/t Au	1.3	
BST1	BSDD0157	148.00	149.00	1.00	0.410			
BST1	BSDD0157	149.00	150.00	1.00	0.470			
BST1	BSDD0157	150.00	151.00	1.00	0.240			
BST1	BSDD0157	151.00	152.00	1.00	0.130			
BST1	BSDD0157	155.00	156.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0157	165.00	166.00	1.00	0.110			
BST1	BSDD0157	166.00	166.70	0.70	0.470	4.00 m @ 0.43 g/t Au	1.7	
BST1	BSDD0157	166.70	168.00	1.30	0.620			
BST1	BSDD0157	168.00	169.00	1.00	0.180			
BST1	BSDD0157	169.00	170.00	1.00	0.400			
BST1	BSDD0157	174.00	175.40	1.40	0.100			
BST1	BSDD0157	176.00	177.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0157	183.00	184.00	1.00	**2.030**	**3.00 m @ 3.21 g/t Au**	**9.6**	**2.00 m @ 4.51 g/t Au**
BST1	BSDD0157	184.00	185.00	1.00	**7.000**			
BST1	BSDD0157	185.00	186.00	1.00	0.590			
BST1	BSDD0157	187.00	188.00	1.00	0.160			
BST1	BSDD0157	188.00	189.00	1.00	0.100			
BST1	BSDD0157	197.00	198.00	1.00	0.100			
BST1	BSDD0157	198.00	199.00	1.00	0.120			
BST1	BSDD0157	199.00	200.00	1.00	0.110			
BST1	BSDD0157	200.00	201.00	1.00	0.140			
BST1	BSDD0157	204.00	205.00	1.00	0.130			
BST1	BSDD0157	214.00	215.00	1.00	0.220	**8.50 m @ 0.76 g/t Au**	**6.5**	
BST1	BSDD0157	215.00	216.00	1.00	0.150			
BST1	BSDD0157	216.00	217.00	1.00	**4.720**			**1.00 m @ 4.72 g/t Au**

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0157	217.00	218.00	1.00	0.290			
BST1	BSDD0157	218.00	219.00	1.00	0.030			
BST1	BSDD0157	219.00	220.00	1.00	0.350			
BST1	BSDD0157	220.00	221.00	1.00	0.350			
BST1	BSDD0157	221.00	222.50	1.50	0.250			
BST1	BSDD0157	223.00	224.00	1.00	0.100			
BST1	BSDD0157	230.00	231.00	1.00	0.170			
BST1	BSDD0157	231.00	232.00	1.00	0.390	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0157	247.00	248.00	1.00	0.120			
BST1	BSDD0157	248.00	249.00	1.00	0.740	1.00 m @ 0.74 g/t Au	0.7	
BST1	BSDD0157	253.00	254.00	1.00	0.150			
BST1	BSDD0157	255.00	256.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0157	261.00	262.00	1.00	0.130			
BST1	BSDD0157	265.00	266.00	1.00	0.510			
BST1	BSDD0157	266.00	267.00	1.00	0.480			
BST1	BSDD0157	267.00	268.00	1.00	0.070			
BST1	BSDD0157	268.00	269.00	1.00	0.710			
BST1	BSDD0157	269.00	270.00	1.00	0.800			
BST1	BSDD0157	270.00	271.00	1.00	**1.180**	**11.00 m @ 0.70 g/t Au**	**7.7**	**2.00 m @ 1.15 g/t Au**
BST1	BSDD0157	271.00	272.00	1.00	**1.110**			
BST1	BSDD0157	272.00	273.00	1.00	0.470			
BST1	BSDD0157	273.00	274.00	1.00	0.520			
BST1	BSDD0157	274.00	275.00	1.00	0.140			
BST1	BSDD0157	275.00	276.00	1.00	**1.660**			**1.00 m @ 1.66 g/t Au**
BST1	BSDD0157	279.00	280.00	1.00	0.170			
BST1	BSDD0157	283.00	284.00	1.00	**1.360**			
BST1	BSDD0157	284.00	285.00	1.00	**13.360**			
BST1	BSDD0157	285.00	286.00	1.00	**8.990**	**5.00 m @ 5.26 g/t Au**	**26.3**	**5.00 m @ 5.26 g/t Au**
BST1	BSDD0157	286.00	287.00	1.00	0.250			
BST1	BSDD0157	287.00	288.00	1.00	**2.340**			
BST1	BSDD0157	289.00	290.00	1.00	0.150			
BST1	BSDD0157	293.00	294.00	1.00	0.140			
BST1	BSDD0157	294.00	295.00	1.00	0.190			
BST1	BSDD0157	295.00	296.00	1.00	0.180			
BST1	BSDD0157	301.00	302.00	1.00	0.120			
BST1	BSDD0157	305.00	306.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0157	314.00	315.00	1.00	0.260			
BST1	BSDD0157	315.00	316.00	1.00	0.010	3.00 m @ 0.28 g/t Au	0.8	
BST1	BSDD0157	316.00	317.00	1.00	0.560			
BST1	BSDD0157	339.00	340.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0159	0.00	1.00	1.00	**1.340**			**1.00 m @ 1.34 g/t Au**
BST1	BSDD0159	1.00	2.00	1.00	0.510	3.00 m @ 0.79 g/t Au	2.4	
BST1	BSDD0159	2.00	3.00	1.00	0.510			
BST1	BSDD0159	3.00	3.87	0.87	0.170			
BST1	BSDD0159	5.05	6.12	1.07	0.100			
BST1	BSDD0159	8.30	9.00	0.70	0.230	0.70 m @ 0.23 g/t Au	0.2	
BST1	BSDD0159	16.50	17.33	0.83	0.160			
BST1	BSDD0159	24.00	25.00	1.00	0.130			
BST1	BSDD0159	25.00	26.26	1.26	**23.100**	**1.26 m @ 23.10 g/t Au**	**29.1**	**1.26 m @ 23.10 g/t Au**
BST1	BSDD0159	62.10	63.00	0.90	0.360	0.90 m @ 0.36 g/t Au	0.3	
BST1	BSDD0159	68.00	69.00	1.00	0.730	1.00 m @ 0.73 g/t Au	0.7	
BST1	BSDD0161	9.00	10.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0161	53.00	54.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0161	68.00	69.00	1.00	**1.290**	1.00 m @ 1.29 g/t Au	1.3	**1.00 m @ 1.29 g/t Au**
BST1	BSDD0161	73.00	74.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0161	77.00	78.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0161	79.00	80.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0161	100.00	101.00	1.00	0.230			
BST1	BSDD0161	101.00	102.00	1.00	0.020	3.00 m @ 0.28 g/t Au	0.8	
BST1	BSDD0161	102.00	103.00	1.00	0.600			
BST1	BSDD0161	109.00	110.00	1.00	0.720	2.00 m @ 0.51 g/t Au	1.0	
BST1	BSDD0161	110.00	111.00	1.00	0.290			
BST1	BSDD0161	127.00	128.00	1.00	0.260			
BST1	BSDD0161	128.00	129.00	1.00	0.020			
BST1	BSDD0161	129.00	130.00	1.00	0.010	**6.00 m @ 0.48 g/t Au**	**2.9**	
BST1	BSDD0161	130.00	131.00	1.00	0.460			
BST1	BSDD0161	131.00	132.00	1.00	**1.750**			**1.00 m @ 1.75 g/t Au**
BST1	BSDD0161	132.00	133.00	1.00	0.390			
BST1	BSDD0161	138.00	139.00	1.00	0.430			
BST1	BSDD0161	139.00	140.00	1.00	0.020			
BST1	BSDD0161	140.00	141.00	1.00	0.010	5.00 m @ 0.25 g/t Au	1.3	
BST1	BSDD0161	141.00	142.00	1.00	0.390			
BST1	BSDD0161	142.00	143.00	1.00	0.400			
BST1	BSDD0161	151.00	152.00	1.00	**1.840**			
BST1	BSDD0161	152.00	153.00	1.00	0.040	**4.00 m @ 1.01 g/t Au**	**4.1**	**4.00 m @ 1.01 g/t Au**
BST1	BSDD0161	153.00	154.00	1.00	0.050			
BST1	BSDD0161	154.00	155.00	1.00	**2.130**			
BST1	BSDD0161	164.00	165.50	1.50	0.740	1.50 m @ 0.74 g/t Au	1.1	
BST1	BSDD0161	165.50	166.00	0.50	0.150			
BST1	BSDD0161	173.00	174.00	1.00	0.160			
BST1	BSDD0161	219.00	220.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0161	230.00	231.00	1.00	0.120			
BST1	BSDD0161	231.00	232.00	1.00	0.560	1.00 m @ 0.56 g/t Au	0.6	
BST1	BSDD0161	242.00	243.00	1.00	0.120			
BST1	BSDD0161	243.00	244.00	1.00	0.320			
BST1	BSDD0161	244.00	245.00	1.00	0.070	4.00 m @ 0.32 g/t Au	1.3	
BST1	BSDD0161	245.00	246.00	1.00	0.160			
BST1	BSDD0161	246.00	247.00	1.00	0.710			
BST1	BSDD0162	0.00	1.50	1.50	0.520	1.50 m @ 0.52 g/t Au	0.8	
BST1	BSDD0162	2.44	3.00	0.56	0.520			
BST1	BSDD0162	3.00	4.00	1.00	0.080			
BST1	BSDD0162	4.00	5.00	1.00	0.140	4.06 m @ 0.38 g/t Au	1.5	
BST1	BSDD0162	5.00	6.00	1.00	0.830			
BST1	BSDD0162	6.00	6.50	0.50	0.380			
BST1	BSDD0162	9.50	11.00	1.50	0.160			
BST1	BSDD0162	17.00	18.50	1.50	0.120			
BST1	BSDD0162	38.00	38.70	0.70	0.100			
BST1	BSDD0162	91.00	92.00	1.00	0.150			
BST1	BSDD0162	96.00	97.00	1.00	0.480	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0162	168.00	169.00	1.00	0.270			
BST1	BSDD0162	169.00	170.00	1.00	0.390	3.00 m @ 0.36 g/t Au	1.1	
BST1	BSDD0162	170.00	171.00	1.00	0.410			
BST1	BSDD0162	174.00	175.00	1.00	0.160			
BST1	BSDD0162	191.00	191.94	0.94	0.660	0.94 m @ 0.66 g/t Au	0.6	
BST1	BSDD0162	197.00	198.00	1.00	0.140			
BST1	BSDD0162	199.00	199.53	0.53	**1.770**	2.00 m @ 1.03 g/t Au	2.1	**0.53 m @ 1.77 g/t Au**
BST1	BSDD0162	199.53	201.00	1.47	0.770			
BST1	BSDD0163	0.00	1.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0163	1.00	1.88	0.88	0.190			
BST1	BSDD0163	3.31	4.00	0.69	0.210	0.69 m @ 0.21 g/t Au	0.1	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0163	59.00	60.00	1.00	0.160			
BST1	BSDD0163	61.70	63.00	1.30	0.120			
BST1	BSDD0163	82.00	83.00	1.00	0.250	2.00 m @ 0.28 g/t Au	0.6	
BST1	BSDD0163	83.00	84.00	1.00	0.310			
BST1	BSDD0164	0.00	1.00	1.00	0.300	2.00 m @ 0.27 g/t Au	0.5	
BST1	BSDD0164	1.00	2.00	1.00	0.240			
BST1	BSDD0164	2.00	3.50	1.50	0.110			
BST1	BSDD0164	3.50	4.00	0.50	0.150			
BST1	BSDD0164	44.00	45.00	1.00	0.120			
BST1	BSDD0164	46.00	47.00	1.00	**1.670**	1.00 m @ 1.67 g/t Au	1.7	**1.00 m @ 1.67 g/t Au**
BST1	BSDD0164	49.00	50.00	1.00	0.110			
BST1	BSDD0164	72.00	73.00	1.00	0.220	2.00 m @ 0.21 g/t Au	0.4	
BST1	BSDD0164	73.00	74.00	1.00	0.200			
BST1	BSDD0164	92.00	93.50	1.50	0.130			
BST1	BSDD0164	113.00	114.00	1.00	0.160			
BST1	BSDD0164	133.00	134.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0164	144.20	145.00	0.80	0.120			
BST1	BSDD0164	145.00	146.00	1.00	0.150			
BST1	BSDD0164	147.00	148.00	1.00	0.110			
BST1	BSDD0164	151.00	151.66	0.66	0.160			
BST1	BSDD0164	151.66	152.40	0.74	**1.570**	0.74 m @ 1.57 g/t Au	1.2	**0.74 m @ 1.57 g/t Au**
BST1	BSDD0164	156.12	157.00	0.88	0.930	0.88 m @ 0.93 g/t Au	0.8	
BST1	BSDD0164	158.00	159.47	1.47	0.100			
BST1	BSDD0164	159.47	160.38	0.91	0.940	0.91 m @ 0.94 g/t Au	0.9	
BST1	BSDD0164	161.00	162.00	1.00	0.120			
BST1	BSDD0165	0.00	0.59	0.59	0.150			
BST1	BSDD0165	0.59	2.00	1.41	0.100			
BST1	BSDD0165	2.00	3.00	1.00	0.130			
BST1	BSDD0165	64.85	66.00	1.15	0.330	1.15 m @ 0.33 g/t Au	0.4	
BST1	BSDD0165	68.00	69.00	1.00	0.160			
BST1	BSDD0165	69.00	70.00	1.00	0.140			
BST1	BSDD0165	70.00	70.86	0.86	0.840	0.86 m @ 0.84 g/t Au	0.7	
BST1	BSDD0165	75.45	76.00	0.55	0.310	**9.55 m @ 5.18 g/t Au**	**49.4**	
BST1	BSDD0165	76.00	76.65	0.65	**25.980**			**3.00 m @ 7.06 g/t Au**
BST1	BSDD0165	76.65	77.26	0.61	**4.100**			
BST1	BSDD0165	77.26	78.00	0.74	0.780			
BST1	BSDD0165	78.00	79.00	1.00	**1.220**			
BST1	BSDD0165	79.00	80.00	1.00	0.120			
BST1	BSDD0165	80.00	81.00	1.00	0.490			
BST1	BSDD0165	81.00	82.00	1.00	0.050			
BST1	BSDD0165	82.00	83.00	1.00	0.330			
BST1	BSDD0165	83.00	84.35	1.35	0.140			
BST1	BSDD0165	84.35	85.00	0.65	**41.380**			**0.65 m @ 41.38 g/t Au**
BST1	BSDD0165	88.00	89.49	1.49	0.140			
BST1	BSDD0165	89.49	90.00	0.51	**20.330**	**0.51 m @ 20.33 g/t Au**	**10.4**	**0.51 m @ 20.33 g/t Au**
BST1	BSDD0165	91.00	92.00	1.00	0.120			
BST1	BSDD0165	101.00	102.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0165	118.98	120.00	1.02	0.240	1.02 m @ 0.24 g/t Au	0.2	
BST1	BSDD0165	125.00	126.00	1.00	0.120			
BST1	BSDD0165	130.00	130.50	0.50	**1.130**	0.50 m @ 1.13 g/t Au	0.6	**0.50 m @ 1.13 g/t Au**
BST1	BSDD0165	130.50	131.00	0.50	0.130			
BST1	BSDD0165	136.32	137.00	0.68	0.860	0.68 m @ 0.86 g/t Au	0.6	
BST1	BSDD0165	140.00	141.00	1.00	0.830	2.40 m @ 0.75 g/t Au	1.8	
BST1	BSDD0165	141.00	142.40	1.40	0.690			
BST1	BSDD0165	142.40	143.00	0.60	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0165	149.57	151.00	1.43	0.410	1.43 m @ 0.41 g/t Au	0.6	
BST1	BSDD0165	159.00	160.07	1.07	0.820	**3.85 m @ 0.90 g/t Au**	**3.5**	
BST1	BSDD0165	160.07	161.00	0.93	**2.010**			**0.93 m @ 2.01 g/t Au**
BST1	BSDD0165	161.00	162.00	1.00	0.410			
BST1	BSDD0165	162.00	162.85	0.85	0.360			
BST1	BSDD0165	166.87	168.00	1.13	**1.580**	**2.13 m @ 1.37 g/t Au**	**2.9**	**2.13 m @ 1.37 g/t Au**
BST1	BSDD0165	168.00	169.00	1.00	**1.130**			
BST1	BSDD0165	170.00	171.00	1.00	0.100			
BST1	BSDD0165	171.84	173.00	1.16	0.140			
BST1	BSDD0165	176.00	177.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0165	180.00	181.00	1.00	0.110			
BST1	BSDD0165	187.00	188.00	1.00	0.920	1.00 m @ 0.92 g/t Au	0.9	
BST1	BSDD0166	0.00	0.67	0.67	0.270	0.67 m @ 0.27 g/t Au	0.2	
BST1	BSDD0166	1.50	3.00	1.50	**1.930**	**1.50 m @ 1.93 g/t Au**	**2.9**	**1.50 m @ 1.93 g/t Au**
BST1	BSDD0166	8.80	9.61	0.81	0.160			
BST1	BSDD0166	24.00	25.00	1.00	0.110			
BST1	BSDD0167	0.50	1.50	1.00	0.150			
BST1	BSDD0167	3.00	4.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0167	10.00	11.00	1.00	0.100			
BST1	BSDD0167	15.00	16.50	1.50	0.370	1.50 m @ 0.37 g/t Au	0.6	
BST1	BSDD0167	43.50	44.50	1.00	0.370	3.50 m @ 0.21 g/t Au	0.7	
BST1	BSDD0167	44.50	45.00	0.50	0.040			
BST1	BSDD0167	45.00	46.00	1.00	0.010			
BST1	BSDD0167	46.00	47.00	1.00	0.340			
BST1	BSDD0167	51.00	52.00	1.00	0.190			
BST1	BSDD0167	54.00	55.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0167	65.15	66.00	0.85	0.670	0.85 m @ 0.67 g/t Au	0.6	
BST1	BSDD0167	71.00	72.00	1.00	0.140			
BST1	BSDD0167	75.00	76.39	1.39	0.840	1.39 m @ 0.84 g/t Au	1.2	
BST1	BSDD0167	83.00	84.00	1.00	0.100			
BST1	BSDD0167	85.00	86.00	1.00	0.150			
BST1	BSDD0167	86.00	87.17	1.17	0.950	1.17 m @ 0.95 g/t Au	1.1	
BST1	BSDD0167	109.00	110.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	
BST1	BSDD0167	114.00	115.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0167	125.00	126.00	1.00	0.810	1.00 m @ 0.81 g/t Au	0.8	
BST1	BSDD0167	131.00	132.00	1.00	0.540	1.00 m @ 0.54 g/t Au	0.5	
BST1	BSDD0167	141.15	142.00	0.85	**3.460**	**0.85 m @ 3.46 g/t Au**	**2.9**	**0.85 m @ 3.46 g/t Au**
BST1	BSDD0167	142.00	143.00	1.00	0.130			
BST1	BSDD0167	147.00	148.00	1.00	**1.910**	1.00 m @ 1.91 g/t Au	1.9	**1.00 m @ 1.91 g/t Au**
BST1	BSDD0167	155.00	156.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0167	162.60	164.00	1.40	0.660	**4.40 m @ 1.17 g/t Au**	**5.1**	
BST1	BSDD0167	164.00	165.00	1.00	0.050			
BST1	BSDD0167	165.00	166.00	1.00	0.010			
BST1	BSDD0167	166.00	167.00	1.00	**4.150**			**1.00 m @ 4.15 g/t Au**
BST1	BSDD0167	167.00	167.60	0.60	0.110			
BST1	BSDD0167	176.00	177.00	1.00	0.180			
BST1	BSDD0167	177.00	178.00	1.00	0.410	**5.00 m @ 2.25 g/t Au**	**11.2**	
BST1	BSDD0167	178.00	179.00	1.00	0.020			
BST1	BSDD0167	179.00	180.00	1.00	0.290			
BST1	BSDD0167	180.00	181.00	1.00	**10.160**			**1.00 m @ 10.16 g/t Au**
BST1	BSDD0167	181.00	182.00	1.00	0.350			
BST1	BSDD0167	194.00	195.33	1.33	0.140			
BST1	BSDD0167	198.00	199.00	1.00	**1.130**	3.00 m @ 0.58 g/t Au	1.7	**1.00 m @ 1.13 g/t Au**
BST1	BSDD0167	199.00	200.00	1.00	0.020			
BST1	BSDD0167	200.00	201.00	1.00	0.580			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0167	205.00	206.00	1.00	**3.580**	**3.00 m @ 1.58 g/t Au**	**4.7**	**1.00 m @ 3.58 g/t Au**
BST1	BSDD0167	206.00	207.00	1.00	0.170			
BST1	BSDD0167	207.00	208.00	1.00	0.980			
BST1	BSDD0167	213.00	214.00	1.00	**1.180**	1.00 m @ 1.18 g/t Au	1.2	**1.00 m @ 1.18 g/t Au**
BST1	BSDD0167	218.80	220.00	1.20	0.420	1.20 m @ 0.42 g/t Au	0.5	
BST1	BSDD0167	221.00	222.00	1.00	0.160			
BST1	BSDD0167	227.00	228.00	1.00	0.100			
BST1	BSDD0167	228.00	229.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0167	232.00	233.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0167	236.00	237.05	1.05	0.140			
BST1	BSDD0167	246.00	247.00	1.00	0.140			
BST1	BSDD0167	247.00	248.00	1.00	**2.330**	1.00 m @ 2.33 g/t Au	2.3	**1.00 m @ 2.33 g/t Au**
BST1	BSDD0167	255.00	256.00	1.00	0.150			
BST1	BSDD0167	278.00	279.00	1.00	**1.180**	1.00 m @ 1.18 g/t Au	1.2	**1.00 m @ 1.18 g/t Au**
BST1	BSDD0168	0.00	1.50	1.50	0.190			
BST1	BSDD0168	1.50	2.33	0.83	0.290	0.83 m @ 0.29 g/t Au	0.2	
BST1	BSDD0168	3.00	4.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0168	15.00	16.00	1.00	0.600	1.00 m @ 0.60 g/t Au	0.6	
BST1	BSDD0168	19.00	20.36	1.36	0.170			
BST1	BSDD0168	21.68	22.50	0.82	0.100			
BST1	BSDD0168	34.00	35.00	1.00	0.130			
BST1	BSDD0168	55.00	56.00	1.00	0.140			
BST1	BSDD0168	67.00	68.00	1.00	0.170			
BST1	BSDD0168	77.00	78.00	1.00	0.230	**4.00 m @ 0.81 g/t Au**	**3.3**	
BST1	BSDD0168	78.00	79.00	1.00	**1.620**			**1.00 m @ 1.62 g/t Au**
BST1	BSDD0168	79.00	80.00	1.00	0.900			
BST1	BSDD0168	80.00	81.00	1.00	0.500			
BST1	BSDD0168	81.00	82.00	1.00	0.120			
BST1	BSDD0168	84.00	85.00	1.00	**8.090**	**1.00 m @ 8.09 g/t Au**	**8.1**	**1.00 m @ 8.09 g/t Au**
BST1	BSDD0168	89.00	90.00	1.00	0.560	**8.00 m @ 0.39 g/t Au**	**3.2**	
BST1	BSDD0168	90.00	91.00	1.00	0.310			
BST1	BSDD0168	91.00	92.00	1.00	0.020			
BST1	BSDD0168	92.00	93.00	1.00	0.330			
BST1	BSDD0168	93.00	94.00	1.00	0.750			
BST1	BSDD0168	94.00	95.00	1.00	0.050			
BST1	BSDD0168	95.00	96.00	1.00	0.320			
BST1	BSDD0168	96.00	97.00	1.00	0.810			
BST1	BSDD0168	103.00	104.00	1.00	0.470	**8.00 m @ 0.62 g/t Au**	**5.0**	
BST1	BSDD0168	104.00	105.00	1.00	0.140			
BST1	BSDD0168	105.00	106.00	1.00	0.040			
BST1	BSDD0168	106.00	107.00	1.00	**1.930**			**1.00 m @ 1.93 g/t Au**
BST1	BSDD0168	107.00	108.00	1.00	0.030			
BST1	BSDD0168	108.00	109.00	1.00	0.350			
BST1	BSDD0168	109.00	110.00	1.00	**1.550**			**1.00 m @ 1.55 g/t Au**
BST1	BSDD0168	110.00	111.00	1.00	0.440			
BST1	BSDD0168	113.00	114.00	1.00	0.150			
BST1	BSDD0168	118.00	119.00	1.00	0.330	2.00 m @ 0.37 g/t Au	0.7	
BST1	BSDD0168	119.00	120.00	1.00	0.410			
BST1	BSDD0168	137.00	138.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0168	141.00	142.00	1.00	0.300	3.00 m @ 0.57 g/t Au	1.7	
BST1	BSDD0168	142.00	143.00	1.00	0.430			
BST1	BSDD0168	143.00	144.00	1.00	0.990			
BST1	BSDD0168	161.00	162.00	1.00	**1.120**	1.00 m @ 1.12 g/t Au	1.1	**1.00 m @ 1.12 g/t Au**
BST1	BSDD0168	173.00	174.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0168	184.00	185.00	1.00	0.130			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0169	4.50	5.50	1.00	0.100			
BST1	BSDD0169	7.50	9.00	1.50	0.470	1.50 m @ 0.47 g/t Au	0.7	
BST1	BSDD0169	15.00	15.50	0.50	0.370	0.50 m @ 0.37 g/t Au	0.2	
BST1	BSDD0169	29.00	30.00	1.00	0.490			
BST1	BSDD0169	30.00	31.00	1.00	0.010			
BST1	BSDD0169	31.00	32.00	1.00	0.150	5.00 m @ 0.27 g/t Au	1.4	
BST1	BSDD0169	32.00	33.00	1.00	0.480			
BST1	BSDD0169	33.00	34.00	1.00	0.230			
BST1	BSDD0169	34.50	36.00	1.50	0.210	1.50 m @ 0.21 g/t Au	0.3	
BST1	BSDD0169	39.20	40.70	1.50	0.130			
BST1	BSDD0169	79.00	80.00	1.00	0.470	1.00 m @ 0.47 g/t Au	0.5	
BST1	BSDD0169	87.00	88.00	1.00	0.110			
BST1	BSDD0169	88.00	89.00	1.00	0.100			
BST1	BSDD0169	103.92	105.00	1.08	0.250	1.08 m @ 0.25 g/t Au	0.3	
BST1	BSDD0169	139.00	140.00	1.00	0.100			
BST1	BSDD0169	164.00	165.00	1.00	0.110			
BST1	BSDD0169	181.00	182.00	1.00	0.110			
BST1	BSDD0169	201.00	202.00	1.00	0.120			
BST1	BSDD0169	221.00	221.90	0.90	0.100			
BST1	BSDD0169	221.90	223.00	1.10	0.840			
BST1	BSDD0169	223.00	224.31	1.31	0.650	3.10 m @ 0.65 g/t Au	2.0	
BST1	BSDD0169	224.31	225.00	0.69	0.330			
BST1	BSDD0169	225.00	226.00	1.00	0.110			
BST1	BSDD0170	0.00	1.50	1.50	0.100			
BST1	BSDD0170	73.00	74.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0170	75.00	76.00	1.00	0.140			
BST1	BSDD0170	78.00	79.00	1.00	0.160			
BST1	BSDD0170	79.00	80.00	1.00	0.620			
BST1	BSDD0170	80.00	81.00	1.00	0.100	3.00 m @ 0.34 g/t Au	1.0	
BST1	BSDD0170	81.00	82.00	1.00	0.310			
BST1	BSDD0170	92.00	93.00	1.00	0.130			
BST1	BSDD0170	93.00	94.00	1.00	0.190			
BST1	BSDD0170	94.00	95.00	1.00	0.680	1.00 m @ 0.68 g/t Au	0.7	
BST1	BSDD0170	130.00	131.00	1.00	**3.260**	**2.00 m @ 2.41 g/t Au**	**4.8**	**2.00 m @ 2.41 g/t Au**
BST1	BSDD0170	131.00	132.00	1.00	**1.560**			
BST1	BSDD0170	133.00	134.00	1.00	0.160			
BST1	BSDD0170	136.00	137.00	1.00	0.350	2.00 m @ 0.61 g/t Au	1.2	
BST1	BSDD0170	137.00	138.00	1.00	0.880			
BST1	BSDD0170	146.00	147.00	1.00	0.170			
BST1	BSDD0170	148.00	149.00	1.00	0.190			
BST1	BSDD0170	149.00	150.00	1.00	0.340			
BST1	BSDD0170	150.00	151.00	1.00	0.010			
BST1	BSDD0170	151.00	152.00	1.00	0.010			
BST1	BSDD0170	152.00	153.00	1.00	0.650			
BST1	BSDD0170	153.00	154.00	1.00	0.050	**9.00 m @ 0.45 g/t Au**	**4.0**	
BST1	BSDD0170	154.00	155.00	1.00	0.040			
BST1	BSDD0170	155.00	156.00	1.00	0.580			
BST1	BSDD0170	156.00	157.00	1.00	0.060			
BST1	BSDD0170	157.00	158.00	1.00	**2.280**			**1.00 m @ 2.28 g/t Au**
BST1	BSDD0170	162.00	163.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0170	163.00	164.00	1.00	0.130			
BST1	BSDD0170	178.00	179.00	1.00	**4.050**	**2.00 m @ 2.35 g/t Au**	**4.7**	**1.00 m @ 4.05 g/t Au**
BST1	BSDD0170	179.00	180.00	1.00	0.640			
BST1	BSDD0170	180.00	181.00	1.00	0.160			
BST1	BSDD0170	185.00	186.00	1.00	0.550	4.00 m @ 0.22 g/t Au	0.9	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0170	186.00	187.00	1.00	0.090			
BST1	BSDD0170	187.00	188.00	1.00	0.010			
BST1	BSDD0170	188.00	189.00	1.00	0.240			
BST1	BSDD0172	0.00	1.02	1.02	**6.140**	**1.02 m @ 6.14 g/t Au**	**6.3**	**1.02 m @ 6.14 g/t Au**
BST1	BSDD0172	20.00	21.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0172	37.00	38.00	1.00	0.440			
BST1	BSDD0172	38.00	39.00	1.00	**3.120**	**2.70 m @ 1.40 g/t Au**	**3.8**	**1.00 m @ 3.12 g/t Au**
BST1	BSDD0172	39.00	39.70	0.70	0.310			
BST1	BSDD0173	69.00	70.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0173	84.00	85.00	1.00	0.200	2.00 m @ 0.57 g/t Au	1.1	
BST1	BSDD0173	85.00	86.00	1.00	0.940			
BST1	BSDD0173	89.00	90.00	1.00	**7.540**			**1.00 m @ 7.54 g/t Au**
BST1	BSDD0173	90.00	91.00	1.00	0.010			
BST1	BSDD0173	91.00	92.00	1.00	0.690			
BST1	BSDD0173	92.00	93.00	1.00	0.600			
BST1	BSDD0173	93.00	94.00	1.00	0.050			
BST1	BSDD0173	94.00	95.00	1.00	0.660	**11.20 m @ 0.95 g/t Au**	**10.6**	
BST1	BSDD0173	95.00	96.00	1.00	0.170			
BST1	BSDD0173	96.00	97.00	1.00	0.010			
BST1	BSDD0173	97.00	98.00	1.00	0.340			
BST1	BSDD0173	98.00	99.00	1.00	0.230			
BST1	BSDD0173	99.00	100.20	1.20	0.260			
BST1	BSDD0173	108.00	109.00	1.00	0.110			
BST1	BSDD0173	110.00	111.00	1.00	0.310			
BST1	BSDD0173	111.00	112.00	1.00	0.020			
BST1	BSDD0173	112.00	113.00	1.00	0.430	5.50 m @ 0.30 g/t Au	1.7	
BST1	BSDD0173	113.00	114.00	1.00	0.040			
BST1	BSDD0173	114.00	115.00	1.00	0.040			
BST1	BSDD0173	115.00	115.50	0.50	**1.650**			**0.50 m @ 1.65 g/t Au**
BST1	BSDD0173	118.00	119.00	1.00	0.130			
BST1	BSDD0173	119.00	120.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0173	120.00	121.00	1.00	0.160			
BST1	BSDD0173	123.00	124.00	1.00	0.160			
BST1	BSDD0173	124.00	125.00	1.00	0.580	2.00 m @ 0.44 g/t Au	0.9	
BST1	BSDD0173	125.00	126.00	1.00	0.300			
BST1	BSDD0173	132.00	133.00	1.00	0.640	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0173	147.00	147.54	0.54	**4.630**	**0.54 m @ 4.63 g/t Au**	**2.5**	**0.54 m @ 4.63 g/t Au**
BST1	BSDD0173	159.00	160.48	1.48	0.300	1.48 m @ 0.30 g/t Au	0.4	
BST1	BSDD0173	170.00	171.00	1.00	0.100			
BST1	BSDD0173	191.00	192.00	1.00	0.660	1.00 m @ 0.66 g/t Au	0.7	
BST1	BSDD0173	221.00	222.00	1.00	0.120			
BST1	BSDD0173	260.00	261.00	1.00	0.340			
BST1	BSDD0173	261.00	262.00	1.00	0.060			
BST1	BSDD0173	262.00	263.00	1.00	0.080			
BST1	BSDD0173	263.00	264.15	1.15	**1.000**	**7.00 m @ 0.36 g/t Au**	**2.5**	**1.15 m @ 1.00 g/t Au**
BST1	BSDD0173	264.15	265.00	0.85	0.170			
BST1	BSDD0173	265.00	266.00	1.00	0.010			
BST1	BSDD0173	266.00	267.00	1.00	0.750			
BST1	BSDD0173	272.00	273.00	1.00	**1.280**			**1.00 m @ 1.28 g/t Au**
BST1	BSDD0173	273.00	274.00	1.00	0.930			
BST1	BSDD0173	274.00	275.00	1.00	0.500	**5.00 m @ 0.63 g/t Au**	**3.1**	
BST1	BSDD0173	275.00	276.00	1.00	0.170			
BST1	BSDD0173	276.00	277.00	1.00	0.250			
BST1	BSDD0175	0.00	1.00	1.00	0.538	1.00 m @ 0.54 g/t Au	0.5	
BST1	BSDD0175	2.87	4.00	1.13	0.382	2.28 m @ 0.62 g/t Au	1.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0175	4.00	4.50	0.50	**1.163**			**0.50 m @ 1.16 g/t Au**
BST1	BSDD0175	4.50	5.15	0.65	0.620			
BST1	BSDD0175	7.24	8.14	0.90	0.338	0.90 m @ 0.34 g/t Au	0.3	
BST1	BSDD0175	12.75	13.50	0.75	0.767	0.75 m @ 0.77 g/t Au	0.6	
BST1	BSDD0175	15.90	16.50	0.60	0.173			
BST1	BSDD0175	16.50	17.50	1.00	**3.963**	**1.00 m @ 3.96 g/t Au**	**4.0**	**1.00 m @ 3.96 g/t Au**
BST1	BSDD0175	18.00	19.00	1.00	**1.147**	1.00 m @ 1.15 g/t Au	1.1	**1.00 m @ 1.15 g/t Au**
BST1	BSDD0175	21.00	22.50	1.50	**1.192**	1.50 m @ 1.19 g/t Au	1.8	**1.50 m @ 1.19 g/t Au**
BST1	BSDD0175	39.00	40.50	1.50	**2.822**	**1.50 m @ 2.82 g/t Au**	**4.2**	**1.50 m @ 2.82 g/t Au**
BST1	BSDD0175	62.50	63.00	0.50	0.109			
BST1	BSDD0175	65.00	66.00	1.00	0.157			
BST1	BSDD0175	69.00	70.49	1.49	0.218	1.49 m @ 0.22 g/t Au	0.3	
BST1	BSDD0175	80.00	81.00	1.00	0.117			
BST1	BSDD0175	82.60	84.00	1.40	0.151			
BST1	BSDD0176	0.67	1.83	1.16	0.124			
BST1	BSDD0176	48.50	50.00	1.50	0.164			
BST1	BSDD0176	50.00	51.00	1.00	0.159			
BST1	BSDD0176	51.00	51.53	0.53	0.251	0.53 m @ 0.25 g/t Au	0.1	
BST1	BSDD0176	62.00	63.00	1.00	0.311	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0176	71.00	72.00	1.00	0.152			
BST1	BSDD0176	86.00	87.00	1.00	0.234	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0176	98.00	98.70	0.70	0.630	5.00 m @ 0.34 g/t Au	1.7	
BST1	BSDD0176	98.70	100.00	1.30	0.734			
BST1	BSDD0176	100.00	101.00	1.00	0.068			
BST1	BSDD0176	101.00	102.00	1.00	0.008			
BST1	BSDD0176	102.00	103.00	1.00	0.230			
BST1	BSDD0176	103.00	104.00	1.00	0.147			
BST1	BSDD0176	104.00	105.00	1.00	0.145			
BST1	BSDD0176	118.00	119.00	1.00	0.668	1.00 m @ 0.67 g/t Au	0.7	
BST1	BSDD0176	128.00	128.60	0.60	0.471	2.00 m @ 0.71 g/t Au	1.4	
BST1	BSDD0176	128.60	130.00	1.40	0.816			
BST1	BSDD0176	142.00	143.00	1.00	**1.091**	1.00 m @ 1.09 g/t Au	1.1	**1.00 m @ 1.09 g/t Au**
BST1	BSDD0176	149.00	150.00	1.00	0.159			
BST1	BSDD0176	152.00	153.00	1.00	0.418	4.00 m @ 0.51 g/t Au	2.0	
BST1	BSDD0176	153.00	154.00	1.00	0.008			
BST1	BSDD0176	154.00	155.00	1.00	0.017			
BST1	BSDD0176	155.00	156.00	1.00	**1.582**			**1.00 m @ 1.58 g/t Au**
BST1	BSDD0176	166.00	167.00	1.00	0.376	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0176	171.00	172.40	1.40	0.140			
BST1	BSDD0176	172.40	173.10	0.70	0.832	0.70 m @ 0.83 g/t Au	0.6	
BST1	BSDD0176	177.00	178.30	1.30	0.141			
BST1	BSDD0176	178.30	179.00	0.70	0.193			
BST1	BSDD0176	182.00	183.00	1.00	0.237	5.00 m @ 0.39 g/t Au	1.9	
BST1	BSDD0176	183.00	184.00	1.00	0.588			
BST1	BSDD0176	184.00	185.00	1.00	0.843			
BST1	BSDD0176	185.00	186.00	1.00	0.033			
BST1	BSDD0176	186.00	187.00	1.00	0.227			
BST1	BSDD0176	191.00	192.00	1.00	0.897	1.00 m @ 0.90 g/t Au	0.9	
BST1	BSDD0176	193.00	194.00	1.00	0.109			
BST1	BSDD0176	206.00	207.00	1.00	0.125			
BST1	BSDD0176	215.00	216.00	1.00	0.157			
BST1	BSDD0176	219.00	220.00	1.00	**1.006**	2.00 m @ 0.98 g/t Au	2.0	**1.00 m @ 1.01 g/t Au**
BST1	BSDD0176	220.00	221.00	1.00	0.952			
BST1	BSDD0176	228.00	229.00	1.00	0.424	2.00 m @ 0.81 g/t Au	1.6	
BST1	BSDD0176	229.00	230.00	1.00	**1.204**			**1.00 m @ 1.20 g/t Au**

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0176	278.00	279.00	1.00	0.218	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0176	294.00	295.00	1.00	0.191			
BST1	BSDD0177	0.00	1.00	1.00	0.184			
BST1	BSDD0177	7.50	9.00	1.50	0.101			
BST1	BSDD0177	11.00	12.00	1.00	0.221	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0177	25.50	27.00	1.50	**2.591**	**1.50 m @ 2.59 g/t Au**	**3.9**	**1.50 m @ 2.59 g/t Au**
BST1	BSDD0177	36.00	37.00	1.00	0.169			
BST1	BSDD0177	38.00	39.00	1.00	0.138			
BST1	BSDD0177	39.00	40.00	1.00	0.153			
BST1	BSDD0177	43.50	45.00	1.50	0.108			
BST1	BSDD0177	49.00	50.00	1.00	0.153			
BST1	BSDD0177	54.00	55.00	1.00	0.199			
BST1	BSDD0177	88.50	90.00	1.50	**1.231**			**1.50 m @ 1.23 g/t Au**
BST1	BSDD0177	90.00	91.00	1.00	0.049			
BST1	BSDD0177	91.00	92.00	1.00	0.205			
BST1	BSDD0177	92.00	93.00	1.00	0.033	**7.50 m @ 1.99 g/t Au**	**14.9**	
BST1	BSDD0177	93.00	94.00	1.00	**7.609**			
BST1	BSDD0177	94.00	95.00	1.00	0.221			**3.00 m @ 4.25 g/t Au**
BST1	BSDD0177	95.00	96.00	1.00	**4.930**			
BST1	BSDD0177	105.00	106.00	1.00	0.142			
BST1	BSDD0178	0.00	1.00	1.00	0.117			
BST1	BSDD0178	62.00	63.00	1.00	0.181			
BST1	BSDD0178	85.00	86.00	1.00	0.509	1.00 m @ 0.51 g/t Au	0.5	
BST1	BSDD0178	107.00	108.00	1.00	0.488			
BST1	BSDD0178	108.00	109.00	1.00	0.008	4.00 m @ 0.30 g/t Au	1.2	
BST1	BSDD0178	109.00	110.00	1.00	0.049			
BST1	BSDD0178	110.00	111.00	1.00	0.648			
BST1	BSDD0178	115.00	116.00	1.00	0.218	2.00 m @ 0.35 g/t Au	0.7	
BST1	BSDD0178	116.00	117.00	1.00	0.483			
BST1	BSDD0178	121.00	122.00	1.00	0.181			
BST1	BSDD0178	122.00	123.00	1.00	**1.165**	1.00 m @ 1.17 g/t Au	1.2	**1.00 m @ 1.17 g/t Au**
BST1	BSDD0178	130.00	131.00	1.00	0.714	1.00 m @ 0.71 g/t Au	0.7	
BST1	BSDD0178	144.30	145.00	0.70	**1.098**	0.70 m @ 1.10 g/t Au	0.8	**0.70 m @ 1.10 g/t Au**
BST1	BSDD0178	162.00	163.00	1.00	0.152			
BST1	BSDD0178	169.00	170.00	1.00	0.235	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0178	192.00	193.00	1.00	0.140			
BST1	BSDD0178	338.00	339.45	1.45	0.118			
BST1	BSDD0178	339.45	340.00	0.55	**5.091**	**0.55 m @ 5.09 g/t Au**	**2.8**	**0.55 m @ 5.09 g/t Au**
BST1	BSDD0178	340.00	341.00	1.00	0.120			
BST1	BSDD0178	353.00	354.00	1.00	0.952			
BST1	BSDD0178	354.00	355.00	1.00	0.350	3.00 m @ 0.64 g/t Au	1.9	
BST1	BSDD0178	355.00	356.00	1.00	0.610			
BST1	BSDD0178	356.00	357.00	1.00	0.110			
BST1	BSDD0178	357.00	358.00	1.00	0.113			
BST1	BSDD0178	359.00	360.00	1.00	**1.664**			**1.00 m @ 1.66 g/t Au**
BST1	BSDD0178	360.00	361.00	1.00	0.038			
BST1	BSDD0178	361.00	362.00	1.00	0.043			
BST1	BSDD0178	362.00	363.00	1.00	0.650			
BST1	BSDD0178	363.00	364.00	1.00	0.027			
BST1	BSDD0178	364.00	365.00	1.00	**1.129**	**12.00 m @ 0.52 g/t Au**	**6.2**	**1.00 m @ 1.13 g/t Au**
BST1	BSDD0178	365.00	366.00	1.00	0.618			
BST1	BSDD0178	366.00	367.00	1.00	0.081			
BST1	BSDD0178	367.00	368.00	1.00	0.067			
BST1	BSDD0178	368.00	369.00	1.00	0.250			
BST1	BSDD0178	369.00	370.00	1.00	0.928			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0178	370.00	371.00	1.00	0.746			
BST1	BSDD0178	372.00	373.00	1.00	0.167			
BST1	BSDD0178	375.00	376.00	1.00	0.105			
BST1	BSDD0178	406.00	407.00	1.00	0.915			
BST1	BSDD0178	407.00	408.00	1.00	0.082	4.00 m @ 0.35 g/t Au	1.4	
BST1	BSDD0178	408.00	409.00	1.00	0.023			
BST1	BSDD0178	409.00	410.00	1.00	0.392			
BST1	BSDD0178	422.00	423.00	1.00	0.398	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0178	430.00	431.00	1.00	0.324	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0178	436.00	437.00	1.00	0.292	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0178	443.00	444.00	1.00	0.150			
BST1	BSDD0178	445.00	446.00	1.00	0.325	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0178	450.00	451.00	1.00	**1.080**	1.00 m @ 1.08 g/t Au	1.1	**1.00 m @ 1.08 g/t Au**
BST1	BSDD0178	451.00	452.00	1.00	0.169			
BST1	BSDD0178	452.00	453.00	1.00	0.194			
BST1	BSDD0178	457.00	458.00	1.00	0.281	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0178	461.00	462.00	1.00	0.221			
BST1	BSDD0178	462.00	463.00	1.00	0.098	3.00 m @ 0.21 g/t Au	0.6	
BST1	BSDD0178	463.00	464.00	1.00	0.324			
BST1	BSDD0178	467.00	468.00	1.00	0.191			
BST1	BSDD0178	469.00	470.00	1.00	0.477	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0178	471.00	472.00	1.00	0.167			
BST1	BSDD0178	473.00	474.00	1.00	0.187			
BST1	BSDD0178	474.00	475.00	1.00	0.156			
BST1	BSDD0178	475.00	476.00	1.00	0.198			
BST1	BSDD0178	478.00	479.00	1.00	0.367			
BST1	BSDD0178	479.00	480.00	1.00	0.050			
BST1	BSDD0178	480.00	481.00	1.00	0.045			
BST1	BSDD0178	481.00	482.00	1.00	**1.784**			**1.00 m @ 1.78 g/t Au**
BST1	BSDD0178	482.00	483.00	1.00	0.008			
BST1	BSDD0178	483.00	484.00	1.00	0.127			
BST1	BSDD0178	484.00	485.00	1.00	0.601	**12.00 m @ 0.31 g/t Au**	**3.7**	
BST1	BSDD0178	485.00	486.00	1.00	0.034			
BST1	BSDD0178	486.00	487.00	1.00	0.203			
BST1	BSDD0178	487.00	488.00	1.00	0.033			
BST1	BSDD0178	488.00	489.00	1.00	0.008			
BST1	BSDD0178	489.00	490.00	1.00	0.422			
BST1	BSDD0178	493.00	494.00	1.00	0.722	2.00 m @ 0.63 g/t Au	1.3	
BST1	BSDD0178	494.00	495.00	1.00	0.547			
BST1	BSDD0178	495.00	496.00	1.00	0.123			
BST1	BSDD0178	498.00	499.00	1.00	0.331	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0181	0.00	0.87	0.87	0.173			
BST1	BSDD0181	4.50	6.00	1.50	0.111			
BST1	BSDD0181	6.00	7.50	1.50	0.138			
BST1	BSDD0181	116.00	117.00	1.00	0.115			
BST1	BSDD0181	149.00	150.00	1.00	**1.189**	2.00 m @ 0.82 g/t Au	1.6	**1.00 m @ 1.19 g/t Au**
BST1	BSDD0181	150.00	151.00	1.00	0.460			
BST1	BSDD0181	170.00	171.50	1.50	0.791	2.00 m @ 1.06 g/t Au	2.1	
BST1	BSDD0181	171.50	172.00	0.50	**1.856**			**0.50 m @ 1.86 g/t Au**
BST1	BSDD0181	173.00	174.30	1.30	0.100			
BST1	BSDD0181	183.00	184.00	1.00	0.943	1.00 m @ 0.94 g/t Au	0.9	
BST1	BSDD0181	204.00	205.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0181	213.00	213.98	0.98	0.101			
BST1	BSDD0181	213.98	215.00	1.02	0.264	1.02 m @ 0.26 g/t Au	0.3	
BST1	BSDD0181	233.00	234.00	1.00	0.190			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0181	434.50	435.00	0.50	0.126			
BST1	BSDD0181	435.00	435.86	0.86	0.215	0.86 m @ 0.21 g/t Au	0.2	
BST1	BSDD0181	470.00	471.00	1.00	0.139			
BST1	BSDD0181	472.00	472.50	0.50	0.641	0.50 m @ 0.64 g/t Au	0.3	
BST1	BSDD0181	473.50	475.00	1.50	0.127			
BST1	BSDD0181	475.00	475.50	0.50	0.260	0.50 m @ 0.26 g/t Au	0.1	
BST1	BSDD0181	478.79	479.30	0.51	**1.945**	0.51 m @ 1.95 g/t Au	1.0	**0.51 m @ 1.95 g/t Au**
BST1	BSDD0181	482.00	483.50	1.50	0.104			
BST1	BSDD0181	484.80	485.50	0.70	0.235	0.70 m @ 0.23 g/t Au	0.2	
BST1	BSDD0181	485.50	487.00	1.50	0.160			
BST1	BSDD0181	489.90	491.00	1.10	0.718	**12.25 m @ 1.76 g/t Au**	**21.5**	
BST1	BSDD0181	491.00	492.45	1.45	0.588			
BST1	BSDD0181	492.45	493.00	0.55	0.244			
BST1	BSDD0181	493.00	494.00	1.00	0.667			
BST1	BSDD0181	494.00	495.00	1.00	**1.006**			**1.00 m @ 1.01 g/t Au**
BST1	BSDD0181	495.00	496.50	1.50	0.038			
BST1	BSDD0181	496.50	497.00	0.50	0.619			
BST1	BSDD0181	497.00	498.00	1.00	0.134			
BST1	BSDD0181	498.00	499.00	1.00	**14.282**			**4.15 m @ 4.23 g/t Au**
BST1	BSDD0181	499.00	500.00	1.00	0.884			
BST1	BSDD0181	500.00	501.00	1.00	0.057			
BST1	BSDD0181	501.00	502.15	1.15	**2.039**			

For personal use only

For personal use only

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration and development company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources as at 30 June 2026 (figures may not add up due to appropriate rounding)

Project	Cut-off	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (Moz)
Boundiali	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	Indicated	54.5	1.0	1.70
		Inferred	52.9	0.9	1.52
		Total	**107.5**	**1.0**	**3.22**
Napié	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	Indicated	8.9	1.2	0.35
		Inferred	21.2	1.2	0.82
		Total	**30.0**	**1.2**	**1.16**
Group		**Indicated**	**63.4**	**1.0**	**2.05**
		Inferred	**74.1**	**1.0**	**2.34**
		Total	**137.5**	**1.0**	**4.38**

There are no Measured Mineral Resources. Boundiali: drilling effective date 30 April 2026; Napié: drilling effective date 6 February 2026.Both projects are in Côte d'Ivoire, West Africa.

Table 4: Group Ore Reserves as at 30 June 2026 (figures may not add up due to appropriate rounding)

Mining area	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (koz)
BDT1	Probable	10.3	1.0	323
BDT2	Probable	17.5	0.6	354
BMT3	Probable	8.8	1.4	383
BST	Probable	5.5	0.8	145
Total	**Probable**	**42.1**	**0.9**	**1,210**

There are no Proved Ore Reserves. All Ore Reserves are at the Boundiali Gold Project, Côte d'Ivoire, based on drilling effective date 30 April 2026.

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine in Mali and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR893 ("**BM**"), 400km^2

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):

For personal use only

- 80% if local partner contributes 11% capex
- 85% if local partner does not contribute capex – they go to 5% free carry
- 88% if local partner sells us 3% of their interest they go to 2% free carry.

BD gold project JV 80% interest - PR808 ("**BD**"), 260km^2

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry.

BST gold project 100% interest – Application No. 0781 ("**BST**") 100%, 167.34km^2

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest).

BN gold project JV - PR283 ("**BN**"), 208.87km^2

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%).

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km^2 are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Exploration permit PR1069 (granted on 21/7/2026), 114.53km^2 , is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project
- Application (No. 0793), 99.12km^2 , is strategically located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project

- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
    - Path to 51% interest in an exploration permit: Either USD1.5 million nominal expenditure or 7,000m diamond drilling.
    - Path to 80% interest in an exploration permit: Either USD3.0 million nominal expenditure or 15,000m diamond drilling
    - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
    - 85.5~87% interest in a future production mine.

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths.

For personal use only

For personal use only

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	• *Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.* • *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.* • *Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.*	• *Samples were collected using diamond drilling techniques generally angled at -50° to -70° on an azimuth designed to optimally intersect the mineralised zones.* • *Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.* • *Sampling and QAQC procedures were carried out to industry standards.* • *Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Company employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.*
• ***Drilling techniques***	• *Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).*	• *Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.*
• ***Drill sample recovery***	• *Method of recording and assessing core and chip sample recoveries and results assessed.* • *Measures taken to maximise sample recovery and ensure representative nature of the samples.* • *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.*	• *Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.*
• ***Logging***	• *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource*	• *All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content*

For personal use only

Criteria	JORC Code explanation	Commentary
	estimation, mining studies and metallurgical studies. • *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.* • *The total length and percentage of the relevant intersections logged.*	*were recorded. Metallurgical, Geotechnical and structural data has been recorded* • *Photography and recovery measurements were carried out by assistants under a geologist's supervision.* • *All drill holes were logged in full.* • *Logging was qualitative and quantitative in nature.*
• ***Sub-sampling techniques and sample preparation***	• *If core, whether cut or sawn and whether quarter, half or all core taken.* • *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.* • *For all sample types, the nature, quality and appropriateness of the sample preparation technique.* • *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.* • *Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.* • *Whether sample sizes are appropriate to the grain size of the material being sampled.*	• *NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the sample intervals utilised. All samples were collected from the same side of the core.* • *The entire sample was crushed to 70% passing 2mm.* • *Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.* • *Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,* • *Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.* • *Coarse blank samples: Inserted 1 in every 20 samples* • *Laboratory Internal Duplicates and Standards* • *Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold*
• ***Quality of assay data and laboratory tests***	• *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.* • *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.* • *Nature of quality control procedures adopted (eg standards, blanks,*	• *The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of*

For personal use only

Criteria	JORC Code explanation	Commentary
	duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	*gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.* • *No geophysical tools were used to determine any element concentrations used for this report.* • *Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.* • *The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).*
• ***Verification of sampling and assaying***	• *The verification of significant intersections by either independent or alternative company personnel.* • *The use of twinned holes.* • *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.* • *Discuss any adjustment to assay data.*	• *No holes have been twinned* • *No adjustment to assay data* • *Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.* • *Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.*
• ***Location of data points***	• *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.* • *Specification of the grid system used.* • *Quality and adequacy of topographic control.*	• *DD collar positions were initially located using a handheld GPS with a location error of +/-3m.* • *The datum employed is WGS84, Zone 29* • *All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.* • *DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.*

Criteria	JORC Code explanation	Commentary
• ***Data spacing and distribution***	• *Data spacing for reporting of Exploration Results.* • *Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.* • *Whether sample compositing has been applied.*	• *Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.* • *The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.* • *The samples were not composited prior to assay.*
• ***Orientation of data in relation to geological structure***	• *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.* • *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*	• *Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.*
• ***Sample security***	• *The measures taken to ensure sample security.*	• *Chain of custody is managed by the Companies senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were handed over to the laboratory by company geologists. Company employees have no further involvement in the preparation or analysis of the samples.*
• ***Audits or reviews***	• *The results of any audits or reviews of sampling techniques and data.*	• *Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.*

For personal use only

For personal use only

Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
• ***Mineral tenement and land tenure status***	• *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.* • *The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.*	• *Exploration results are from the Boundiali project area* • *PR893 (BM),400km2, holder Minex West Africa, of which Aurum has earnt 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km2, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.* • *There are no impediments to working in the area.*
• ***Exploration done by other parties***	• *Acknowledgment and appraisal of exploration by other parties.*	• *Exploration work undertaken prior to Aurum was undertaken by Predictive Discovery, Turaco Gold and comprised drilling, soil sampling and airborne geophysics.*
• ***Geology***	• *Deposit type, geological setting and style of mineralisation.*	• *The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.* • *The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone or hosted in a diorite emplaced between volcanic and sedimentary rocks. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of*

For personal use only

Criteria	JORC Code explanation	Commentary
		shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. • *Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.*
• ***Drill hole information***	• *A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes:* • *easting and northing of the drill hole collar* • *elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar* • *dip and azimuth of the hole* • *down hole length and interception depth* • *hole length* • *If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.*	• *Drill hole locations shown in figure in main body of announcement and all locations and dip/azimuth details are provided in tables in the announcement.*
• ***Data aggregation methods***	• *In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.* • *Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.* • *The assumptions used for any reporting of metal equivalent values*	• *All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them.* • *Metal equivalent values are not being reported.*

For personal use only

Criteria	JORC Code explanation	Commentary
	should be clearly stated.	
• ***Relationship between mineralisation widths and intercept lengths***	• *These relationships are particularly important in the reporting of Exploration Results.* • *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.* • *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').*	• *True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted geometry of the mineralised zones.* • *The holes were drilled to test a steeply east/west dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.*
• ***Diagrams***	• *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.*	• *Appropriate diagrams relevant to material results are shown in the body of this announcement.*
• ***Balanced Reporting***	• *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.*	• *All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them.*
• ***Other substantive exploration data***	• *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.*	• *All relevant exploration data is either reported in this announcement or has been reported previously and is referred to in the announcement.*
• ***Further work***	• *The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).* • *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*	• *The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.* • *Diagrams included in body of report as deemed appropriate by competent person*