For personal use only

19 November 2026

Aurum hits thick gold intercepts at Boundiali's BST1

Aurum Resources (**ASX: AUE**, "**Aurum**" or "**the Company**") is pleased to announce the latest gold intercepts from its ongoing 150,000m diamond drilling program at the 3.84Moz Boundiali Gold Project[1] in Côte d'Ivoire. Aurum has received assay results from 21 diamond drill (DD) holes totalling 6,070.78m, completed as a mix of infill, step-out and extensional drilling at the **BST1** deposit on the **BST** tenement (100% interest).

Key drill intercepts from the latest drilling include[2]:

BST1 (26.7Mt @ 1 g/t Au for 820koz) [1]

- **28m @ 1.48 g/t Au** from 294m inc. **10m @ 3.33 g/t Au** (BSDD0186)
- **10m @ 3.19 g/t Au** from 113m inc. **7m @ 4.32 g/t Au** (BSDD0187)
- **15m @ 2.12 g/t Au** from 70m inc. **2m @ 7.30 g/t Au** (BSDD0187)
- **20.89m @ 1.52 g/t Au** from 185m inc. **5m @ 2.58 g/t Au** (BSDD0194)
- **4m @ 6.40 g/t Au** from 210m inc. **2m @ 12.53 g/t Au** (BSDD0194)
- **17m @ 1.21 g/t Au** from 140m inc. **6m @ 1.22 g/t Au** (BSDD0194)
- **1m @ 16.62 g/t Au** from 249m (BSDD0186)
- **5m @ 3.22 g/t Au** from 151m inc. **3.66m @ 4.25 g/t Au** (BSDD0191)
- **5.50m @ 2.81 g/t Au** from 95.50m inc. **4m @ 3.76 g/t Au** (BSDD0198A)
- **1m @ 15.10 g/t Au** from 340m (BSDD0186)
- **12m @ 1.10 g/t Au** from 429m inc. **3m @ 3.63 g/t Au** (BSDD0182A)
- **9.20m @ 1.30 g/t Au** from 374m inc. **1m @ 7.41 g/t Au** (BSDD0187)
- **18m @ 0.61 g/t Au** from 329m inc. **3m @ 1.49 g/t Au** (BSDD0190)
- **3.90m @ 2.64 g/t Au** from 286m inc. **2.90m @ 3.26 g/t Au** (BSDD0190).

Highlights:

- **Resource growth potential:** Drilling confirms the gold mineralisation system at **BST1** remains open along strike and at depth.
- **Aggressive drilling continues:** More than 145,000m drilled to date at **Boundiali** in CY2026, with drilling now underway at **Napié**.
- **180,000m of drilling planned for CY2027:** Using 16 Aurum-owned diamond rigs, comprising 150,000m at **Boundiali** and 30,000m at **Napié**.
- **Boundiali Definitive Feasibility Study** (DFS) report expected Q1 CY2027.
- **Group Mineral Resources** total **5Moz gold,** comprising the flagship **3.84Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**[3].
- **Strong balance sheet:** Cash and cash equivalents of **A$92.1 million** as at 31 October 2026 (unaudited).

Aurum's Managing Director Dr Caigen Wang said: *"We have received assays for a further 21 diamond holes at **BST1**, with results including 28m @ 1.48 g/t Au from 294m and 10m @ 3.19 g/t Au from 113m. Many of these holes have reported eight or more intervals of stacked gold intercepts downhole.*

"These holes were completed after the 30 September 2026 data cut-off for the 3.84 Moz Boundiali Mineral Resource released on 28 October 2026. That estimate will underpin an updated Ore Reserve, which forms part of the Boundiali

[1] "Boundiali Gold Resource Grows to 3.84 Moz, Indicated Up 37%" released to the Australian Securities Exchange on 28 October 2026 and available to view on www.asx.com.au
[2] Refer to tables accompanying this report for collar location information and assay results for the new drilling
[3] "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

DFS, which we now expect to report in Q1 CY2027. Today's results will be included in the next major Mineral Resource update for Boundiali, expected in Q3 CY2027.

"With A$92 million in cash and 16 company-owned diamond rigs, we are running drilling, studies and permitting at Boundiali concurrently. Environmental approval was granted in May 2026, and we delivered the Pre-Feasibility Study and Maiden Ore Reserve in June 2026. Our focus now is securing the Mining Licences as well as completing the DFS and updating the Boundiali Ore Reserve, ahead of a final investment decision. We are targeting first gold in H1 CY2028.

"We remain committed to rapidly expanding our resource base and delivering significant value to our shareholders as we cement Boundiali's status as a premier West African gold project."

New drilling at BST1 – Boundiali Gold Project[4]

Aurum has received assay results[5] for 21 diamond drill (DD) holes totalling 6,070.78m at the **BST1** deposit, located on the **BST** tenement (100% interest). The holes were a mix of infill, step-out and extensional drilling designed to:

- Test the limits of known mineralisation along strike and at depth;
- Drill previously unclassified mineralisation to a spacing sufficient for Inferred classification; and
- Upgrade Inferred Mineral Resources to Indicated.

The results are from 21 diamond holes for 6,070.78m, drilled at BST1 on 50m-spaced sections covering 450m of strike. Nineteen holes intersected gold mineralisation (>0.2 g/t Au), 16 of them with eight or more zones, showing stacked gold mineralisation downhole. BSDD0196 and BSDD0208 returned no intervals above 0.2 g/t Au.

Several holes ended in gold mineralisation, including BSDD0202 with 8.90m @ 0.82 g/t Au from 192.40m to end of hole. BSDD0182A and BSDD0207 ended in low-grade mineralisation: 3.90m @ 0.23 g/t Au from 528m and 1.45m @ 0.37 g/t Au from 101m. BSDD0187 ended 1.30m below 4m @ 1.01 g/t Au from 460m.

The northern holes (from 1,035,650mN), 100m to 286m long, tested the hanging-wall zone; the thicker footwall zone has not yet been tested there. Mineralisation remains open at depth and to the north. Gold mineralisation in BSDD0190, which lies outside the current Mineral Resource, is yet to be tested up-dip, and step-out drilling along strike to the north is still to come.

The holes form part of the ongoing and expanded 150,000m Boundiali drilling program for CY2026 (more than 145,000m drilled to date based on drill logs), which aims to both grow the Mineral Resource and increase confidence in it. Aurum has drilled 173 holes for 44,000m at BST1 in CY2026 to date.

Drill collar locations for the new **BST1** holes are provided in Table 1 and significant assay results[6] in Table 2. Project location and details are shown in Figure 4 to Figure 6. Figure 1 is a detailed plan showing the latest assay results. Figure 2 is a representative cross section, and Figure 3 is a long section showing all assay data and the projected MRE outline.

Significant intercepts include (full results in Table 2):

BST1 (26.7Mt @ 1 g/t Au for 820koz)

- **28m @ 1.48 g/t Au** from 294m inc. **10m @ 3.33 g/t Au** (BSDD0186)
- **10m @ 3.19 g/t Au** from 113m inc. **7m @ 4.32 g/t Au** (BSDD0187)
- **15m @ 2.12 g/t Au** from 70m inc. **2m @ 7.30 g/t Au** (BSDD0187)
- **20.89m @ 1.52 g/t Au** from 185m inc. **5m @ 2.58 g/t Au** (BSDD0194)
- **4m @ 6.40 g/t Au** from 210m inc. **2m @ 12.53 g/t Au** (BSDD0194)
- **17m @ 1.21 g/t Au** from 140m inc. **6m @ 1.22 g/t Au** (BSDD0194)

[4] Refer to About Aurum's Boundiali Gold Project
[5] Refer to accompanying tables for collar information and assay results for the new drilling
[6] All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

For personal use only

- **1m @ 16.62 g/t Au** from 249m (BSDD0186)
- **5m @ 3.22 g/t Au** from 151m inc. **3.66m @ 4.25 g/t Au** (BSDD0191)
- **5.50m @ 2.81 g/t Au** from 95.50m inc. **4m @ 3.76 g/t Au** (BSDD0198A)
- **1m @ 15.10 g/t Au** from 340m (BSDD0186)
- **12m @ 1.10 g/t Au** from 429m inc. **3m @ 3.63 g/t Au** (BSDD0182A)
- **9.20m @ 1.30 g/t Au** from 374m inc. **1m @ 7.41 g/t Au** (BSDD0187)
- **18m @ 0.61 g/t Au** from 329m inc. **3m @ 1.49 g/t Au** (BSDD0190)
- **3.90m @ 2.64 g/t Au** from 286m inc. **2.90m @ 3.26 g/t Au** (BSDD0190).

These new results are in addition to previous exploration drilling at **BST1** that returned[7]:

- **28.80m @ 22.92 g/t Au** from 204m inc. **17.95m @ 36.57 g/t Au** (BSDD0152)
- **30m @ 8.30 g/t Au** from 39m (NDC007)
- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **20m @ 10.45 g/t Au** from 38m (BRC0004S BIS)
- **2.63m @ 76.74 g/t Au** from 195.20m inc. **1.30m @ 155.00 g/t Au** (BSDD0137)
- **5.63m @ 31.79 g/t Au** from 32m inc. **2.63m @ 67.60 g/t Au** (BSDD0097)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **24m @ 6.31 g/t Au** from 108m inc. **7m @ 19.25 g/t Au** (BSDD0143)
- **57m @ 2.34 g/t Au** from 290m inc. **2m @ 37.95 g/t Au** (BSDD0180)
- **28m @ 4.04 g/t Au** from 3m (BRC003)
- **1.43m @ 53.54 g/t Au** from 74m (BSDD0134)
- **9.50m @ 7.59 g/t Au** from 168.50m inc. **2.85m @ 21.12 g/t Au** (BSDD0135).

The **BST1** gold deposit, located 19km south of **BDT1** on the Nyangboue shear zone (Figure 6), is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower-grade disseminated mineralisation envelop higher grade zones, which are in some instances associated with quartz veining with visible gold. Extensive sulphide and carbonate alteration occurs with higher grade zones, being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth; the sedimentary protolith is soft and friable. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at **BST1** remains open along strike and at depth. Results from these holes will be assessed for inclusion in the next Boundiali Mineral Resource update, and Aurum is planning follow-up drilling to test the gold mineralisation identified outside the current resource. Aurum's drill rigs continue to work on the **BD, BM** and **BST** tenements.

To date, Aurum's drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for further discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

[7] Refer to previously released information, holes that are not prefix *BSDD* were drilled by Predictive Discovery Limited or Turaco Gold Limited

For personal use only

For personal use only




Figure 1: Plan view showing new drill results (yellow) for the BST1 deposit[8]

[8] Only showing selected new intercepts, full list of new intercepts included in assay results table

For personal use only




Figure 2: Cross Section looking north (±25m) showing new drill results (yellow) for BST1 deposit[9]

[9] Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 3: Long Section looking west (+/-300m) showing all assays and projected MRE outline for BST1 deposit[10]

Next Steps

Aurum will continue to use its strong balance sheet and company-owned drill fleet of 16 diamond rigs to drive multi-rig drilling activity through 2026 and into 2027 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (150,000m):** Aggressive exploration program continues in CY 2027 using Aurum's 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update targeted for Q3 CY2027 (estimated drilling cut-off 30 June 2027).
- **Reserve Update:** Work underway to update Boundiali Ore Reserves using 3.84Moz Mineral Resource.
- **DFS Delivery:** Updated Ore Reserves will be incorporated in a **DFS**, due in Q1 CY2027.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program planned to grow the 1.16Moz gold resource is now underway and will continue into CY2027.

[10] Gold assays are plotted using Maximum Intensity Projection (MIP)

For personal use only

For personal use only

- **Drilling Efficiency**: Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new prospective targets identified via soil anomalies and geological mapping across the 75km of N-S mineralised corridor.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV**[11] and **Major Star Plus**[12] partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

FORWARD-LOOKING STATEMENTS

This release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study (PFS), the Definitive Feasibility Study (DFS), permitting, project funding, development timelines and the timing of first gold production. Forward-looking statements are identified by words such as "target", "expect", "plan", "potential", "anticipate", "goal" and similar expressions. These statements reflect the Company's current expectations, estimates and assumptions as at the date of this release. They are subject to risks and uncertainties that could cause actual results to differ materially. Those risks include, exploration and drilling outcomes, uncertainty in resource and reserve estimation, gold price and currency movements, obtaining and maintaining regulatory, environmental and mining approvals, including grant of the Mining Licences, securing development funding, project execution and operational risks, sovereign and geopolitical risks associated with Côte d'Ivoire, broader economic and market conditions. The production target and Ore Reserve referred to in this release are based on the PFS (ASX:AUE, 11 June 2026). As set out in the Compliance Statement, the Company confirms that the material assumptions underpinning them continue to apply and have not materially changed. Those assumptions will be reviewed as part of the DFS, and outcomes may differ. Investors should not place undue reliance on forward-looking statements. Except as required by law or the ASX Listing Rules, the Company undertakes no obligation to update them.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Results is based on, and fairly represents, information and supporting documentation prepared by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek is an Executive Director of the Company. Mr Strizek was a Non-Executive Director from 1 February 2024 and was appointed Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, the Company confirms that it is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali Gold Resource Grows to 3.84 Moz, Indicated Up 37%" released to the Australian Securities Exchange on 28

[11] ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section
[12] ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

For personal use only

October 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

30 Oct 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
28 Oct 2026, Boundiali Gold Resource Grows to 3.84 Moz, Indicated Up 37% (ASX:AUE)
20 Oct 2026, Aurum extends gold at Boundiali BST1, BMT2 and BMT3 (ASX:AUE)
16 Oct 2026, Aurum hits gold outside BST1 resource ahead of MRE update (ASX:AUE)
9 Oct 2026, Aurum extends BM gold across BMT1, BMT2 and BMT3 (ASX:AUE)
1 Oct 2026, Aurum hits project best gold intercept at Boundiali BST1 (ASX:AUE)
30 Sep 2026, Annual Report to shareholders (ASX:AUE)
25 Sep 2026, Aurum extends BST1 gold ahead of Boundiali MRE update (ASX:AUE)
23 Sep 2026, A$52.5m firm commitments to accelerate Boundiali development (ASX:AUE)
18 Sep 2026, Boundiali BM drilling hits high-grade gold outside Resource (ASX:AUE)
4 Sep 2026. Aurum adds more high grade gold at Boundiali BST1 deposit (ASX:AUE)
17 Aug 2026, Gold extended at Boundiali BST1 deposit and BST2 prospect (ASX:AUE)
7 Aug 2026, Aurum hits 0.72m @ 367g/t gold at Boundiali BMT3 (ASX:AUE)
28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)
29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
23 Mar 2026, Aurum raises $28.8M via Strategic Placement (ASX:AUE)
13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Cote d'Ivoire (ASX:AUE)
23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
28 Nov 2025, Aurum completes $22.98M Montage share sale (ASX:AUE)
18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
6 Dec 2024, AUE receives firm commitments for A$10 million placement (ASX:AUE)
29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
30 Oct 2024, Bidders Statement (ASX:AUE)
16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)

10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX: AUE)
29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
07 May 2025, Aurum to raise $35.6 million from strategic investment (ASX:AUE)
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
22 Jan 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
21 November 2023, AUE Acquisition Presentation (ASX:AUE)
21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)
21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR.ASX)
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)
15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI.ASX)
27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI.ASX)
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)
26 Nov 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only

For personal use only




Figure 4: Location of Aurum's projects in Côte d'Ivoire

For personal use only




Figure 5: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For personal use only




Figure 6: Aurum's Boundiali Gold Project

For personal use only

Table 1: Drill collar information for new holes drilled at Boundiali (BST1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0182A	784,524	1,035,400	409	531.90	75	-60		
BSDD0186	784,645	1,035,399	411	380.70	81	-55		
BSDD0187	784,571	1,035,448	408	465.30	78	-55		
BSDD0188	784,772	1,035,499	409	251.70	84	-55		
BSDD0189	784,605	1,035,500	408	441.30	78	-56		
BSDD0190	784,648	1,035,548	410	380.90	81	-55		
BSDD0191	784,606	1,035,551	409	201.80	84	-55		
BSDD0192	784,568	1,035,550	407	454.50	78	-55		
BSDD0193	784,527	1,035,550	406	260.70	84	-55		
BSDD0194	784,589	1,035,600	407	430.60	78	-55		
BSDD0195	784,528	1,035,600	406	266.50	84	-55	**BST1**	**DD**
BSDD0196	784,649	1,035,650	408	150.25	87	-55		
BSDD0197	784,569	1,035,650	407	257.00	84	-55		
BSDD0198A	784,610	1,035,650	408	200.30	84	-55		
BSDD0199	784,537	1,035,650	407	285.65	84	-55		
BSDD0200	784,629	1,035,700	408	175.00	87	-55		
BSDD0201	784,572	1,035,700	408	261.60	84	-55		
BSDD0202	784,609	1,035,750	409	201.30	84	-55		
BSDD0204	784,623	1,035,798	410	220.80	84	-55		
BSDD0207	784,729	1,035,850	412	102.45	87	-55		
BSDD0208	784,689	1,035,850	412	150.53	87	-55		
21 Holes				**6,070.78m**			**Total**	

Table 2: Significant assay results for new holes drilled at Boundiali (BST1)[13]

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0182A	0.00	1.50	1.50	0.118			
BST1	BSDD0182A	2.38	3.00	0.62	0.134			
BST1	BSDD0182A	3.00	4.50	1.50	0.195			
BST1	BSDD0182A	92.00	93.00	1.00	0.116			
BST1	BSDD0182A	94.00	95.00	1.00	**1.248**	2.00 m @ 0.95 g/t Au	1.901	**1.00 m @ 1.25 g/t Au**
BST1	BSDD0182A	95.00	96.00	1.00	0.653			
BST1	BSDD0182A	100.00	101.00	1.00	**1.944**	**5.00 m @ 1.41 g/t Au**	**7.047**	**1.00 m @ 1.94 g/t Au**
BST1	BSDD0182A	101.00	102.00	1.00	0.026			
BST1	BSDD0182A	102.00	103.00	1.00	0.780			
BST1	BSDD0182A	103.00	104.00	1.00	0.326			
BST1	BSDD0182A	104.00	105.00	1.00	**3.971**			**1.00 m @ 3.97 g/t Au**
BST1	BSDD0182A	107.00	108.00	1.00	0.135			
BST1	BSDD0182A	110.00	111.00	1.00	0.197			
BST1	BSDD0182A	113.00	114.00	1.00	0.161			
BST1	BSDD0182A	114.00	115.00	1.00	0.506	**3.31 m @ 0.81 g/t Au**	**2.688051**	
BST1	BSDD0182A	115.00	116.00	1.00	0.008			
BST1	BSDD0182A	116.00	117.31	1.31	**1.660**			**1.31 m @ 1.66 g/t Au**
BST1	BSDD0182A	138.00	139.00	1.00	**7.911**	**1.00 m @ 7.91 g/t Au**	**7.911**	**1.00 m @ 7.91 g/t Au**
BST1	BSDD0182A	157.00	158.00	1.00	0.233	1.00 m @ 0.23 g/t Au	0.233	
BST1	BSDD0182A	172.00	173.00	1.00	0.101			
BST1	BSDD0182A	173.00	174.00	1.00	0.198			
BST1	BSDD0182A	266.00	267.00	1.00	0.505	1.00 m @ 0.51 g/t Au	0.505	

[13] 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0182A	288.00	289.00	1.00	0.148			
BST1	BSDD0182A	383.00	384.00	1.00	**1.097**	2.00 m @ 0.65 g/t Au	1.308	**1.00 m @ 1.10 g/t Au**
BST1	BSDD0182A	384.00	385.00	1.00	0.211			
BST1	BSDD0182A	389.00	390.00	1.00	0.268	3.00 m @ 0.42 g/t Au	1.2471	
BST1	BSDD0182A	390.00	391.00	1.00	0.579			
BST1	BSDD0182A	391.00	392.00	1.00	0.400			
BST1	BSDD0182A	393.00	394.00	1.00	0.138			
BST1	BSDD0182A	395.00	396.00	1.00	0.196			
BST1	BSDD0182A	398.00	399.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.247	
BST1	BSDD0182A	405.00	406.00	1.00	0.116			
BST1	BSDD0182A	408.00	409.00	1.00	0.490	2.00 m @ 0.48 g/t Au	0.97	
BST1	BSDD0182A	409.00	410.00	1.00	0.480			
BST1	BSDD0182A	413.00	414.00	1.00	0.218	11.00 m @ 0.23 g/t Au	2.4816	
BST1	BSDD0182A	414.00	415.00	1.00	0.034			
BST1	BSDD0182A	415.00	416.00	1.00	0.020			
BST1	BSDD0182A	416.00	417.00	1.00	0.260			
BST1	BSDD0182A	417.00	418.00	1.00	0.340			
BST1	BSDD0182A	418.00	419.00	1.00	0.374			
BST1	BSDD0182A	419.00	420.00	1.00	0.095			
BST1	BSDD0182A	420.00	421.00	1.00	0.759			
BST1	BSDD0182A	421.00	422.00	1.00	0.008			
BST1	BSDD0182A	422.00	423.00	1.00	0.008			
BST1	BSDD0182A	423.00	424.00	1.00	0.367			
BST1	BSDD0182A	425.00	426.00	1.00	0.184			
BST1	BSDD0182A	428.00	429.00	1.00	0.141			
BST1	BSDD0182A	429.00	430.00	1.00	0.235	**12.00 m @ 1.10 g/t Au**	**13.1688**	
BST1	BSDD0182A	430.00	431.00	1.00	0.016			
BST1	BSDD0182A	431.00	432.00	1.00	0.459			
BST1	BSDD0182A	432.00	433.00	1.00	0.046			
BST1	BSDD0182A	433.00	434.00	1.00	0.934			
BST1	BSDD0182A	434.00	435.00	1.00	0.033			
BST1	BSDD0182A	435.00	436.00	1.00	0.093			
BST1	BSDD0182A	436.00	437.00	1.00	0.379			
BST1	BSDD0182A	437.00	438.00	1.00	0.082			
BST1	BSDD0182A	438.00	439.00	1.00	**1.045**			
BST1	BSDD0182A	439.00	440.00	1.00	0.120			**3.00 m @ 3.63 g/t Au**
BST1	BSDD0182A	440.00	441.00	1.00	**9.727**			
BST1	BSDD0182A	441.00	442.00	1.00	0.160			
BST1	BSDD0182A	442.00	443.00	1.00	0.159			
BST1	BSDD0182A	443.00	444.00	1.00	0.132			
BST1	BSDD0182A	444.00	445.00	1.00	0.690	**19.00 m @ 0.41 g/t Au**	**7.7197**	
BST1	BSDD0182A	445.00	446.00	1.00	0.401			
BST1	BSDD0182A	446.00	447.00	1.00	0.008			
BST1	BSDD0182A	447.00	448.00	1.00	0.055			
BST1	BSDD0182A	448.00	449.00	1.00	0.320			
BST1	BSDD0182A	449.00	450.00	1.00	**3.613**			**1.00 m @ 3.61 g/t Au**
BST1	BSDD0182A	450.00	451.00	1.00	0.349			
BST1	BSDD0182A	451.00	452.00	1.00	0.275			
BST1	BSDD0182A	452.00	453.00	1.00	0.150			
BST1	BSDD0182A	453.00	454.00	1.00	0.041			
BST1	BSDD0182A	454.00	455.00	1.00	0.402			
BST1	BSDD0182A	455.00	456.00	1.00	0.090			
BST1	BSDD0182A	456.00	457.00	1.00	0.070			
BST1	BSDD0182A	457.00	458.00	1.00	0.220			
BST1	BSDD0182A	458.00	459.00	1.00	0.240			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0182A	459.00	460.00	1.00	0.055			
BST1	BSDD0182A	460.00	461.00	1.00	0.057			
BST1	BSDD0182A	461.00	462.00	1.00	0.278			
BST1	BSDD0182A	462.00	463.00	1.00	0.406			
BST1	BSDD0182A	465.00	466.00	1.00	0.196			
BST1	BSDD0182A	466.00	467.00	1.00	0.263	1.00 m @ 0.26 g/t Au	0.263	
BST1	BSDD0182A	468.00	469.00	1.00	0.294			
BST1	BSDD0182A	469.00	470.00	1.00	0.044			
BST1	BSDD0182A	470.00	471.00	1.00	**2.619**			**1.00 m @ 2.62 g/t Au**
BST1	BSDD0182A	471.00	472.00	1.00	0.008			
BST1	BSDD0182A	472.00	473.00	1.00	0.053			
BST1	BSDD0182A	473.00	474.00	1.00	0.297	**11.00 m @ 0.65 g/t Au**	**7.161**	
BST1	BSDD0182A	474.00	475.00	1.00	0.087			
BST1	BSDD0182A	475.00	476.00	1.00	0.214			
BST1	BSDD0182A	476.00	477.00	1.00	0.087			
BST1	BSDD0182A	477.00	478.00	1.00	0.158			
BST1	BSDD0182A	478.00	479.00	1.00	**3.300**			**1.00 m @ 3.30 g/t Au**
BST1	BSDD0182A	483.00	484.00	1.00	0.632	1.00 m @ 0.63 g/t Au	0.632	
BST1	BSDD0182A	487.00	488.00	1.00	0.707			
BST1	BSDD0182A	488.00	489.00	1.00	0.420			
BST1	BSDD0182A	489.00	490.00	1.00	**2.000**			**1.00 m @ 2.00 g/t Au**
BST1	BSDD0182A	490.00	491.00	1.00	0.019			
BST1	BSDD0182A	491.00	492.00	1.00	0.757			
BST1	BSDD0182A	492.00	493.00	1.00	0.606			
BST1	BSDD0182A	493.00	494.00	1.00	0.323	**12.00 m @ 0.57 g/t Au**	**6.81**	
BST1	BSDD0182A	494.00	495.00	1.00	0.866			
BST1	BSDD0182A	495.00	496.00	1.00	0.292			
BST1	BSDD0182A	496.00	497.00	1.00	0.347			
BST1	BSDD0182A	497.00	498.00	1.00	0.176			
BST1	BSDD0182A	498.00	499.00	1.00	0.297			
BST1	BSDD0182A	499.00	500.00	1.00	0.122			
BST1	BSDD0182A	501.00	502.00	1.00	0.116			
BST1	BSDD0182A	502.00	503.00	1.00	0.324			
BST1	BSDD0182A	503.00	504.00	1.00	0.474			
BST1	BSDD0182A	504.00	505.00	1.00	0.174	5.00 m @ 0.28 g/t Au	1.404	
BST1	BSDD0182A	505.00	506.00	1.00	0.118			
BST1	BSDD0182A	506.00	507.00	1.00	0.314			
BST1	BSDD0182A	510.00	511.00	1.00	0.111			
BST1	BSDD0182A	512.00	513.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.202	
BST1	BSDD0182A	513.00	514.00	1.00	0.136			
BST1	BSDD0182A	518.00	519.00	1.00	0.215			
BST1	BSDD0182A	519.00	520.00	1.00	0.109			
BST1	BSDD0182A	520.00	521.00	1.00	0.879	5.00 m @ 0.36 g/t Au	1.818	
BST1	BSDD0182A	521.00	522.00	1.00	0.028			
BST1	BSDD0182A	522.00	523.00	1.00	0.587			
BST1	BSDD0182A	526.00	527.00	1.00	0.156			
BST1	BSDD0182A	528.00	529.00	1.00	0.586			
BST1	BSDD0182A	529.00	530.00	1.00	0.024	3.90 m @ 0.23 g/t Au	0.90363	
BST1	BSDD0182A	530.00	531.00	1.00	0.008			
BST1	BSDD0182A	531.00	531.90	0.90	0.318			
BST1	BSDD0186	6.87	7.50	0.63	0.350	0.63 m @ 0.35 g/t Au	0.2205	
BST1	BSDD0186	86.00	87.00	1.00	0.459	1.00 m @ 0.46 g/t Au	0.459	
BST1	BSDD0186	113.00	114.00	1.00	0.505	2.00 m @ 0.60 g/t Au	1.193	
BST1	BSDD0186	114.00	115.00	1.00	0.688			
BST1	BSDD0186	122.00	123.00	1.00	0.112			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0186	123.00	124.00	1.00	0.101			
BST1	BSDD0186	126.00	127.00	1.00	0.103			
BST1	BSDD0186	128.00	129.00	1.00	0.182			
BST1	BSDD0186	138.00	139.00	1.00	0.945	1.00 m @ 0.94 g/t Au	0.945	
BST1	BSDD0186	157.00	158.00	1.00	0.104			
BST1	BSDD0186	158.00	159.00	1.00	0.179			
BST1	BSDD0186	161.00	162.00	1.00	0.217	2.00 m @ 0.29 g/t Au	0.576	
BST1	BSDD0186	162.00	163.00	1.00	0.359			
BST1	BSDD0186	165.00	166.00	1.00	0.121			
BST1	BSDD0186	166.00	167.00	1.00	0.281	1.00 m @ 0.28 g/t Au	0.281	
BST1	BSDD0186	167.00	168.00	1.00	0.105			
BST1	BSDD0186	175.00	176.00	1.00	**1.193**	1.00 m @ 1.19 g/t Au	1.193	**1.00 m @ 1.19 g/t Au**
BST1	BSDD0186	176.00	177.00	1.00	0.164			
BST1	BSDD0186	204.00	205.00	1.00	0.139			
BST1	BSDD0186	210.00	211.00	1.00	0.105			
BST1	BSDD0186	212.00	213.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.238	
BST1	BSDD0186	213.00	214.00	1.00	0.129			
BST1	BSDD0186	216.00	217.00	1.00	0.280	3.00 m @ 0.46 g/t Au	1.3659	
BST1	BSDD0186	217.00	218.00	1.00	0.382			
BST1	BSDD0186	218.00	219.00	1.00	0.704			
BST1	BSDD0186	219.00	220.00	1.00	0.116			
BST1	BSDD0186	226.00	227.00	1.00	0.316	2.00 m @ 0.42 g/t Au	0.839	
BST1	BSDD0186	227.00	228.00	1.00	0.523			
BST1	BSDD0186	228.00	229.00	1.00	0.167			
BST1	BSDD0186	231.00	232.00	1.00	0.226	**7.00 m @ 0.44 g/t Au**	**3.0548**	
BST1	BSDD0186	232.00	233.00	1.00	0.606			
BST1	BSDD0186	233.00	234.00	1.00	0.872			
BST1	BSDD0186	234.00	235.00	1.00	0.019			
BST1	BSDD0186	235.00	236.00	1.00	0.148			
BST1	BSDD0186	236.00	237.00	1.00	0.857			
BST1	BSDD0186	237.00	238.00	1.00	0.327			
BST1	BSDD0186	238.00	239.00	1.00	0.166			
BST1	BSDD0186	249.00	250.00	1.00	**16.622**	**1.00 m @ 16.62 g/t Au**	**16.622**	**1.00 m @ 16.62 g/t Au**
BST1	BSDD0186	257.00	258.00	1.00	0.113			
BST1	BSDD0186	259.00	260.00	1.00	0.134			
BST1	BSDD0186	263.00	264.00	1.00	0.127			
BST1	BSDD0186	264.00	265.00	1.00	0.251	7.00 m @ 0.30 g/t Au	2.0888	
BST1	BSDD0186	265.00	266.00	1.00	0.073			
BST1	BSDD0186	266.00	267.00	1.00	0.076			
BST1	BSDD0186	267.00	268.00	1.00	0.436			
BST1	BSDD0186	268.00	269.00	1.00	0.123			
BST1	BSDD0186	269.00	270.00	1.00	0.240			
BST1	BSDD0186	270.00	271.00	1.00	0.890			
BST1	BSDD0186	272.00	273.00	1.00	0.138			
BST1	BSDD0186	274.00	275.00	1.00	0.186			
BST1	BSDD0186	275.00	276.00	1.00	0.361	1.00 m @ 0.36 g/t Au	0.361	
BST1	BSDD0186	280.00	281.00	1.00	0.847	**11.00 m @ 0.51 g/t Au**	**5.6177**	
BST1	BSDD0186	281.00	282.00	1.00	0.329			
BST1	BSDD0186	282.00	283.00	1.00	0.954			
BST1	BSDD0186	283.00	284.00	1.00	0.125			
BST1	BSDD0186	284.00	285.00	1.00	0.093			
BST1	BSDD0186	285.00	286.00	1.00	0.433			
BST1	BSDD0186	286.00	287.00	1.00	0.301			
BST1	BSDD0186	287.00	288.00	1.00	0.177			
BST1	BSDD0186	288.00	289.00	1.00	0.164			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0186	289.00	290.00	1.00	**1.612**			**1.00 m @ 1.61 g/t Au**
BST1	BSDD0186	290.00	291.00	1.00	0.583			
BST1	BSDD0186	291.00	292.00	1.00	0.163			
BST1	BSDD0186	294.00	295.00	1.00	**1.169**			**2.00 m @ 1.14 g/t Au**
BST1	BSDD0186	295.00	296.00	1.00	**1.119**			
BST1	BSDD0186	296.00	297.00	1.00	0.077			
BST1	BSDD0186	297.00	298.00	1.00	0.471			
BST1	BSDD0186	298.00	299.00	1.00	0.033			
BST1	BSDD0186	299.00	300.00	1.00	**1.475**			**1.00 m @ 1.48 g/t Au**
BST1	BSDD0186	300.00	301.00	1.00	0.036			
BST1	BSDD0186	301.00	302.00	1.00	0.111			
BST1	BSDD0186	302.00	303.00	1.00	0.451			
BST1	BSDD0186	303.00	304.00	1.00	0.730			
BST1	BSDD0186	304.00	305.00	1.00	0.598			
BST1	BSDD0186	305.00	306.00	1.00	0.264			
BST1	BSDD0186	306.00	307.00	1.00	0.339			
BST1	BSDD0186	307.00	308.00	1.00	0.035			
BST1	BSDD0186	308.00	309.00	1.00	**1.069**	**28.00 m @ 1.48 g/t Au**	**41.384**	
BST1	BSDD0186	309.00	310.00	1.00	**4.732**			
BST1	BSDD0186	310.00	311.00	1.00	**3.584**			
BST1	BSDD0186	311.00	312.00	1.00	0.184			
BST1	BSDD0186	312.00	313.00	1.00	**1.616**			
BST1	BSDD0186	313.00	314.00	1.00	**2.815**			**10.00 m @ 3.33 g/t Au**
BST1	BSDD0186	314.00	315.00	1.00	**5.116**			
BST1	BSDD0186	315.00	316.00	1.00	**8.589**			
BST1	BSDD0186	316.00	317.00	1.00	**3.715**			
BST1	BSDD0186	317.00	317.50	0.50	**2.713**			
BST1	BSDD0186	317.50	318.00	0.50	**1.137**			
BST1	BSDD0186	318.00	319.00	1.00	0.192			
BST1	BSDD0186	319.00	320.00	1.00	0.331			
BST1	BSDD0186	320.00	321.00	1.00	0.240			
BST1	BSDD0186	321.00	322.00	1.00	0.369			
BST1	BSDD0186	328.00	329.00	1.00	0.103			
BST1	BSDD0186	329.00	330.00	1.00	0.365	1.00 m @ 0.36 g/t Au	0.365	
BST1	BSDD0186	334.00	335.00	1.00	0.155			
BST1	BSDD0186	335.00	336.00	1.00	**1.385**	1.00 m @ 1.39 g/t Au	1.385	**1.00 m @ 1.39 g/t Au**
BST1	BSDD0186	340.00	341.00	1.00	**15.103**	**1.00 m @ 15.10 g/t Au**	**15.103**	**1.00 m @ 15.10 g/t Au**
BST1	BSDD0186	344.00	345.00	1.00	0.331	1.00 m @ 0.33 g/t Au	0.331	
BST1	BSDD0186	345.00	346.00	1.00	0.112			
BST1	BSDD0186	348.00	349.00	1.00	0.138			
BST1	BSDD0187	0.00	1.00	1.00	0.194			
BST1	BSDD0187	2.50	4.00	1.50	0.125			
BST1	BSDD0187	6.00	7.00	1.00	0.198			
BST1	BSDD0187	7.00	8.00	1.00	0.382			
BST1	BSDD0187	8.00	9.00	1.00	0.103	3.00 m @ 0.43 g/t Au	1.299	
BST1	BSDD0187	9.00	10.00	1.00	0.814			
BST1	BSDD0187	42.00	43.00	1.00	0.849	1.00 m @ 0.85 g/t Au	0.849	
BST1	BSDD0187	45.00	46.00	1.00	0.153			
BST1	BSDD0187	63.80	65.00	1.20	0.657			
BST1	BSDD0187	65.00	66.00	1.00	0.288	**3.20 m @ 1.34 g/t Au**	**4.2784**	
BST1	BSDD0187	66.00	67.00	1.00	**3.202**			**1.00 m @ 3.20 g/t Au**
BST1	BSDD0187	69.00	70.00	1.00	0.192			
BST1	BSDD0187	70.00	71.00	1.00	**9.030**			**2.00 m @ 7.30 g/t Au**
BST1	BSDD0187	71.00	72.00	1.00	**5.569**	**15.00 m @ 2.12 g/t Au**	**31.851**	
BST1	BSDD0187	72.00	73.00	1.00	0.131			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0187	73.00	74.00	1.00	0.776			
BST1	BSDD0187	74.00	75.00	1.00	0.915			
BST1	BSDD0187	75.00	76.00	1.00	**1.345**			**3.00 m @ 3.57 g/t Au**
BST1	BSDD0187	76.00	77.00	1.00	0.338			
BST1	BSDD0187	77.00	78.00	1.00	**9.026**			
BST1	BSDD0187	78.00	79.00	1.00	0.482			
BST1	BSDD0187	79.00	80.00	1.00	0.211			
BST1	BSDD0187	80.00	81.00	1.00	0.008			
BST1	BSDD0187	81.00	82.00	1.00	0.246			
BST1	BSDD0187	82.00	83.00	1.00	**1.774**			**2.00 m @ 1.79 g/t Au**
BST1	BSDD0187	83.00	84.00	1.00	**1.800**			
BST1	BSDD0187	84.00	85.00	1.00	0.200			
BST1	BSDD0187	88.00	89.00	1.00	**1.761**			**1.00 m @ 1.76 g/t Au**
BST1	BSDD0187	89.00	90.00	1.00	0.030			
BST1	BSDD0187	90.00	91.00	1.00	0.363			
BST1	BSDD0187	91.00	92.00	1.00	0.008	**7.00 m @ 0.65 g/t Au**	**4.5514**	
BST1	BSDD0187	92.00	93.00	1.00	0.799			
BST1	BSDD0187	93.00	94.00	1.00	0.191			
BST1	BSDD0187	94.00	95.00	1.00	**1.400**			**1.00 m @ 1.40 g/t Au**
BST1	BSDD0187	100.00	101.00	1.00	0.616			
BST1	BSDD0187	101.00	102.00	1.00	0.030			
BST1	BSDD0187	102.00	103.00	1.00	0.008			
BST1	BSDD0187	103.00	104.00	1.00	**1.863**			
BST1	BSDD0187	104.00	105.00	1.00	0.015	**9.00 m @ 0.57 g/t Au**	**5.1129**	**3.00 m @ 1.08 g/t Au**
BST1	BSDD0187	105.00	106.00	1.00	**1.352**			
BST1	BSDD0187	106.00	107.00	1.00	0.980			
BST1	BSDD0187	107.00	108.00	1.00	0.017			
BST1	BSDD0187	108.00	109.00	1.00	0.232			
BST1	BSDD0187	109.00	110.00	1.00	0.197			
BST1	BSDD0187	113.00	113.65	0.65	**4.404**			
BST1	BSDD0187	113.65	115.00	1.35	**2.160**			
BST1	BSDD0187	115.00	116.00	1.00	0.075			
BST1	BSDD0187	116.00	117.00	1.00	0.304			**7.00 m @ 4.32 g/t Au**
BST1	BSDD0187	117.00	118.00	1.00	**2.684**	**10.00 m @ 3.19 g/t Au**	**31.93**	
BST1	BSDD0187	118.00	119.00	1.00	**1.962**			
BST1	BSDD0187	119.00	120.00	1.00	**19.405**			
BST1	BSDD0187	120.00	121.00	1.00	0.131			
BST1	BSDD0187	121.00	122.00	1.00	0.099			
BST1	BSDD0187	122.00	123.00	1.00	**1.491**			**1.00 m @ 1.49 g/t Au**
BST1	BSDD0187	126.00	127.00	1.00	0.358			
BST1	BSDD0187	127.00	128.00	1.00	**2.893**			**1.00 m @ 2.89 g/t Au**
BST1	BSDD0187	128.00	129.00	1.00	0.030	**5.00 m @ 0.71 g/t Au**	**3.5595**	
BST1	BSDD0187	129.00	130.00	1.00	0.008			
BST1	BSDD0187	130.00	131.00	1.00	0.271			
BST1	BSDD0187	132.00	133.00	1.00	0.198			
BST1	BSDD0187	147.00	148.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.49	
BST1	BSDD0187	172.00	173.50	1.50	0.160			
BST1	BSDD0187	173.50	174.00	0.50	0.572			
BST1	BSDD0187	174.00	175.00	1.00	**1.220**			**1.00 m @ 1.22 g/t Au**
BST1	BSDD0187	175.00	176.00	1.00	0.663	**4.50 m @ 0.89 g/t Au**	**4.0158**	
BST1	BSDD0187	176.00	177.00	1.00	0.837			
BST1	BSDD0187	177.00	178.00	1.00	**1.010**			**1.00 m @ 1.01 g/t Au**
BST1	BSDD0187	183.00	184.00	1.00	0.703			
BST1	BSDD0187	184.00	185.00	1.00	0.187	**6.00 m @ 0.87 g/t Au**	**5.1942**	
BST1	BSDD0187	185.00	186.00	1.00	0.924			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0187	186.00	187.00	1.00	**2.735**			**1.00 m @ 2.73 g/t Au**
BST1	BSDD0187	187.00	188.00	1.00	0.285			
BST1	BSDD0187	188.00	189.00	1.00	0.360			
BST1	BSDD0187	244.00	245.00	1.00	0.989	1.00 m @ 0.99 g/t Au	0.989	
BST1	BSDD0187	329.00	330.00	1.00	0.140			
BST1	BSDD0187	331.00	332.00	1.00	0.106			
BST1	BSDD0187	337.00	338.00	1.00	0.149			
BST1	BSDD0187	348.00	349.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BST1	BSDD0187	369.00	369.60	0.60	0.301	2.00 m @ 0.29 g/t Au	0.5754	
BST1	BSDD0187	369.60	371.00	1.40	0.282			
BST1	BSDD0187	374.00	375.00	1.00	0.728			
BST1	BSDD0187	375.00	376.00	1.00	0.022			
BST1	BSDD0187	376.00	377.00	1.00	**1.562**			**3.00 m @ 1.12 g/t Au**
BST1	BSDD0187	377.00	378.00	1.00	0.213			
BST1	BSDD0187	378.00	379.00	1.00	**1.590**	**9.20 m @ 1.30 g/t Au**	**11.94896**	
BST1	BSDD0187	379.00	380.00	1.00	0.111			
BST1	BSDD0187	380.00	381.00	1.00	0.030			
BST1	BSDD0187	381.00	382.00	1.00	**7.405**			**1.00 m @ 7.41 g/t Au**
BST1	BSDD0187	382.00	383.20	1.20	0.240			
BST1	BSDD0187	383.20	384.00	0.80	0.129			
BST1	BSDD0187	387.00	388.00	1.00	0.265	1.00 m @ 0.27 g/t Au	0.265	
BST1	BSDD0187	388.00	389.00	1.00	0.111			
BST1	BSDD0187	392.00	393.00	1.00	**1.144**			**1.00 m @ 1.14 g/t Au**
BST1	BSDD0187	393.00	394.00	1.00	0.310			
BST1	BSDD0187	394.00	395.00	1.00	0.442	6.00 m @ 0.38 g/t Au	2.2866	
BST1	BSDD0187	395.00	396.00	1.00	0.008			
BST1	BSDD0187	396.00	397.00	1.00	0.017			
BST1	BSDD0187	397.00	398.00	1.00	0.366			
BST1	BSDD0187	398.00	399.00	1.00	0.129			
BST1	BSDD0187	403.00	404.00	1.00	**1.015**	2.00 m @ 0.69 g/t Au	1.371	**1.00 m @ 1.01 g/t Au**
BST1	BSDD0187	404.00	405.00	1.00	0.356			
BST1	BSDD0187	414.00	415.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.33	
BST1	BSDD0187	432.00	433.00	1.00	0.664			
BST1	BSDD0187	433.00	434.00	1.00	0.008			
BST1	BSDD0187	434.00	435.00	1.00	0.021			
BST1	BSDD0187	435.00	436.00	1.00	0.909	7.00 m @ 0.35 g/t Au	2.4192	
BST1	BSDD0187	436.00	437.00	1.00	0.058			
BST1	BSDD0187	437.00	438.00	1.00	0.165			
BST1	BSDD0187	438.00	439.00	1.00	0.595			
BST1	BSDD0187	443.00	444.00	1.00	0.744			
BST1	BSDD0187	444.00	445.00	1.00	0.502			
BST1	BSDD0187	445.00	446.00	1.00	0.072	5.00 m @ 0.49 g/t Au	2.429	
BST1	BSDD0187	446.00	447.00	1.00	0.021			
BST1	BSDD0187	447.00	448.00	1.00	**1.090**			**1.00 m @ 1.09 g/t Au**
BST1	BSDD0187	451.00	452.00	1.00	0.236	2.00 m @ 0.44 g/t Au	0.877	
BST1	BSDD0187	452.00	453.00	1.00	0.641			
BST1	BSDD0187	455.00	455.85	0.85	0.168			
BST1	BSDD0187	455.85	457.00	1.15	0.143			
BST1	BSDD0187	460.00	461.00	1.00	**1.290**			
BST1	BSDD0187	461.00	462.00	1.00	0.074	**4.00 m @ 1.01 g/t Au**	**4.0372**	**4.00 m @ 1.01 g/t Au**
BST1	BSDD0187	462.00	463.00	1.00	**1.260**			
BST1	BSDD0187	463.00	464.00	1.00	**1.413**			
BST1	BSDD0187	464.00	465.30	1.30	0.174			
BST1	BSDD0188	146.00	147.00	1.00	0.203	1.00 m @ 0.20 g/t Au	0.203	
BST1	BSDD0188	199.00	200.30	1.30	0.176			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0188	200.30	201.50	1.20	0.131			
BST1	BSDD0188	201.50	202.00	0.50	**1.294**	1.50 m @ 0.59 g/t Au	0.89205	**0.50 m @ 1.29 g/t Au**
BST1	BSDD0188	202.00	203.00	1.00	0.245			
BST1	BSDD0188	204.00	205.00	1.00	0.152			
BST1	BSDD0188	206.00	207.00	1.00	0.462	1.00 m @ 0.46 g/t Au	0.462	
BST1	BSDD0188	214.00	215.00	1.00	0.289	1.00 m @ 0.29 g/t Au	0.289	
BST1	BSDD0188	215.00	216.00	1.00	0.111			
BST1	BSDD0188	216.00	217.00	1.00	0.106			
BST1	BSDD0188	233.00	234.00	1.00	0.160			
BST1	BSDD0188	234.00	235.00	1.00	0.138			
BST1	BSDD0189	7.15	8.00	0.85	0.210			
BST1	BSDD0189	8.00	8.79	0.79	0.070	**2.45 m @ 1.92 g/t Au**	**4.70498**	
BST1	BSDD0189	8.79	9.60	0.81	**5.520**			**0.81 m @ 5.52 g/t Au**
BST1	BSDD0189	10.50	12.00	1.50	**3.930**	**1.50 m @ 3.93 g/t Au**	**5.895**	**1.50 m @ 3.93 g/t Au**
BST1	BSDD0189	14.50	15.00	0.50	**7.810**	**0.50 m @ 7.81 g/t Au**	**3.905**	**0.50 m @ 7.81 g/t Au**
BST1	BSDD0189	15.00	16.10	1.10	0.120			
BST1	BSDD0189	21.00	21.90	0.90	**1.760**	0.90 m @ 1.76 g/t Au	1.584	**0.90 m @ 1.76 g/t Au**
BST1	BSDD0189	28.00	29.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0189	38.32	39.75	1.43	0.120			
BST1	BSDD0189	40.50	42.00	1.50	0.140			
BST1	BSDD0189	58.00	59.00	1.00	0.110			
BST1	BSDD0189	63.00	64.00	1.00	0.100			
BST1	BSDD0189	64.00	65.00	1.00	0.150			
BST1	BSDD0189	75.00	76.00	1.00	0.150			
BST1	BSDD0189	78.10	79.00	0.90	0.100			
BST1	BSDD0189	79.50	81.00	1.50	0.210	1.50 m @ 0.21 g/t Au	0.315	
BST1	BSDD0189	81.00	82.00	1.00	0.110			
BST1	BSDD0189	82.00	83.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0189	85.00	86.00	1.00	0.140			
BST1	BSDD0189	86.00	87.00	1.00	0.130			
BST1	BSDD0189	105.20	106.00	0.80	0.540	0.80 m @ 0.54 g/t Au	0.432	
BST1	BSDD0189	114.10	115.00	0.90	0.900	1.90 m @ 0.86 g/t Au	1.64008	
BST1	BSDD0189	115.00	116.00	1.00	0.830			
BST1	BSDD0189	119.50	120.00	0.50	0.250	0.50 m @ 0.25 g/t Au	0.125	
BST1	BSDD0189	138.19	138.74	0.55	0.210	0.55 m @ 0.21 g/t Au	0.1155	
BST1	BSDD0189	154.00	155.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.34	
BST1	BSDD0189	180.00	181.00	1.00	**4.240**	**2.00 m @ 2.95 g/t Au**	**5.9**	**2.00 m @ 2.95 g/t Au**
BST1	BSDD0189	181.00	182.00	1.00	**1.660**			
BST1	BSDD0189	194.00	195.50	1.50	0.290	1.50 m @ 0.29 g/t Au	0.435	
BST1	BSDD0189	196.00	197.00	1.00	0.150			
BST1	BSDD0189	198.00	199.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.44	
BST1	BSDD0189	204.00	205.00	1.00	0.510	3.00 m @ 0.47 g/t Au	1.4001	
BST1	BSDD0189	205.00	206.00	1.00	0.010			
BST1	BSDD0189	206.00	207.00	1.00	0.880			
BST1	BSDD0189	219.00	220.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.43	
BST1	BSDD0189	278.00	279.00	1.00	0.110			
BST1	BSDD0189	283.00	284.00	1.00	**1.560**	1.69 m @ 1.08 g/t Au	1.829087	**1.00 m @ 1.56 g/t Au**
BST1	BSDD0189	284.00	284.69	0.69	0.390			
BST1	BSDD0189	288.00	289.00	1.00	**1.680**	1.66 m @ 1.18 g/t Au	1.96378	**1.00 m @ 1.68 g/t Au**
BST1	BSDD0189	289.00	289.66	0.66	0.430			
BST1	BSDD0189	289.66	291.00	1.34	0.130			
BST1	BSDD0189	291.00	292.00	1.00	0.140			
BST1	BSDD0189	292.00	293.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BST1	BSDD0189	295.00	296.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BST1	BSDD0189	300.00	301.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0189	306.00	306.90	0.90	**2.240**	**1.50 m @ 3.32 g/t Au**	**4.974**	**1.50 m @ 3.32 g/t Au**
BST1	BSDD0189	306.90	307.50	0.60	**4.930**			
BST1	BSDD0189	350.60	352.00	1.40	0.160			
BST1	BSDD0189	360.00	361.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BST1	BSDD0189	363.00	364.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.21	
BST1	BSDD0189	366.00	367.00	1.00	0.130			
BST1	BSDD0189	384.50	385.80	1.30	0.900	2.50 m @ 0.59 g/t Au	1.482	
BST1	BSDD0189	385.80	387.00	1.20	0.260			
BST1	BSDD0189	391.00	392.10	1.10	0.220	1.10 m @ 0.22 g/t Au	0.242	
BST1	BSDD0189	393.00	394.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0189	399.00	400.00	1.00	0.200			
BST1	BSDD0189	407.70	408.40	0.70	0.210	3.30 m @ 0.24 g/t Au	0.80289	
BST1	BSDD0189	408.40	409.00	0.60	0.010			
BST1	BSDD0189	409.00	410.50	1.50	0.270			
BST1	BSDD0189	410.50	411.00	0.50	0.490			
BST1	BSDD0189	429.00	430.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.28	
BST1	BSDD0189	430.00	431.00	1.00	0.120			
BST1	BSDD0189	435.00	436.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.21	
BST1	BSDD0189	437.00	438.00	1.00	0.160			
BST1	BSDD0190	15.00	16.08	1.08	0.230	1.08 m @ 0.23 g/t Au	0.2484	
BST1	BSDD0190	168.00	169.00	1.00	0.130			
BST1	BSDD0190	169.00	170.00	1.00	0.190			
BST1	BSDD0190	170.00	171.00	1.00	**2.640**	**1.00 m @ 2.64 g/t Au**	**2.64**	**1.00 m @ 2.64 g/t Au**
BST1	BSDD0190	180.00	181.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.21	
BST1	BSDD0190	188.00	189.00	1.00	0.680	4.00 m @ 0.27 g/t Au	1.0948	
BST1	BSDD0190	189.00	189.52	0.52	0.040			
BST1	BSDD0190	189.52	191.00	1.48	0.050			
BST1	BSDD0190	191.00	192.00	1.00	0.320			
BST1	BSDD0190	195.00	196.00	1.00	0.180			
BST1	BSDD0190	201.00	202.00	1.00	0.130			
BST1	BSDD0190	213.00	214.00	1.00	0.120			
BST1	BSDD0190	238.00	239.00	1.00	0.120			
BST1	BSDD0190	241.00	242.00	1.00	0.170			
BST1	BSDD0190	254.00	255.00	1.00	0.130			
BST1	BSDD0190	255.00	256.00	1.00	0.110			
BST1	BSDD0190	256.00	257.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0190	260.00	261.00	1.00	**2.240**	**8.00 m @ 0.51 g/t Au**	**4.1152**	**1.00 m @ 2.24 g/t Au**
BST1	BSDD0190	261.00	262.00	1.00	0.860			
BST1	BSDD0190	262.00	262.50	0.50	0.190			
BST1	BSDD0190	262.50	264.00	1.50	0.060			
BST1	BSDD0190	264.00	265.00	1.00	0.330			
BST1	BSDD0190	265.00	266.00	1.00	0.120			
BST1	BSDD0190	266.00	267.00	1.00	0.080			
BST1	BSDD0190	267.00	268.00	1.00	0.300			
BST1	BSDD0190	276.00	277.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0190	281.00	282.00	1.00	0.170			
BST1	BSDD0190	284.00	285.00	1.00	0.100			
BST1	BSDD0190	286.00	287.00	1.00	0.820	**3.90 m @ 2.64 g/t Au**	**10.27884**	**2.90 m @ 3.26 g/t Au**
BST1	BSDD0190	287.00	288.00	1.00	**1.270**			
BST1	BSDD0190	288.00	289.00	1.00	**2.780**			
BST1	BSDD0190	289.00	289.90	0.90	**6.010**			
BST1	BSDD0190	299.96	301.00	1.04	0.110			
BST1	BSDD0190	303.00	304.00	1.00	0.130			
BST1	BSDD0190	304.00	305.00	1.00	0.110			
BST1	BSDD0190	305.00	306.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0190	306.00	307.00	1.00	0.160			
BST1	BSDD0190	307.00	308.00	1.00	0.540			
BST1	BSDD0190	308.00	309.00	1.00	0.710			
BST1	BSDD0190	309.00	310.28	1.28	0.250			
BST1	BSDD0190	310.28	311.00	0.72	**2.100**			**0.72 m @ 2.10 g/t Au**
BST1	BSDD0190	311.00	312.00	1.00	0.340			
BST1	BSDD0190	312.00	313.00	1.00	0.350	**11.00 m @ 0.60 g/t Au**	**6.5923**	
BST1	BSDD0190	313.00	314.00	1.00	0.720			
BST1	BSDD0190	314.00	315.00	1.00	0.640			
BST1	BSDD0190	315.00	316.00	1.00	0.580			
BST1	BSDD0190	316.00	317.00	1.00	0.360			
BST1	BSDD0190	317.00	318.00	1.00	0.520			
BST1	BSDD0190	329.00	330.00	1.00	0.690			
BST1	BSDD0190	330.00	331.00	1.00	0.320			
BST1	BSDD0190	331.00	331.50	0.50	0.060			
BST1	BSDD0190	331.50	332.20	0.70	0.450			
BST1	BSDD0190	332.20	333.00	0.80	0.270			
BST1	BSDD0190	333.00	334.00	1.00	0.310			
BST1	BSDD0190	334.00	334.50	0.50	0.220			
BST1	BSDD0190	334.50	335.00	0.50	0.270			
BST1	BSDD0190	335.00	336.00	1.00	0.010			
BST1	BSDD0190	336.00	337.00	1.00	**2.170**			**3.00 m @ 1.49 g/t Au**
BST1	BSDD0190	337.00	337.50	0.50	0.400			
BST1	BSDD0190	337.50	338.00	0.50	0.890	**18.00 m @ 0.61 g/t Au**	**10.9008**	
BST1	BSDD0190	338.00	338.50	0.50	0.120			
BST1	BSDD0190	338.50	339.00	0.50	**3.210**			
BST1	BSDD0190	339.00	339.50	0.50	0.650			
BST1	BSDD0190	339.50	340.00	0.50	0.460			
BST1	BSDD0190	340.00	340.50	0.50	**1.410**			**1.00 m @ 1.27 g/t Au**
BST1	BSDD0190	340.50	341.00	0.50	**1.130**			
BST1	BSDD0190	341.00	342.00	1.00	0.430			
BST1	BSDD0190	342.00	343.00	1.00	0.720			
BST1	BSDD0190	343.00	344.00	1.00	0.010			
BST1	BSDD0190	344.00	345.00	1.00	0.010			
BST1	BSDD0190	345.00	346.00	1.00	0.500			
BST1	BSDD0190	346.00	347.00	1.00	0.790			
BST1	BSDD0190	347.00	348.00	1.00	0.100			
BST1	BSDD0190	348.00	349.00	1.00	0.130			
BST1	BSDD0190	349.50	350.00	0.50	0.290			
BST1	BSDD0190	350.00	351.00	1.00	0.230			
BST1	BSDD0190	351.00	352.00	1.00	0.280			
BST1	BSDD0190	352.00	353.00	1.00	0.050	**7.50 m @ 0.48 g/t Au**	**3.585**	
BST1	BSDD0190	353.00	354.00	1.00	0.030			
BST1	BSDD0190	354.00	355.00	1.00	0.320			
BST1	BSDD0190	355.00	356.00	1.00	**2.090**			**1.00 m @ 2.09 g/t Au**
BST1	BSDD0190	356.00	357.00	1.00	0.440			
BST1	BSDD0190	357.00	358.00	1.00	0.110			
BST1	BSDD0190	360.70	362.20	1.50	0.240			
BST1	BSDD0190	362.20	363.00	0.80	**1.500**			**2.80 m @ 1.04 g/t Au**
BST1	BSDD0190	363.00	364.00	1.00	0.030			
BST1	BSDD0190	364.00	365.00	1.00	**1.680**	**12.80 m @ 0.67 g/t Au**	**8.56064**	
BST1	BSDD0190	365.00	366.00	1.00	0.850			
BST1	BSDD0190	366.00	367.00	1.00	0.070			
BST1	BSDD0190	367.00	368.00	1.00	0.330			
BST1	BSDD0190	368.00	369.00	1.00	0.210			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0190	369.00	369.50	0.50	0.010			
BST1	BSDD0190	369.50	370.00	0.50	0.080			
BST1	BSDD0190	370.00	371.00	1.00	0.530			
BST1	BSDD0190	371.00	372.00	1.00	**2.040**			
BST1	BSDD0190	372.00	373.00	1.00	0.350			**2.50 m @ 1.30 g/t Au**
BST1	BSDD0190	373.00	373.50	0.50	**1.730**			
BST1	BSDD0190	375.00	376.00	1.00	0.130			
BST1	BSDD0190	376.00	377.00	1.00	**2.220**	**2.20 m @ 1.16 g/t Au**	**2.55596**	**1.00 m @ 2.22 g/t Au**
BST1	BSDD0190	377.00	378.20	1.20	0.280			
BST1	BSDD0191	0.00	1.00	1.00	0.118			
BST1	BSDD0191	23.00	24.00	1.00	0.166			
BST1	BSDD0191	27.00	28.00	1.00	0.317	1.00 m @ 0.32 g/t Au	0.317	
BST1	BSDD0191	50.00	51.00	1.00	0.307	1.00 m @ 0.31 g/t Au	0.307	
BST1	BSDD0191	52.00	53.40	1.40	0.220	1.40 m @ 0.22 g/t Au	0.308	
BST1	BSDD0191	93.00	94.00	1.00	0.107			
BST1	BSDD0191	94.00	95.00	1.00	0.132			
BST1	BSDD0191	97.00	98.00	1.00	0.176			
BST1	BSDD0191	103.00	103.65	0.65	**1.231**			
BST1	BSDD0191	103.65	104.50	0.85	**1.217**	**3.00 m @ 1.13 g/t Au**	**3.402**	**3.00 m @ 1.13 g/t Au**
BST1	BSDD0191	104.50	106.00	1.50	**1.045**			
BST1	BSDD0191	115.00	116.00	1.00	0.310			
BST1	BSDD0191	116.00	117.00	1.00	0.082	3.00 m @ 0.23 g/t Au	0.6951	
BST1	BSDD0191	117.00	118.00	1.00	0.303			
BST1	BSDD0191	129.00	130.00	1.00	0.355	1.00 m @ 0.35 g/t Au	0.355	
BST1	BSDD0191	130.00	131.00	1.00	0.150			
BST1	BSDD0191	151.00	152.34	1.34	0.409			
BST1	BSDD0191	152.34	153.63	1.29	**2.555**	**5.00 m @ 3.22 g/t Au**	**16.118**	**3.66 m @ 4.25 g/t Au**
BST1	BSDD0191	153.63	155.00	1.37	0.306			
BST1	BSDD0191	155.00	156.00	1.00	**11.855**			
BST1	BSDD0191	170.00	170.50	0.50	0.976	0.50 m @ 0.98 g/t Au	0.488	
BST1	BSDD0191	173.00	174.00	1.00	0.151			
BST1	BSDD0191	185.00	186.00	1.00	0.132			
BST1	BSDD0191	194.00	195.00	1.00	0.248	1.00 m @ 0.25 g/t Au	0.248	
BST1	BSDD0192	9.00	10.00	1.00	0.170			
BST1	BSDD0192	69.00	70.00	1.00	**1.550**	1.00 m @ 1.55 g/t Au	1.55	**1.00 m @ 1.55 g/t Au**
BST1	BSDD0192	74.00	75.00	1.00	0.130			
BST1	BSDD0192	79.00	80.00	1.00	0.100			
BST1	BSDD0192	80.00	81.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.29	
BST1	BSDD0192	86.00	87.00	1.00	0.220			
BST1	BSDD0192	87.00	88.00	1.00	0.010			
BST1	BSDD0192	88.00	89.00	1.00	**1.060**			**1.00 m @ 1.06 g/t Au**
BST1	BSDD0192	89.00	90.00	1.00	0.040			
BST1	BSDD0192	90.00	91.00	1.00	0.180			
BST1	BSDD0192	91.00	92.00	1.00	0.300			
BST1	BSDD0192	92.00	93.00	1.00	0.210			
BST1	BSDD0192	93.00	94.00	1.00	**2.050**	**15.00 m @ 0.37 g/t Au**	**5.4795**	**1.00 m @ 2.05 g/t Au**
BST1	BSDD0192	94.00	95.00	1.00	0.290			
BST1	BSDD0192	95.00	96.00	1.00	0.070			
BST1	BSDD0192	96.00	97.00	1.00	0.030			
BST1	BSDD0192	97.00	98.00	1.00	0.430			
BST1	BSDD0192	98.00	99.00	1.00	0.010			
BST1	BSDD0192	99.00	100.00	1.00	0.140			
BST1	BSDD0192	100.00	101.00	1.00	0.440			
BST1	BSDD0192	102.00	103.00	1.00	0.170			
BST1	BSDD0192	103.00	104.00	1.00	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0192	111.00	112.00	1.00	**2.970**	**5.00 m @ 1.39 g/t Au**	**6.94**	**5.00 m @ 1.39 g/t Au**
BST1	BSDD0192	112.00	113.00	1.00	0.010			
BST1	BSDD0192	113.00	114.00	1.00	0.550			
BST1	BSDD0192	114.00	115.00	1.00	**1.060**			
BST1	BSDD0192	115.00	116.00	1.00	**2.350**			
BST1	BSDD0192	120.00	121.00	1.00	**1.680**	3.00 m @ 0.80 g/t Au	2.4	**1.00 m @ 1.68 g/t Au**
BST1	BSDD0192	121.00	122.00	1.00	0.120			
BST1	BSDD0192	122.00	123.00	1.00	0.600			
BST1	BSDD0192	128.00	129.00	1.00	**1.710**	1.00 m @ 1.71 g/t Au	1.71	**1.00 m @ 1.71 g/t Au**
BST1	BSDD0192	138.00	139.00	1.00	0.780	1.00 m @ 0.78 g/t Au	0.78	
BST1	BSDD0192	142.00	143.00	1.00	0.330	**4.00 m @ 1.55 g/t Au**	**6.19**	
BST1	BSDD0192	143.00	144.00	1.00	0.160			
BST1	BSDD0192	144.00	145.00	1.00	**2.440**			**2.00 m @ 2.85 g/t Au**
BST1	BSDD0192	145.00	146.00	1.00	**3.260**			
BST1	BSDD0192	158.00	158.90	0.90	**1.500**	0.90 m @ 1.50 g/t Au	1.35	**0.90 m @ 1.50 g/t Au**
BST1	BSDD0192	161.00	162.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BST1	BSDD0192	176.00	177.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.35	
BST1	BSDD0192	196.00	197.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0192	212.00	213.00	1.00	0.170			
BST1	BSDD0192	234.00	235.00	1.00	0.140			
BST1	BSDD0192	235.00	236.00	1.00	0.100			
BST1	BSDD0192	237.00	238.00	1.00	0.170			
BST1	BSDD0192	370.00	371.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BST1	BSDD0192	377.00	378.00	1.00	0.140			
BST1	BSDD0192	383.00	384.00	1.00	0.110			
BST1	BSDD0192	384.00	385.00	1.00	0.120			
BST1	BSDD0192	385.00	386.30	1.30	0.370	1.30 m @ 0.37 g/t Au	0.481	
BST1	BSDD0192	391.00	392.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0192	393.00	394.00	1.00	0.100			
BST1	BSDD0192	398.00	399.00	1.00	0.130			
BST1	BSDD0192	400.50	402.00	1.50	0.600	1.50 m @ 0.60 g/t Au	0.9	
BST1	BSDD0192	403.00	404.00	1.00	0.130			
BST1	BSDD0192	406.00	407.00	1.00	0.130			
BST1	BSDD0192	408.00	409.00	1.00	0.160			
BST1	BSDD0192	410.00	411.00	1.00	0.150			
BST1	BSDD0192	421.80	423.00	1.20	0.200	3.20 m @ 0.32 g/t Au	1.02016	
BST1	BSDD0192	423.00	424.00	1.00	0.110			
BST1	BSDD0192	424.00	425.00	1.00	0.670			
BST1	BSDD0192	428.00	429.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.25	
BST1	BSDD0192	430.00	431.00	1.00	0.180			
BST1	BSDD0192	432.60	434.00	1.40	0.370	1.40 m @ 0.37 g/t Au	0.518	
BST1	BSDD0192	434.00	435.00	1.00	0.140			
BST1	BSDD0192	435.00	436.00	1.00	0.160			
BST1	BSDD0192	436.00	437.00	1.00	0.110			
BST1	BSDD0192	437.00	438.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.37	
BST1	BSDD0192	438.00	439.00	1.00	0.110			
BST1	BSDD0192	447.00	448.00	1.00	0.390	1.00 m @ 0.39 g/t Au	0.39	
BST1	BSDD0193	0.00	1.00	1.00	0.150			
BST1	BSDD0193	7.00	8.00	1.00	0.100			
BST1	BSDD0193	105.00	106.00	1.00	0.120			
BST1	BSDD0193	106.00	107.00	1.00	0.890	1.00 m @ 0.89 g/t Au	0.89	
BST1	BSDD0193	109.00	110.00	1.00	0.180			
BST1	BSDD0193	123.00	124.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.25	
BST1	BSDD0193	143.00	144.00	1.00	0.280	**6.00 m @ 0.74 g/t Au**	**4.4298**	
BST1	BSDD0193	144.00	145.00	1.00	0.010			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0193	145.00	146.00	1.00	**1.870**			
BST1	BSDD0193	146.00	147.00	1.00	0.010			**4.00 m @ 1.03 g/t Au**
BST1	BSDD0193	147.00	148.00	1.00	0.010			
BST1	BSDD0193	148.00	149.00	1.00	**2.250**			
BST1	BSDD0193	155.00	156.00	1.00	**4.330**			
BST1	BSDD0193	156.00	157.00	1.00	**1.110**			
BST1	BSDD0193	157.00	158.00	1.00	0.030	**5.00 m @ 1.39 g/t Au**	**6.93**	**5.00 m @ 1.39 g/t Au**
BST1	BSDD0193	158.00	159.00	1.00	0.020			
BST1	BSDD0193	159.00	160.00	1.00	**1.440**			
BST1	BSDD0193	179.00	180.00	1.00	0.620	1.00 m @ 0.62 g/t Au	0.62	
BST1	BSDD0193	180.00	181.00	1.00	0.130			
BST1	BSDD0193	184.00	185.00	1.00	0.480			
BST1	BSDD0193	185.00	186.00	1.00	0.180			
BST1	BSDD0193	186.00	187.00	1.00	0.060			
BST1	BSDD0193	187.00	188.00	1.00	**2.200**	**6.00 m @ 0.74 g/t Au**	**4.443**	
BST1	BSDD0193	188.00	188.58	0.58	0.080			**3.00 m @ 1.24 g/t Au**
BST1	BSDD0193	188.58	189.50	0.92	0.040			
BST1	BSDD0193	189.50	190.00	0.50	**2.880**			
BST1	BSDD0193	202.00	203.00	1.00	0.110			
BST1	BSDD0193	204.00	205.00	1.00	0.170			
BST1	BSDD0193	213.00	214.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0193	220.00	221.00	1.00	0.250	1.88 m @ 0.26 g/t Au	0.487672	
BST1	BSDD0193	221.00	221.88	0.88	0.270			
BST1	BSDD0193	241.00	242.00	1.00	0.180			
BST1	BSDD0194	79.00	80.00	1.00	0.190			
BST1	BSDD0194	104.00	105.00	1.00	0.160			
BST1	BSDD0194	114.00	115.00	1.00	0.130			
BST1	BSDD0194	120.00	121.00	1.00	0.120			
BST1	BSDD0194	121.00	122.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.44	
BST1	BSDD0194	132.00	133.00	1.00	0.450	1.00 m @ 0.45 g/t Au	0.45	
BST1	BSDD0194	133.00	134.00	1.00	0.120			
BST1	BSDD0194	138.00	139.00	1.00	0.190			
BST1	BSDD0194	139.00	140.00	1.00	0.150			
BST1	BSDD0194	140.00	141.00	1.00	**3.030**			**1.00 m @ 3.03 g/t Au**
BST1	BSDD0194	141.00	142.00	1.00	0.700			
BST1	BSDD0194	142.00	143.00	1.00	0.360			
BST1	BSDD0194	143.00	144.00	1.00	0.500			
BST1	BSDD0194	144.00	144.90	0.90	**2.490**			**3.00 m @ 1.98 g/t Au**
BST1	BSDD0194	144.90	146.00	1.10	0.850			
BST1	BSDD0194	146.00	147.00	1.00	**2.760**			
BST1	BSDD0194	147.00	148.00	1.00	0.580			
BST1	BSDD0194	148.00	149.00	1.00	**1.360**	**17.00 m @ 1.21 g/t Au**	**20.5326**	
BST1	BSDD0194	149.00	150.00	1.00	0.560			**6.00 m @ 1.22 g/t Au**
BST1	BSDD0194	150.00	151.00	1.00	0.370			
BST1	BSDD0194	151.00	152.00	1.00	**1.430**			
BST1	BSDD0194	152.00	153.00	1.00	**1.760**			
BST1	BSDD0194	153.00	154.00	1.00	**1.830**			
BST1	BSDD0194	154.00	155.00	1.00	0.380			
BST1	BSDD0194	155.00	155.51	0.51	**1.770**			**0.51 m @ 1.77 g/t Au**
BST1	BSDD0194	155.51	157.00	1.49	0.560			
BST1	BSDD0194	162.00	163.00	1.00	**1.180**			**1.00 m @ 1.18 g/t Au**
BST1	BSDD0194	163.00	164.00	1.00	0.150			
BST1	BSDD0194	164.00	165.00	1.00	0.540	**9.00 m @ 0.48 g/t Au**	**4.3101**	
BST1	BSDD0194	165.00	166.00	1.00	0.540			
BST1	BSDD0194	166.00	167.00	1.00	0.010			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0194	167.00	168.00	1.00	0.170			
BST1	BSDD0194	168.00	169.00	1.00	**1.170**			**1.00 m @ 1.17 g/t Au**
BST1	BSDD0194	169.00	170.00	1.00	0.050			
BST1	BSDD0194	170.00	171.00	1.00	0.500			
BST1	BSDD0194	171.00	172.00	1.00	0.120			
BST1	BSDD0194	172.00	173.00	1.00	0.140			
BST1	BSDD0194	174.00	175.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BST1	BSDD0194	176.00	177.00	1.00	0.110			
BST1	BSDD0194	184.00	185.00	1.00	0.100			
BST1	BSDD0194	185.00	186.00	1.00	0.330			
BST1	BSDD0194	186.00	187.00	1.00	0.140			
BST1	BSDD0194	187.00	188.00	1.00	**5.880**			**1.00 m @ 5.88 g/t Au**
BST1	BSDD0194	188.00	189.00	1.00	0.050			
BST1	BSDD0194	189.00	190.00	1.00	0.260			
BST1	BSDD0194	190.00	191.00	1.00	**1.090**			
BST1	BSDD0194	191.00	192.00	1.00	**7.970**			
BST1	BSDD0194	192.00	193.00	1.00	**2.420**			**5.00 m @ 2.58 g/t Au**
BST1	BSDD0194	193.00	194.00	1.00	0.340			
BST1	BSDD0194	194.00	195.00	1.00	**1.100**			
BST1	BSDD0194	195.00	196.00	1.00	0.280	**20.89 m @ 1.52 g/t Au**	**31.834271**	
BST1	BSDD0194	196.00	197.00	1.00	0.470			
BST1	BSDD0194	197.00	198.00	1.00	0.820			
BST1	BSDD0194	198.00	199.00	1.00	0.390			
BST1	BSDD0194	199.00	200.00	1.00	0.780			
BST1	BSDD0194	200.00	201.00	1.00	**1.300**			
BST1	BSDD0194	201.00	202.00	1.00	**2.610**			
BST1	BSDD0194	202.00	203.00	1.00	**3.300**			**5.00 m @ 1.86 g/t Au**
BST1	BSDD0194	203.00	204.00	1.00	0.760			
BST1	BSDD0194	204.00	205.00	1.00	**1.340**			
BST1	BSDD0194	205.00	205.89	0.89	0.230			
BST1	BSDD0194	207.00	208.00	1.00	0.160			
BST1	BSDD0194	210.00	210.50	0.50	**4.200**			**2.00 m @ 12.53 g/t Au**
BST1	BSDD0194	210.50	212.00	1.50	**15.310**	**4.00 m @ 6.40 g/t Au**	**25.5932**	
BST1	BSDD0194	212.00	213.20	1.20	0.280			
BST1	BSDD0194	213.20	214.00	0.80	0.240			
BST1	BSDD0194	227.00	228.00	1.00	0.100			
BST1	BSDD0194	229.00	229.50	0.50	0.550			
BST1	BSDD0194	229.50	230.00	0.50	0.970			
BST1	BSDD0194	230.00	231.00	1.00	0.090	**4.00 m @ 1.02 g/t Au**	**4.1**	
BST1	BSDD0194	231.00	232.00	1.00	0.460			
BST1	BSDD0194	232.00	233.00	1.00	**2.790**			**1.00 m @ 2.79 g/t Au**
BST1	BSDD0194	233.00	234.00	1.00	0.110			
BST1	BSDD0194	300.00	301.00	1.00	0.160			
BST1	BSDD0194	301.00	302.00	1.00	0.660	1.00 m @ 0.66 g/t Au	0.66	
BST1	BSDD0194	388.00	389.00	1.00	0.110			
BST1	BSDD0194	389.00	390.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BST1	BSDD0194	406.00	407.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.21	
BST1	BSDD0194	407.00	408.00	1.00	0.130			
BST1	BSDD0194	408.00	409.00	1.00	0.190			
BST1	BSDD0194	409.00	410.00	1.00	0.120			
BST1	BSDD0194	410.00	411.00	1.00	0.120			
BST1	BSDD0194	411.00	412.00	1.00	0.100			
BST1	BSDD0194	412.00	413.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0194	414.00	415.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.21	
BST1	BSDD0194	415.00	416.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0194	422.00	423.00	1.00	0.160			
BST1	BSDD0195	114.00	115.00	1.00	**1.030**	1.00 m @ 1.03 g/t Au	1.03	**1.00 m @ 1.03 g/t Au**
BST1	BSDD0195	152.00	153.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0195	164.00	165.00	1.00	**4.320**	**2.00 m @ 2.33 g/t Au**	**4.66**	**1.00 m @ 4.32 g/t Au**
BST1	BSDD0195	165.00	166.00	1.00	0.340			
BST1	BSDD0195	171.00	172.00	1.00	0.340			
BST1	BSDD0195	172.00	173.00	1.00	0.280	**4.00 m @ 0.73 g/t Au**	**2.9176**	
BST1	BSDD0195	173.00	173.54	0.54	0.010			
BST1	BSDD0195	173.54	175.00	1.46	**1.570**			**1.46 m @ 1.57 g/t Au**
BST1	BSDD0195	183.00	184.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.49	
BST1	BSDD0195	184.00	185.00	1.00	0.110			
BST1	BSDD0195	189.00	190.48	1.48	0.420	1.48 m @ 0.42 g/t Au	0.6216	
BST1	BSDD0195	196.00	197.00	1.00	**4.140**	**1.00 m @ 4.14 g/t Au**	**4.14**	**1.00 m @ 4.14 g/t Au**
BST1	BSDD0195	205.00	206.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0195	212.13	213.00	0.87	0.100			
BST1	BSDD0195	218.00	219.00	1.00	0.110			
BST1	BSDD0195	223.00	224.00	1.00	0.100			
BST1	BSDD0195	225.00	225.53	0.53	0.190			
BST1	BSDD0195	228.00	229.00	1.00	0.140			
BST1	BSDD0195	252.00	253.00	1.00	0.110			
BST1	BSDD0195	262.00	263.00	1.00	0.490	2.18 m @ 0.91 g/t Au	1.976824	
BST1	BSDD0195	263.00	264.18	1.18	**1.260**			**1.18 m @ 1.26 g/t Au**
BST1	BSDD0197	10.50	11.51	1.01	0.100			
BST1	BSDD0197	65.00	66.00	1.00	0.180			
BST1	BSDD0197	111.00	112.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.34	
BST1	BSDD0197	115.00	116.00	1.00	0.430			
BST1	BSDD0197	116.00	117.50	1.50	0.010	3.78 m @ 0.29 g/t Au	1.08486	
BST1	BSDD0197	117.50	118.78	1.28	0.500			
BST1	BSDD0197	131.00	132.00	1.00	0.810	1.00 m @ 0.81 g/t Au	0.81	
BST1	BSDD0197	144.00	145.00	1.00	0.290			
BST1	BSDD0197	145.00	146.00	1.00	0.740			
BST1	BSDD0197	146.00	147.00	1.00	0.010			
BST1	BSDD0197	147.00	148.00	1.00	0.010	7.00 m @ 0.29 g/t Au	2.0601	
BST1	BSDD0197	148.00	149.00	1.00	0.740			
BST1	BSDD0197	149.00	150.00	1.00	0.020			
BST1	BSDD0197	150.00	151.00	1.00	0.250			
BST1	BSDD0197	156.00	157.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.35	
BST1	BSDD0197	157.00	158.00	1.00	0.160			
BST1	BSDD0197	160.00	161.00	1.00	0.920			
BST1	BSDD0197	161.00	162.00	1.00	0.030			
BST1	BSDD0197	162.00	163.00	1.00	0.820			
BST1	BSDD0197	163.00	164.00	1.00	**1.230**	**6.00 m @ 0.70 g/t Au**	**4.1802**	**1.00 m @ 1.23 g/t Au**
BST1	BSDD0197	164.00	165.00	1.00	0.160			
BST1	BSDD0197	165.00	166.00	1.00	**1.020**			**1.00 m @ 1.02 g/t Au**
BST1	BSDD0197	166.00	167.00	1.00	0.110			
BST1	BSDD0197	167.00	168.00	1.00	0.140			
BST1	BSDD0197	178.00	179.00	1.00	0.740	1.00 m @ 0.74 g/t Au	0.74	
BST1	BSDD0197	182.50	183.00	0.50	**1.520**	0.50 m @ 1.52 g/t Au	0.76	**0.50 m @ 1.52 g/t Au**
BST1	BSDD0197	189.00	190.00	1.00	0.340	2.00 m @ 0.48 g/t Au	0.96	
BST1	BSDD0197	190.00	191.00	1.00	0.620			
BST1	BSDD0197	197.00	198.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.36	
BST1	BSDD0197	202.00	203.00	1.00	0.150			
BST1	BSDD0197	207.20	208.00	0.80	0.840			
BST1	BSDD0197	208.00	209.00	1.00	0.410	3.80 m @ 0.38 g/t Au	1.45198	
BST1	BSDD0197	209.00	210.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0197	210.00	211.00	1.00	0.220			
BST1	BSDD0198A	8.00	9.00	1.00	0.190			
BST1	BSDD0198A	16.60	17.50	0.90	0.100			
BST1	BSDD0198A	29.46	30.06	0.60	0.890	0.60 m @ 0.89 g/t Au	0.534	
BST1	BSDD0198A	31.50	32.00	0.50	**1.770**	1.50 m @ 0.81 g/t Au	1.215	**0.50 m @ 1.77 g/t Au**
BST1	BSDD0198A	32.00	33.00	1.00	0.330			
BST1	BSDD0198A	46.00	47.00	1.00	0.340	4.00 m @ 0.28 g/t Au	1.1	
BST1	BSDD0198A	47.00	48.00	1.00	0.030			
BST1	BSDD0198A	48.00	49.00	1.00	0.050			
BST1	BSDD0198A	49.00	50.00	1.00	0.680			
BST1	BSDD0198A	56.00	57.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.34	
BST1	BSDD0198A	57.00	58.00	1.00	0.160			
BST1	BSDD0198A	76.00	77.00	1.00	**1.510**	**5.00 m @ 0.86 g/t Au**	**4.32**	**2.00 m @ 1.73 g/t Au**
BST1	BSDD0198A	77.00	78.00	1.00	**1.940**			
BST1	BSDD0198A	78.00	79.00	1.00	0.130			
BST1	BSDD0198A	79.00	80.00	1.00	0.100			
BST1	BSDD0198A	80.00	81.00	1.00	0.640			
BST1	BSDD0198A	87.00	88.00	1.00	0.660	**5.00 m @ 1.27 g/t Au**	**6.37**	
BST1	BSDD0198A	88.00	89.00	1.00	**3.820**			**3.00 m @ 1.74 g/t Au**
BST1	BSDD0198A	89.00	90.00	1.00	0.140			
BST1	BSDD0198A	90.00	91.00	1.00	**1.260**			
BST1	BSDD0198A	91.00	92.00	1.00	0.490			
BST1	BSDD0198A	94.00	95.50	1.50	0.190			
BST1	BSDD0198A	95.50	96.00	0.50	0.240	**5.50 m @ 2.81 g/t Au**	**15.43025**	
BST1	BSDD0198A	96.00	97.00	1.00	**3.370**			**4.00 m @ 3.76 g/t Au**
BST1	BSDD0198A	97.00	98.00	1.00	**2.510**			
BST1	BSDD0198A	98.00	99.00	1.00	0.640			
BST1	BSDD0198A	99.00	100.00	1.00	**8.510**			
BST1	BSDD0198A	100.00	101.00	1.00	0.280			
BST1	BSDD0198A	149.00	150.00	1.00	0.140			
BST1	BSDD0198A	155.00	156.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BST1	BSDD0198A	156.00	157.00	1.00	0.100			
BST1	BSDD0199	131.00	132.00	1.00	**1.010**	1.00 m @ 1.01 g/t Au	1.01	**1.00 m @ 1.01 g/t Au**
BST1	BSDD0199	149.00	150.00	1.00	0.160			
BST1	BSDD0199	158.00	159.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.43	
BST1	BSDD0199	161.00	162.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0199	171.00	172.00	1.00	0.110			
BST1	BSDD0199	176.50	178.00	1.50	0.920	1.50 m @ 0.92 g/t Au	1.38	
BST1	BSDD0199	182.00	183.00	1.00	0.790	1.00 m @ 0.79 g/t Au	0.79	
BST1	BSDD0199	192.00	193.00	1.00	0.110			
BST1	BSDD0199	193.00	193.95	0.95	0.170			
BST1	BSDD0199	202.16	203.00	0.84	**2.220**	**3.54 m @ 1.46 g/t Au**	**5.152824**	**3.54 m @ 1.46 g/t Au**
BST1	BSDD0199	203.00	204.00	1.00	0.010			
BST1	BSDD0199	204.00	205.00	1.00	0.170			
BST1	BSDD0199	205.00	205.70	0.70	**4.440**			
BST1	BSDD0199	209.00	210.00	1.00	0.130			
BST1	BSDD0199	216.00	217.00	1.00	**4.820**	**2.00 m @ 2.52 g/t Au**	**5.04**	**1.00 m @ 4.82 g/t Au**
BST1	BSDD0199	217.00	218.00	1.00	0.220			
BST1	BSDD0199	237.00	238.00	1.00	0.280	2.00 m @ 0.37 g/t Au	0.74	
BST1	BSDD0199	238.00	239.00	1.00	0.460			
BST1	BSDD0199	258.00	259.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.28	
BST1	BSDD0199	265.00	266.00	1.00	0.540	1.00 m @ 0.54 g/t Au	0.54	
BST1	BSDD0199	271.00	272.00	1.00	0.110			
BST1	BSDD0199	272.00	273.00	1.00	0.930	1.00 m @ 0.93 g/t Au	0.93	
BST1	BSDD0199	275.00	276.00	1.00	0.120			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0199	276.00	277.00	1.00	0.160			
BST1	BSDD0200	16.00	17.00	1.00	0.120			
BST1	BSDD0200	18.00	19.00	1.00	0.160			
BST1	BSDD0200	20.00	21.00	1.00	0.110			
BST1	BSDD0200	35.00	36.00	1.00	0.940	1.00 m @ 0.94 g/t Au	0.94	
BST1	BSDD0200	48.00	49.00	1.00	0.500			
BST1	BSDD0200	49.00	50.00	1.00	0.020			
BST1	BSDD0200	50.00	51.00	1.00	0.190	5.00 m @ 0.29 g/t Au	1.43	
BST1	BSDD0200	51.00	52.00	1.00	0.510			
BST1	BSDD0200	52.00	53.00	1.00	0.210			
BST1	BSDD0200	53.00	54.00	1.00	0.120			
BST1	BSDD0200	56.00	57.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BST1	BSDD0200	59.00	59.50	0.50	0.110			
BST1	BSDD0200	136.00	137.00	1.00	0.100			
BST1	BSDD0201	120.00	121.00	1.00	0.190			
BST1	BSDD0201	133.00	134.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.55	
BST1	BSDD0201	151.00	152.00	1.00	**2.060**	1.00 m @ 2.06 g/t Au	2.06	**1.00 m @ 2.06 g/t Au**
BST1	BSDD0201	152.00	153.00	1.00	0.100			
BST1	BSDD0201	160.00	161.00	1.00	0.200			
BST1	BSDD0201	161.00	162.50	1.50	0.050			
BST1	BSDD0201	162.50	163.00	0.50	0.020			
BST1	BSDD0201	163.00	163.62	0.62	**1.310**	7.00 m @ 0.31 g/t Au	2.1532	**0.62 m @ 1.31 g/t Au**
BST1	BSDD0201	163.62	165.00	1.38	0.410			
BST1	BSDD0201	165.00	166.00	1.00	0.020			
BST1	BSDD0201	166.00	167.00	1.00	0.470			
BST1	BSDD0201	168.50	169.60	1.10	0.130			
BST1	BSDD0201	174.00	175.00	1.00	0.120			
BST1	BSDD0201	178.00	179.00	1.00	**1.170**			**1.00 m @ 1.17 g/t Au**
BST1	BSDD0201	179.00	180.00	1.00	0.760			
BST1	BSDD0201	180.00	181.00	1.00	0.010			
BST1	BSDD0201	181.00	182.00	1.00	0.010			
BST1	BSDD0201	182.00	183.00	1.00	0.940	**8.00 m @ 0.42 g/t Au**	**3.36**	
BST1	BSDD0201	183.00	184.00	1.00	0.010			
BST1	BSDD0201	184.00	185.00	1.00	0.010			
BST1	BSDD0201	185.00	186.00	1.00	0.450			
BST1	BSDD0201	195.00	196.00	1.00	0.100			
BST1	BSDD0201	196.00	196.90	0.90	0.110			
BST1	BSDD0201	196.90	198.40	1.50	0.410	1.50 m @ 0.41 g/t Au	0.615	
BST1	BSDD0201	199.00	200.00	1.00	0.120			
BST1	BSDD0201	202.00	203.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BST1	BSDD0201	206.00	207.00	1.00	**4.150**	**1.00 m @ 4.15 g/t Au**	**4.15**	**1.00 m @ 4.15 g/t Au**
BST1	BSDD0201	209.00	210.00	1.00	0.110			
BST1	BSDD0201	212.00	213.00	1.00	0.280			
BST1	BSDD0201	213.00	214.00	1.00	0.010	3.00 m @ 0.21 g/t Au	0.6201	
BST1	BSDD0201	214.00	215.00	1.00	0.330			
BST1	BSDD0201	238.00	239.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BST1	BSDD0201	239.00	240.00	1.00	0.120			
BST1	BSDD0201	248.00	249.00	1.00	0.120			
BST1	BSDD0201	249.00	250.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.36	
BST1	BSDD0202	67.00	68.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BST1	BSDD0202	68.00	69.00	1.00	0.150			
BST1	BSDD0202	73.00	74.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BST1	BSDD0202	92.00	93.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0202	94.00	95.00	1.00	0.130			
BST1	BSDD0202	97.00	98.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.41	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0202	103.00	104.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.29	
BST1	BSDD0202	132.00	133.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BST1	BSDD0202	133.00	134.00	1.00	0.190			
BST1	BSDD0202	140.00	141.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.43	
BST1	BSDD0202	165.50	167.00	1.50	**1.330**	1.50 m @ 1.33 g/t Au	1.995	**1.50 m @ 1.33 g/t Au**
BST1	BSDD0202	167.00	168.00	1.00	0.170			
BST1	BSDD0202	184.00	184.85	0.85	0.340	**6.00 m @ 1.02 g/t Au**	**6.117**	
BST1	BSDD0202	184.85	186.00	1.15	0.120			
BST1	BSDD0202	186.00	187.00	1.00	0.350			
BST1	BSDD0202	187.00	187.64	0.64	**6.030**			**0.64 m @ 6.03 g/t Au**
BST1	BSDD0202	187.64	188.50	0.86	0.100			
BST1	BSDD0202	188.50	190.00	1.50	0.930			
BST1	BSDD0202	192.40	193.00	0.60	0.260	**8.90 m @ 0.82 g/t Au**	**7.31224**	
BST1	BSDD0202	193.00	194.00	1.00	0.140			
BST1	BSDD0202	194.00	195.00	1.00	**1.370**			**2.00 m @ 1.76 g/t Au**
BST1	BSDD0202	195.00	196.00	1.00	**2.150**			
BST1	BSDD0202	196.00	197.00	1.00	0.450			
BST1	BSDD0202	197.00	198.00	1.00	0.590			
BST1	BSDD0202	198.00	199.00	1.00	0.470			
BST1	BSDD0202	199.00	200.50	1.50	0.620			
BST1	BSDD0202	200.50	201.30	0.80	**1.320**			**0.80 m @ 1.32 g/t Au**
BST1	BSDD0204	0.00	0.80	0.80	0.260	0.80 m @ 0.26 g/t Au	0.208	
BST1	BSDD0204	4.50	5.50	1.00	0.590	**1.50 m @ 1.94 g/t Au**	**2.91495**	
BST1	BSDD0204	5.50	6.00	0.50	**4.650**			**0.50 m @ 4.65 g/t Au**
BST1	BSDD0204	24.00	25.50	1.50	0.750	1.50 m @ 0.75 g/t Au	1.125	
BST1	BSDD0204	56.00	57.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BST1	BSDD0204	71.70	73.00	1.30	0.260	1.30 m @ 0.26 g/t Au	0.338	
BST1	BSDD0204	78.60	80.00	1.40	0.250	**4.40 m @ 0.66 g/t Au**	**2.91984**	
BST1	BSDD0204	80.00	80.50	0.50	0.010			
BST1	BSDD0204	80.50	81.00	0.50	0.010			
BST1	BSDD0204	81.00	82.00	1.00	0.020			
BST1	BSDD0204	82.00	83.00	1.00	**2.540**			**1.00 m @ 2.54 g/t Au**
BST1	BSDD0204	99.00	100.00	1.00	**1.350**	2.00 m @ 0.80 g/t Au	1.59	**1.00 m @ 1.35 g/t Au**
BST1	BSDD0204	100.00	101.00	1.00	0.240			
BST1	BSDD0204	139.50	141.00	1.50	0.890	**5.50 m @ 0.48 g/t Au**	**2.6532**	
BST1	BSDD0204	141.00	141.78	0.78	0.740			
BST1	BSDD0204	141.78	143.00	1.22	0.050			
BST1	BSDD0204	143.00	144.00	1.00	0.460			
BST1	BSDD0204	144.00	145.00	1.00	0.220			
BST1	BSDD0204	155.00	156.00	1.00	0.110			
BST1	BSDD0204	164.40	165.55	1.15	0.130			
BST1	BSDD0204	166.82	167.50	0.68	0.310	0.68 m @ 0.31 g/t Au	0.2108	
BST1	BSDD0207	100.00	101.00	1.00	0.110			
BST1	BSDD0207	101.00	102.45	1.45	0.370	1.45 m @ 0.37 g/t Au	0.5365	
BST1	BSDD0208	66.00	67.00	1.00	0.100			
BST1	BSDD0208	71.39	72.00	0.61	0.110			

For personal use only

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration and development company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 5 Moz gold resources coming from two gold projects, the 3.84 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources as at 30 September 2026 (figures may not add up due to appropriate rounding)

Project	Cut-off	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (Moz)
Boundiali	0.45 g/t Au above 300m depth and 1.5 g/t below 300m depth	Indicated	71.5	1.0	2.33
		Inferred	53.6	0.9	1.50
		Total	**125.1**	**1.0**	**3.84**
Napié	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	Indicated	8.9	1.2	0.35
		Inferred	21.2	1.2	0.82
		Total	**30.0**	**1.2**	**1.16**
Group		**Indicated**	**80.4**	**1.0**	**2.68**
		Inferred	**74.8**	**1.0**	**2.32**
		Total	**155.1**	**1.0**	**5.00**

There are no Measured Mineral Resources. Boundiali: drilling effective date 30 September 2026; Napié: drilling effective date 6 February 2026. Both projects are in Côte d'Ivoire, West Africa.

Table 4: Group Ore Reserves as at 30 June 2026 (figures may not add up due to appropriate rounding)

Mining area	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (koz)
BDT1	Probable	10.3	1.0	323
BDT2	Probable	17.5	0.6	354
BMT3	Probable	8.8	1.4	383
BST	Probable	5.5	0.8	145
Total	**Probable**	**42.1**	**0.9**	**1,210**

There are no Proved Ore Reserves. All Ore Reserves are at the Boundiali Gold Project, Côte d'Ivoire, based on drilling effective date 30 April 2026.

Boundiali Gold Project (3.84 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine in Mali and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR893 ("**BM**"), 400km^2

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
    - 80% if local partner contributes 11% capex

For personal use only

- 85% if local partner does not contribute capex – they go to 5% free carry
- 88% if local partner sells us 3% of their interest they go to 2% free carry.

BD gold project JV 80% interest - PR808 ("**BD**"), 260km^2

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry.

BST gold project 100% interest – Application No. 0781 ("**BST**") 100%, 167.34km^2

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest).

BN gold project JV - PR283 ("**BN**"), 208.87km^2

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%).

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km^2 are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Exploration permit PR1069 (granted on 21/7/2026), 114.53km^2 , is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project
- Application (No. 0793), 99.12km^2 , is strategically located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project

- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
    - Path to 51% interest in an exploration permit: Either USD1.5 million nominal expenditure or 7,000m diamond drilling.
    - Path to 80% interest in an exploration permit: Either USD3.0 million nominal expenditure or 15,000m diamond drilling
    - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
    - 85.5~87% interest in a future production mine.

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths.

For personal use only

For personal use only

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	• *Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.* • *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.* • *Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.*	• *Samples were collected using diamond drilling techniques generally angled at -50° to -70° on an azimuth designed to optimally intersect the mineralised zones.* • *Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.* • *Sampling and QAQC procedures were carried out to industry standards.* • *Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Company employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.*
• ***Drilling techniques***	• *Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).*	• *Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.*
• ***Drill sample recovery***	• *Method of recording and assessing core and chip sample recoveries and results assessed.* • *Measures taken to maximise sample recovery and ensure representative nature of the samples.* • *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.*	• *Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.*
• ***Logging***	• *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource*	• *All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content*

For personal use only

Criteria	JORC Code explanation	Commentary
	estimation, mining studies and metallurgical studies. • *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.* • *The total length and percentage of the relevant intersections logged.*	*were recorded. Metallurgical, Geotechnical and structural data has been recorded* • *Photography and recovery measurements were carried out by assistants under a geologist's supervision.* • *All drill holes were logged in full.* • *Logging was qualitative and quantitative in nature.*
• ***Sub-sampling techniques and sample preparation***	• *If core, whether cut or sawn and whether quarter, half or all core taken.* • *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.* • *For all sample types, the nature, quality and appropriateness of the sample preparation technique.* • *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.* • *Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.* • *Whether sample sizes are appropriate to the grain size of the material being sampled.*	• *NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the sample intervals utilised. All samples were collected from the same side of the core.* • *The entire sample was crushed to 70% passing 2mm.* • *Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.* • *Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,* • *Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.* • *Coarse blank samples: Inserted 1 in every 20 samples* • *Laboratory Internal Duplicates and Standards* • *Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold*
• ***Quality of assay data and laboratory tests***	• *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.* • *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.* • *Nature of quality control procedures adopted (eg standards, blanks,*	• *The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of*

For personal use only

Criteria	JORC Code explanation	Commentary
	duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	*gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.* • *No geophysical tools were used to determine any element concentrations used for this report.* • *Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.* • *The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).*
• ***Verification of sampling and assaying***	• *The verification of significant intersections by either independent or alternative company personnel.* • *The use of twinned holes.* • *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.* • *Discuss any adjustment to assay data.*	• *No holes have been twinned.* • *No adjustment to assay data apart from below-detection values that were set to half the detection limit.* • *Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.* • *Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.*
• ***Location of data points***	• *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.* • *Specification of the grid system used.* • *Quality and adequacy of topographic control.*	• *DD collar positions were initially located using a handheld GPS with a location error of +/-3m.* • *The datum employed is WGS84, Zone 29* • *All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.* • *DGPS system utilised is typically within a 10 cm accuracy range which is*

Criteria	JORC Code explanation	Commentary
		suitable for the classification applied.
• ***Data spacing and distribution***	• *Data spacing for reporting of Exploration Results.* • *Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.* • *Whether sample compositing has been applied.*	• *Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.* • *The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for Indicated and Inferred Mineral Resource estimates.* • *The samples were not composited prior to assay.*
• ***Orientation of data in relation to geological structure***	• *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.* • *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*	• *Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.*
• ***Sample security***	• *The measures taken to ensure sample security.*	• *Chain of custody is managed by the Company's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were handed over to the laboratory by company geologists. Company employees have no further involvement in the preparation or analysis of the samples.*
• ***Audits or reviews***	• *The results of any audits or reviews of sampling techniques and data.*	• *Detailed reviews of sampling techniques were carried out on the site visit by SLR (formerly RPM) in October 2024 and follow up visit in March 2025.*

For personal use only

For personal use only

Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
• ***Mineral tenement and land tenure status***	• *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.* • *The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.*	• *Exploration results are from the Boundiali project area* • *PR893 (BM),400km2, holder Minex West Africa, of which Aurum has earnt 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km2, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.* • *There are no impediments to working in the area.*
• ***Exploration done by other parties***	• *Acknowledgment and appraisal of exploration by other parties.*	• *Exploration work undertaken prior to Aurum was undertaken by Predictive Discovery, Turaco Gold and comprised drilling, soil sampling and airborne geophysics.*
• ***Geology***	• *Deposit type, geological setting and style of mineralisation.*	• *The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.* • *The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone or hosted in a diorite emplaced between volcanic and sedimentary rocks. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is frequently*

For personal use only

Criteria	JORC Code explanation	Commentary
		observed. Alteration is weak to strong depending on the development of the system typically being sericite. • Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
• **Drill hole information**	• A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: • easting and northing of the drill hole collar • elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar • dip and azimuth of the hole • down hole length and interception depth • hole length • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	• Drill hole locations shown in figure in main body of announcement and all locations and dip/azimuth details are provided in tables in the announcement.
• **Data aggregation methods**	• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated.	• All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them. • Metal equivalent values are not being reported.

For personal use only

Criteria	JORC Code explanation	Commentary
• **Relationship between mineralisation widths and intercept lengths**	• *These relationships are particularly important in the reporting of Exploration Results.* • *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.* • *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').*	• *True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted geometry of the mineralised zones.* • *The holes were drilled to test a steeply east/west dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.*
• **Diagrams**	• *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.*	• *Appropriate diagrams relevant to material results are shown in the body of this announcement.*
• **Balanced Reporting**	• *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.*	• *All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them.*
• **Other substantive exploration data**	• *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.*	• *All relevant exploration data is either reported in this announcement or has been reported previously and is referred to in the announcement.*
• **Further work**	• *The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).* • *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*	• *The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.* • *Diagrams included in body of report as deemed appropriate by competent person*