

Quarterly Activities Report to 30 September 2020

Highlights

- Cannindah Resources Limited purchased 100% of Piccadilly Gold Mine Holdings Limited during the quarter and commenced work on collating all the available data sets to finalise a drilling program proposed for the first quarter of next year. (See ASX release 1st of September 2020.)
- The Piccadilly exploration tenements 18322 and 16198 have now been renewed for a further 5 year term after the preparation and provision during the quarter of a significant amount of data to DNRME in support of the on-going exploration potential of the project area.
- The Piccadilly project consists of one mining lease (ML1442) and two EPMs (16198 and 18322). The project is well placed within the Charters Towers region, approximately 80km from Townsville and accessible from Harvey Range Road (sealed), with existing infrastructure giving easy access to power. The area has been historically mined for gold in multiple locations within the tenure. An extensive ground-based exploration program has been undertaken by Piccadilly Gold Mine Holdings Limited, and more recently has been further improved by Cannindah Resources Limited. The geochemical signatures of the rock chips and soil (namely elevated zinc, molybdenum, tungsten, and bismuth) confirm similarity with other intrusive related gold systems in North Queensland such as Kidston, Mt Leyshon, Mt Wright, Mungana, and Keelbottom.

As discussed in the previous quarters, the project is buoyed by significant assays at surface on the ML, which is peripheral to geochemical results and geophysical magnetic and IP features to the south. Trench surface sample assays have been as high as 79.4g/tAu within gold bearing quartz veining dipping to a significant IP geophysical anomaly to the South of the ML area. Together with a pilot drill program which confirmed 1m 9g/tAu from a shallow depth of 30m and open to the east and west and at depth (ASX release 11 Apr 2018), this makes the project area very much worthy of a larger drill program follow-up. The board is of the firm belief that there is significant potential upside in the further drilling exploration of the project area.

- Aquis Finance provided further support for the company as a consequence of the Piccadilly transaction as per the ASX release on the 1st of September 2020.
- Further desktop work was completed for the Mt Cannindah project with a focus on the Barrimoon target area.

Corporate

- The company intends to raise further capital to fund the upcoming drilling program and provide further working capital which will be expanded upon at the AGM.
- The Board is currently working through the usual commercial discussions that occur when certain commercial transactions are contemplated both in terms of capital raising and future commercial opportunities. The company will update shareholders on discussions regarding any such developments as they occur.
- Payments to related parties for the period (refer Section 6 of the Appendix 5B) totalled \$17,000 and represented part - payment of Director's fees and salary for the quarter.

Terra Search have been involved in the exploration of the surrounding EPMs for Piccadilly Gold Mine Holdings Limited from the early stages of the program. Dr Gregg Morrison from Klondike Exploration Services has directed his extensive international gold exploration experience to understanding and interpreting the Piccadilly Gold Mining District. Dr Morrison has previously developed mineralisation and zoning models for north Queensland intrusive related gold mines such as Kidston, Mt Leyshon, and Mt Wright, which have cumulatively produced over 7 million ounces of gold. Figure 2 below is the schematic exploration model that Dr Morrison has interpreted for the Piccadilly Mining District on the basis of existing exploration data. Cannindah Resources' consultants consider that the multi-element,

geochemical zoning pattern that occurs over several kilometres at Piccadilly is similar in style and scale to the other major north Queensland intrusive gold systems.

Figure 2: Schematic Model of Interpreted Intrusive Related mineral system at Piccadilly. Note idealised geological north south cross section, looking west (after Beams & Morrison, 2015)




Figure 2 shows the Piccadilly Mining Lease to the north, with suggested mineralisation dipping to the south towards the intrusive related source. It is interesting to note that this figure was created some years ago by Dr Morrison, on behalf of Piccadilly Gold Mine Holdings Limited, and that the recent work completed by Cannindah Resources Limited has confirmed that the high-grade gold in the Mining Lease does indeed dip to the south towards this area.

Given the cross-sectional dimension in Figure 2, the interpreted intrusive related gold system target potentially presents Cannindah with a very large, bulk-tonnage gold target area that is drill ready and kilometres in scale. A number of geological, geochemical and geophysical surveys have been completed across the EPMs surrounding the mining lease:

- Rock chip sampling
- Soil sampling
- Geological mapping
- PIMA mineralogical determination
- Ground based magnetic geophysical survey
- Induced Polarisation geophysical survey
- Portable XRF analysis

Cannindah Resources Limited has undertaken to review this data in conjunction with work currently being evaluated within the mining lease area to establish a targeted drilling program. Some 34.8km of IP surveying has been completed, resulting in a clearly defined target zone for the intrusion-centred gold system. Figure 3 below shows an image of the IP chargeability anomaly modelled at 106m. The image is a predictive model of the intensity of sulphide development that appears concentrated in and south of the ML.




Figure 3. Image of modelled IP Chargeability at a depth slice of 106m below surface , overlain with surface rock chip colour coded gold values.

The IP anomaly show above overlaps with an even more extensive area of gold anomalies in both rock chip and soil samples. The line of proposed drill holes outlined in Figure 3 commences from the area where Cannindah has confirmed mineralisation within the Mining Lease boundary and steps to the south across the set veins and the south-dipping master structure that is highlighted by the more intense IP anomaly. Given the high-grade gold material obtained in the recent exploration and announced to the ASX over recent months, Cannindah is very excited to be planning the exploration of this potentially company-making target – a target that has many times been described by consultants as sharing similar geochemical zoning patterns to major North Queensland intrusive related gold systems such as Kidston, Mt Leyshon, and Mt Wright.

The focus of the company is to develop a drilling program to confirm the existence of a large-scale, bulk-tonnage target that is currently expressed as being kilometres in scale. Cannindah Resources Limited will continue to work through the significant amount of existing data sets covering the Piccadilly Mining District to ensure that the upcoming drilling is highly targeted and expands outwards from known mineralisation. Recently a request for further reports on the area which were not contained in the open file with the department was made to the DNRME. After some discussion by Dr Simon Beams on the company's behalf the report was released to Cannindah Resources Limited. This report contains previously unknown drilling data from many years ago and Terra Search are currently entering the drill hole assay data into the data set for Piccadilly.

We are very focussed on delivering a great outcome for shareholders over the coming months ahead as further work occurs in relation to the EPM area along with the ML.





Figure 4: Location of Second Trench Relative to Western Slot

Mount Cannindah Project

Located approx. 100km south of Gladstone, Qld

- The Mt Cannindah Project represents a large (greater than 9km²) high level “porphyry style” Cu-Mo-Au mineralised system. Of particular interest is the potential for gold mineralisation within the existing mining lease area which has previously been underexplored on top of its existing resource. Geological interpretation of key targets within this gold bearing porphyry copper system reveal similarities to the style of mineralisation at Newcrest’s Cadia and Ridgeway Cu/Au deposits in NSW.
- Historical drilling within the area of Mt Cannindah North returned very interesting gold grades worthy of further investigation as it relates to the gold system at Mt Cannindah, such as QMCMDD025 (20cm @ 46.4 g/t Au & 98.2 g/t Ag at 245m), in QMCMRC016 (2m @ 2.54 g/t Au, 8.9 g/t Ag & 0.39% Cu from 16 to 18m, and 3m @ 5.28 g/t Au, 7.2 g/t Ag & 0.32% Cu from 25-28m) and in RC53 (4m @ 1.8 g/t Au from 116 to 120m), and in CM21 (10m @ 2.29 g/t Au, 12.6 g/t Ag & 0.33% Cu from 12 to 22m).
- The company intends to continue this desktop review and will plan a gold focussed exploration program within the target areas that are identified. The company is very fortunate to have these high quality prospect areas that it is able to pursue once discussions surrounding funding and corporate transactions have concluded.

The following summary of the prospect areas provides an insight into some of the potential for the known target areas within the Cannindah project for further exploration:



Little Wonder-Midway-Cannindah East Prospects

The presence of a significant breccia fault structure has been confirmed between Little Wonder (LW) and Cannindah East (CE). This structure hosts felsic dykes that have introduced hydrothermal fluids, which have altered and mineralised the fault breccia in proximity to the felsic dykes. High grade Au-Ag veins are known at LW and CE within strong alteration. Both these areas (and Midway) are now drill targets for extensions to mineralisation and to possibly locate high grade veins that could be mined by underground methods.

North Mt Cannindah

It is apparent that the potential northerly extension of the Mt Cannindah mineralisation has not been adequately tested. Several historical shallow holes in this area may not have been deep enough (or were poorly positioned) to test for plunging mineralisation. A very deep angle hole drilled from the west (CARCD003) may not have gone far enough or could be too deep at this location (about 550m below surface) for a realistic test. The presence of weak mineralisation in DDH017 is encouraging for possible mineralisation continuing to the north or north-east.

Also encouraging is that core hole QMCMDD017 shows good Cu-Au-Ag mineralisation at depth below very low grades in DDH019, RC52, CM21 & QMCMRC016, indicating that good mineralisation is deepening to the north-north-east. To test for deeper northerly extensions of the mineralised zone, it is proposed that one or two angle holes be drilled from east to west, to "scissor" the known intercepts in QMCMDD010 & 025. If successful, additional drilling could be done on 25m intervals to provide extensions to the known Cannindah resource area. These E to W holes would also test the Au-Ag intercepts in QMCMDD025 (20m @ 46.4 g/t Au & 98.2 g/t Ag at 245m), in QMCMRC016 (2m @ 2.54 g/t Au, 8.9 g/t Ag & 0.39% Cu from 16 to 18m, and 3m @ 5.28 g/t Au, 7.2 g/t Ag & 0.32% Cu from 25-28m), in RC53 (4m @ 1.8 g/t Au from 116 to 120m), and in CM21 (10m @ 2.29 g/t Au, 12.6 g/t Ag & 0.33% Cu from 12 to 22m).

East Ridge (Blockade) Prospect

The significance of the three MIM holes and Newcrest's MC002 is that they show the East Ridge contains sporadic anomalous gold, silver, and copper mineralisation within the altered angular breccia that makes up much of this East Ridge. Combined with the presence of old gold workings (Blockade), local anomalous soils, and a deep IP anomaly, this makes this East Ridge area a potential target for deeper Cu-Ag-Au mineralisation. It is possible the altered breccia over the East Ridge is actually an upper "alteration plume" that could zone downward into significant mineralisation with higher sulphide content in breccia and veins.

It is surprising that west azimuth angle holes were not used in the past to test the Mt Cannindah "ore zone" by drilling under the East Ridge (Blockade Mine). It is proposed that reconnaissance and research be done in this area, including two or three IP lines. If further encouragement can be raised for this Blockade area, then two or three angle holes could be drilled to the west under the central part of this ridge.

South Mt Cannindah & Mt Theodore

South Mt Cannindah: The previous drilling immediately south of the "ore body" at Mt Cannindah shows narrower zones of weak copper and gold mineralisation (about 0.40 to 0.60% Cu and 0.1 to 1.0 g/t Au & 3 to 5 g/t Ag) extending for about 50 to 75m south (see DDH012 & 032 and QMCMDD009 and CARCD001). There is a short gap due to a failed drill hole (DDH013), before mineralisation picks up from 150 to 250m in three holes close to Mt Theodore (see DDH016 & 027 and CARCD004). The intercept in hole DDH016 is the most significant with 14.3m @ 1.64% Cu, 0.67 g/t Au & 28.4 g/t Ag (including 8.2m @ 2.33% Cu, 0.73 g/t Au & 32.6 g/t Ag). This DDH016 intercept is at 200m vertical depth and lies beneath a much weaker zone in DDH015, which is at 50m vertical depth. This provides encouragement that the grade and thickness of mineralisation is increasing with depth. The intercept in DDH027, which is located 65m south of DDH016, continues this zone with 18.5m @ 0.75% Cu, about 0.2 g/t Au, & ~11 g/t Ag at 100m vertical depth. Within the DDH027 intercept there are three narrow high-grade intervals (0.5 to 1.0m) with 2.4 to 6.6% Cu, 0.31 to 1.55 g/t Au, & 28 to 54 g/t Ag. The mineralised zone in CARCD004 appears to be a separate zone, which is more a gold zone rather than a copper and silver zone as in DDH016 & 027. This broad gold zone in CARCD004 could be related to the alteration centred on Mt Theodore (see below). The mineralised zone in DDH016 should have been intersected deep in CARCD004 at about 300m vertical depth. The fact that this did not happen means that the mineralised zones in DDH016 & 027 have either been faulted out of this projected position, or it has weakened considerably at this

location. This could be a case of fluids just not accessing the “structure” at this location due to lack of dilation or other controls such as dyke emplacement.

Mt Theodore: Although Mt Theodore is made up of strongly brecciated rock, it is a relatively high hill due to the strong alteration that has healed the breccia and made it resistant to erosion. This alteration is related to at least two felsic dykes that intrude the breccia on Mt Theodore. The altered breccia contains significant sulphide mineralisation that, based on analysis, would appear to be mostly pyrite. However, there is some gold anomalism that is present in the soils, and locally in the rock, that was the focus of early miners. Some low-level copper is also present in soils. The presence of sulphides at depth is supported by two IP lines that show moderate chargeability responses under Mt Theodore.

The potential for gold mineralisation under Mt Theodore is enhanced by hole CARCD004 which is located about 150m NNE of Mt Theodore. CARCD004 contains an intercept of 75m @ 0.23 g/t Au, at a vertical depth of 250m. It could be this is the outer fringe of what may lie beneath Mt Theodore. The high Cu-Au-Ag intercepts in holes DDH016 & 027 lie just to the north-east of Mt Theodore, and may be present at depth along the east side of Mt Theodore.

No drill holes have tested under Mt Theodore, and no explanation is made for the large volume of alteration. It is possible this alteration is a cap or plume above significant Au-Ag and Cu-Au-Ag mineralisation in a vein-breccia system associated with felsic dykes. It is proposed that a significant effort be made to test for deeper mineralisation to the south of Mt Cannindah, and in particular under Mt Theodore. This should entail the use of an IP/resistivity survey looking to depth (~300m), followed by moderately deep drilling to test chargeability anomalies and specifically under the alteration zone at Mt Theodore.

Apple Tree

The Apple Tree prospect is a broad fault breccia zone that has been intruded by multiple felsic dykes that have released hydrothermal fluids into the breccia, adjacent to the dyke contacts. The fluids have provided significant copper, silver, gold, and molybdenum into the re-fractured and brecciated altered rock. The zone of known mineralisation is up to 800 metres long and 50 metres wide and none of the earlier drilling has tested below about 36 metres depth. A deep IP chargeability response is present, opening up the possibility for a deeply mineralised system. It is proposed that a detailed IP survey be conducted over Apple Tree with the aim of defining drill targets at depth and along strike.

United Allies

The United Allies prospect has several historical high-grade copper drill intercepts that appear to be associated with felsic dykes and related hydrothermal alteration and mineralisation. The dykes have intruded into structures within a broad polymict breccia zone that is thought to trend NE-SW.

The breccia has undergone variable argillic to phyllic alteration with local silicic alteration that has healed the breccia. It is noted that the alteration in the Newcrest core hole (MC004) appears to be stronger and more widespread than the alteration seen in the trenches. Almost all of the breccia in the MC004 appears to be strongly altered, whereas the surface trenches show local zones of alteration within larger areas of clayey matrix breccia (thought to be a fault breccia). Hence, the more pervasive alteration in MC004 may indicate a strengthening of alteration with depth.

A very deep IP response occurs beneath United Allies on the IP sections produced by GeoDiscovery in 2011. This needs further reprocessing work.

The presence of higher copper assays with maroon coloured limonite at around 100m downhole in MC004 (est. ~70m vertical depth), may indicate deep oxidation and supergene copper mineralisation. This possibility appears to be supported by several of the MIM holes in the vicinity of MC004, where significant copper mineralisation is present to over 40m depth. The possibility for deeper supergene copper could improve the resource potential of this area.

Most of the early drilling was vertical and did not target the dyke/alteration structures. Hence many holes only returned modest copper results. Where drill holes did intersect dyke edges, the copper grade was generally quite high. It is proposed to drill several angled drill holes to test the dyke/structure contacts at about the level of supergene enrichment. This could add significant resource tonnes for the prospect. An IP survey would also be helpful in trying to define the deep chargeability response seen below United Allies.

Lifesaver, Monument, South Monument, & Dunno

These four prospects contain significant vein and breccia mineralisation related to structures and felsic dykes that have introduced the hydrothermal solutions. These mineralised structures are closely related to very strong soil assays for copper, gold, and molybdenum throughout the greater area. It is apparent that many of the ridges in this area are underlain by similar mineralised structures.

The presence of good copper and local gold mineralisation in trenches and shallow drill holes at Monument, Lifesaver, and Dunno raise the possibility that these areas could be considered potential open pit targets, as well as possible underground targets for high grade Cu-Au-Ag veins.

It is proposed that shallow angle drilling be done on all of these prospects to better define the mineralised structures. Assuming encouraging results, the shallow drilling could be followed by an IP/resistivity survey to define the mineralised structures to depth. This could then be followed by deeper drilling to test the mineralised structures at depth.

Monument Ridge

Monument Ridge contains two types of hydrothermal breccia that are associated with faulting and the intrusion of felsic dykes. Gold in soils are strongly anomalous on the central part of the ridge, and an IP chargeability anomaly appears to underlie the ridge. It is likely that altered sulphide-bearing structures occur in the core of Monument Ridge and possibly in several nearby ridges.

The Monument Ridge and other nearby ridges need to be mapped and sampled in more detail to better understand the structural control on potential deeper mineralisation. IP lines could be run at right-angles to ridges at strategic locations, to better define the chargeability responses under the ridges. Ultimately angled drill holes should be used to test for mineralisation underlying the ridges.

Barrimoon Vein

The sheer size of the Barrimoon vein and alteration structure makes it a viable target for a potential epithermal to mesothermal gold/silver deposit. The length is about 4 kilometres and the width of the shear/vein zone appears to be in the tens of metres.

The other positives for the Barrimoon vein are:

- The moderately anomalous assays for gold (0.05 to 0.21 g/t Au) and arsenic (100s of ppm As) from many rock chip samples at various locations along the vein.
- The presence of gold in gossan shears and veins in Carboniferous sediments at the Golden Crown gold prospect on the east end of the Barrimoon structure.
- The highly anomalous bismuth and tellurium in the rock and trench samples at Golden Crown.
- The presence of felsic dykes intruding into the Barrimoon structure, similar to that seen at Cannindah. This tends to support the connection of the Barrimoon vein to the Cannindah intrusive complex.



- No drilling has tested the vein at the unconformity between the older sediments and younger overlying volcanics (other than at Golden Crown, which is 3-4 km from Cannindah).

Given the apparent high level of this vein in the epithermal-mesothermal system, it is suggested that this vein needs to be tested between 200m to 350m below the present surface. Ideally, drill holes should test just above and just below the level of the unconformity between the Carboniferous sediments and the overlying Triassic andesitic volcanics. The initial drilling could use RC holes angled north-west from the lower slopes on the south side of the vein.

Kalpowar Fault

If the Kalpowar Fault formed before or during the emplacement of the Cannindah Intrusive Complex, then there is a possibility it could be mineralised. More recent movement on this fault has allowed erosion to form the present river valley. Oxidation can be expected to be quite deep in a large fault occupying such a river valley. Thus, any sulphides present would also be oxidised to great depth and would be difficult to detect by IP.

If evidence arises showing the Kalpowar Fault is younger than the Cannindah intrusive complex, then nothing need be done. If, on the other hand, it remains debatable, then further work should be considered to resolve the question and target possible mineralised areas. This work could include the re-assessment of the Newcrest IP/resistivity data, followed by a new IP survey of two or three lines attempting to look deep on the most likely sites. If successful in finding a chargeability anomaly, then drilling could be contemplated.

For further information, please contact:

Tom Pickett

Executive Chairman

Ph: +61 7 5557 8791



**APPENDIX
TENEMENT TABLE**

TENEMENT TYPE	TENEMENT NUMBER	PROJECT NAME	LOCATION
EPM	14524	Barrimoon	Queensland
EPM	15261	Mt Cannindah 2	Queensland
ML	3201	Mt Cannindah	Queensland
ML	3202	Mt Cannindah	Queensland
ML	3203	Mt Cannindah	Queensland
ML	3204	Mt Cannindah Extended 1	Queensland
ML	3205	Mt Cannindah Extended 2	Queensland
ML	3206	Mt Cannindah Extended 3	Queensland
ML	3207	Mt Cannindah Extended 4	Queensland
ML	3208	Mt Cannindah Extended 5	Queensland
ML	3209	Mt Cannindah Extended 6	Queensland
ML	1442	Piccadilly	Queensland
EPM	16198	Piccadilly	Queensland
EPM	18322	Piccadilly	Queensland

The Piccadilly mining lease and EPM's are held by Piccadilly Gold Mines Holdings Limited. On 1st September 2020, Cannindah Resources Limited announced that it had purchased 100% of Piccadilly Gold Mine Holdings Limited.

All tenements are now 100% owned with no farm in / farm out arrangements in existence at the end of the quarter and at the date of this statement.