



ALICE QUEEN
LIMITED

ASX Announcement
13 October 2026

Horn Island Stage 1 Drilling Completed with All Holes Mineralised

Highlights

- ◆ Stage 1 reverse circulation (RC) drilling comprising 20 drillholes for 4,157m completed at the Horn Island Gold Project.
- ◆ All 20 drillholes intersected quartz veining, sericite alteration and sulphide mineralisation, with elevated pXRF responses in As, Pb, Zn and Cu.
- ◆ Six drillholes (772m) tested interpreted higher-grade mineralisation within the existing Mineral Resource Estimate (MRE) area
- ◆ Drilling at West Pit targeted the area surrounding historic drillhole¹ 18NGD070, which returned 7m @ 22.2g/t Au from 36m, including 1m @ 41.8g/t Au and 1m @ 67.5g/t Au.
- ◆ Visible gold was observed in a pan-concentrate sample from 26NGRC004 at approximately 40m depth.
- ◆ Fourteen drillholes totaling 3,385m tested the Exploration Target outside the Mineral Resource, including step-out drilling up to approximately 600m northwest from the Resource boundary.
- ◆ Preliminary interpretation suggests multiple broad mineralised trends with similarities to mineralised zones within the existing Resource area¹.
- ◆ Approximately 3,708 samples have been dispatched to ALS, with initial gold assays expected in approximately two weeks and remaining results progressively over the following 4–8 weeks.

Cautionary Statement: Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade.

Cautionary Statement – Visible Gold: Visible gold identified in pan-concentrate samples represents a qualitative field observation only and should not be considered representative of bulk sample grade, drill interval grade or mineralisation continuity. Laboratory gold assays are required to determine the grade, distribution and significance of the mineralisation.

¹ Refer ASX Announcement 7 May 2018 "Updated Resource Drilling Bonanza Grade Interval"

Alice Queen Limited

Level 2, 568 Chapel Street, South Yarra VIC 3141
ABN 71 099 247 408

www.alicequeen.com.au

ASX: AQX

Alice Queen Limited (ASX: AQX) ('Alice Queen' or 'the Company') is pleased to advise that its Stage 1 reverse circulation (RC) drilling program has been completed at the Horn Island Gold Project in Queensland, Australia. The Horn Island Gold Project has a (JORC 2012) Mineral Resource Estimate (MRE) of **21.1Mt @ 0.84gt Au for 569,000 ounces Au²**.

Alice Queen's Exploration Manager, Adrian Hell said:

"We're pleased to have completed Stage 1 RC drilling at Horn Island, with every hole intersecting evidence of mineralisation. This program achieved initial testing across potential higher-grade zones within the existing Mineral Resource and the broader Exploration Target, including step-out holes up to 600m from the MRE boundary.

We are now awaiting laboratory assay results, which will provide the key information required to assess the significance of the drilling completed and help guide the next phase of work at Horn Island. We look forward to updating shareholders as these results become available and as we plan ongoing project development."




Figure 1: Location of the Horn Island project in Far North Queensland, highlighting the regional prospectivity and significance of Kennedy Igneous Province which contains 17 gold deposits with >1Moz Au

² Refer to ASX announcement 16 June 2026 "Project Definition Study (PDS) Confirms Compelling Economics for the Horn Island Gold Project"



Horn Island Project Stage 1 Drilling

Alice Queen Ltd (AQX) has completed its Stage 1 reverse circulation (RC) drilling program at the Horn Island Gold Project (refer to Figures 1 & 2), comprising 20 drillholes totalling 4,157m.

The program predominantly tested areas within the Exploration Target northwest of the existing Horn Island Mineral Resource¹, together with a smaller component of drilling designed to test the continuity of interpreted higher-grade gold trends within the current Mineral Resource area (refer to figure 3).

Sampling of the drilling has been completed, with 3,708 samples dispatched to ALS Laboratories in Townsville. Initial gold assay results are expected within two weeks, subject to QA/QC validation, with the remaining assay results anticipated progressively over the following eight weeks.

Preliminary geological observations and portable x-ray fluorescence spectrometer (pXRF) results from the drilling are summarised below.




Figure 2: Stage 1 drill holes completed across the Horn Island project. Step-out drilling up to 600m from Resource boundary with initial gold assays returned within two weeks. All remaining gold assays expected to progressively be available in the next eight weeks



Preliminary Geological and pXRF Summary

All 20 drillholes (refer to Figure 2) intersected geological features interpreted to be associated with the Horn Island hydrothermal mineralising system.

These include multiple zones of quartz veining, sulphide mineralisation with associated sericite alteration. These field observations are supported by locally elevated pXRF responses for several pathfinder and base-metal elements, principally arsenic (As), lead (Pb), zinc (Zn) and copper (Cu). Furthermore, pXRF measurements also recorded 26 apparent gold responses (refer to Table 1 & Figures 4 to 12); however, the reliability of these responses for quantitative gold determination has not been established through suitable analytical validation. Laboratory gold assays are pending and will be required to determine the grade and significance of the observed mineralisation.

Cautionary Statement: Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade.

Limited pan-concentrate testing was undertaken on three selected drill spoil samples, with multiple visible gold grains observed in one sample. This observation is qualitative only and should not be considered representative of gold grade or the broader drill interval.

Cautionary Statement – Visible Gold: Visible gold identified in pan-concentrate samples represents a qualitative field observation only and should not be considered representative of bulk sample grade, drill interval grade or mineralisation continuity. Laboratory gold assays are required to determine the grade, distribution and significance of the mineralisation.

Collectively, the observed veining, alteration, sulphide mineralisation, associated pXRF pathfinder responses and visible gold are considered encouraging and provide evidence that drilling has intersected components of the broader hydrothermal system associated with gold mineralisation at Horn Island. Importantly, these geological characteristics are broadly comparable with features observed within the existing Horn Island Mineral Resource area.

Laboratory gold assays are now required to determine the gold tenor, distribution and significance of the mineralised zones intersected by the Stage 1 drilling.



Mineral Resource Area Drilling

Six drillholes totalling 772m were completed within the existing Mineral Resource area, targeting the historic Pioneer Lode (refer to Figures 4 & 5) and West Pit (refer to Figure 6) areas. The drilling was designed to provide additional information on the continuity and distribution of interpreted higher-grade gold mineralisation. The Horn Island Gold Project has a (JORC 2012) MRE of **21.1Mt @ 0.84gt Au for 569,000 ounces Au³**.

Four drillholes were completed across the southern margin of the West Pit area (refer to Figure 6), targeting the vicinity of AQX historic drillhole 18NGD070, which previously returned significant high-grade gold mineralisation including **7m @ 22.2g/t Au from 36m incl. 1m @ 41.8g/t Au for 38m and 1m @ 67.5g/t Au from 43m** (refer to ASX Announcement 7 May 2018, "Update Resources Drilling Bonanza Grade Interval").

All four drillholes (26NGRC003 to 26NGRC006) intersected zones of veining, alteration and sulphide mineralisation, accompanied by elevated pXRF pathfinder responses across an approximately 25m strike extent (refer to Figure 6 & Table 1). Furthermore, multiple pXRF measurements recorded apparent gold responses.

Cautionary Statement: Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade.

Two wider mineralised zones were observed, including a shallow zone occurring at a broadly comparable depth to the previously reported high-grade mineralisation in 18NGD070.

Limited reconnaissance panning of selected RC drill spoil samples identified several visible gold grains, measuring up to approximately 0.5mm, in a pan-concentrate sample from approximately 40m downhole in drillhole 26NGRC004.

The observation was made following concentration of the sample and is qualitative in nature. It does not establish the gold grade, representative gold content, true width or continuity of mineralisation (refer to Figure 3 and Table 1).

Classification	Tonnage (Mt)	Grade (g/t Au)	Contained Gold (koz)
Indicated Resource	15.4	0.82	404
Inferred Resource	5.7	0.89	165
Total Resource	21.1	0.84	569

Horn Island Gold Project 2026 Mineral Resource Estimate - ≥ 0.3 g/t Au cut-off (JORC 2012).

³ Refer to ASX announcement 16 June 2026 "Project Definition Study (PDS) Confirms Compelling Economics for the Horn Island Gold Project"






Figure 3: Pan concentrate sample (40m depth from drill hole 26NGRC004) reveals multiple visible gold grains up to ~0.5mm. Photos are taken from binocular microscope left (~x10 magnification) and right (~x20 magnification)

Cautionary Statement – Visible Gold: Visible gold identified in pan-concentrate samples represents a qualitative field observation only and should not be considered representative of bulk sample grade, drill interval grade or mineralisation continuity. Laboratory gold assays are required to determine the grade, distribution and significance of the mineralisation.

Laboratory assays will determine the gold grades associated with these zones and whether the new drilling provides additional support for the continuity and geological definition of higher-grade mineralisation within this part of the Mineral Resource. If assay results are positive, an area of approximately 50m x 200m across the West Pit may present a new target warranting further drill testing.

Exploration Target Drilling

Fourteen drillholes totalling 3,385m were completed to provide initial testing of the Exploration Target Area immediately south and northwest of the existing Mineral Resource footprint.

The drilling tested areas extending up to approximately 600m northwest of the current Mineral Resource, with selected drill fences and scissor-hole configurations testing a broad 200m–400m north–south up and down dip trend.

Multiple zones of quartz veining, alteration and sulphide mineralisation were observed throughout the Exploration Target drilling and were locally associated with elevated pXRF responses for As, Pb, Zn and Cu. Furthermore, pXRF measurements also recorded apparent gold responses (refer Table 1).



Preliminary geological interpretation suggests that the observed mineralised and altered zones form broad shallow-plunging trends. These display similarities in geological character and orientation to mineralised trends recognised within the existing Mineral Resource area.

The pending assay results will be used to assess how the Stage 1 drilling informs the existing Exploration Target, refine the geological interpretation and determine priority areas for potential follow-up drilling.

Table 1: Preliminary geological observations (mineralised zones) with pXRF (upper limits) readings and VG observations

DH_ID	Vein Zones	Visual sulphides	pXRF results	pXRF_Gold values	Visible Gold
26NGRC001	49-56m, 128-134m	Py up to 10%, Ga up to 5%	Pb 0.8%, Zn 1%As 0.1%	7g/t (108m), 4g/t (110m)	Not Tested
26NGRC002	37-50m, 129-152m	Py up to 10%, Ga up to 3%	Pb 0.4%Zn 0.7%As 0.2%	5g/t (89m), 5g/t (91m), 14g/t (92m), 5g/t (102m), 7g/t (130m)	Not Tested
26NGRC003	28-34m, 68-84m	Py up to 2%, Ga up to 1%	Pb 0.4%Zn 0.6%		Not Tested
26NGRC004	31-48m, 77-99m	Py up to 5%, Ga up to 0.5%	Pb 0.8%Zn 1.1%As 0.2%	13g/t (37m), 11g/t (77m)	Yes (40m)
26NGRC005	28-46m	Py up to 10%, Ga up to 2%	Pb 0.6%Zn 1.5%	8g/t (32m), 7g/t (79m)	Not Tested
26NGRC006	22-56m	Py up to 15%, Ga up to 0.1%	Pb 0.6%Zn 1%As 0.3%	6g/t (75, 76m)	Not Tested
26NGRC007	88-108m, 148-158m	Py up to 5%, Ga up to 1%, AS up to 3%	As 0.2%	7g/t (73m), 11g/t (94m), 6g/t (108m), 4g/t (109m), 6g/t (150m), 4g/t (161m), 6g/t (167m)	Not Tested
26NGRC008	117-127m, 213-225m, 252-268m	Py up to 1%, Ga up to 0.3%, CP up to 0.5%, AS up to 0.2%	As 0.2%	7g/t (118m), 6g/t (119m), 9g/t (125m)	Not Tested
26NGRC009	125-140m, 162-252m	Py up to 20%, Ga up to 5%, AS up to 5%	Pb 1.8%, Zn 1.3%	5g/t (60m)	Not Tested
26NGRC010	63-74m, 143-153m	Py up to 2%, Ga up to 0.1%, CP up to 0.1, AS up to 0.2%	Pb 0.5%Zn 0.6	Not detected	Not Tested
26NGRC011	47-85m	Py up to 25%, Ga up to 2%, Cp up to 1%	Pb 0.5%Zn 0.7%	Not detected	Not Tested
26NGRC012	37-47m, 66-87m, 90-109m	Py up to 30%, Ga up to 1%, As up to 10%	Pb 0.3%Zn 0.8%	Not detected	Not Tested
26NGRC013	49-68m, 149-203m	Py up to 5%, Ga up to 2%, As up to 1%	Pb 1.7%Zn 2.4%Cu 0.1%	Not detected	No (199m & 200m)
26NGRC014	85-87m	Py up to 35%, Ga up to 10%	Pb 1.1%Zn 2.9%Cu 0.1%As 0.3%	20g/t (81m)	Not Tested
26NGRC015	75-87m, 111-123m	Py up to 1%, Ga up to 0.2%	Pb 1.0%	Not detected	Not Tested
26NGRC016	123-132, 248-282m	Py up to 20%, Ga up to 10%, As up to 0.5%	Pb 1.2%Zn 0.8%	6g/t (29m)	Not Tested
26NGRC017	153-155m, 163-165m, 175-178m	Py up to 0.2%	Pb 0.3%Zn 0.6%Cu 0.2%	Not detected	Not Tested
26NGRC018	36-45m, 215-250m, 267-282m	Py up to 5%, Ga up to 4%	Pb 1.2%Zn 1.2%Cu 0.1%	Not detected	Not Tested
26NGRC019	133-153m, 170-208m	Py up to 5%, Ga up to 3%	Pb 0.3%Zn 1.2%	Not detected	Not Tested
26NGRC020	161-165m, 204-205m	Py up to 0.1%	Pb 0.07%, Zn 0.2%, Cu 0.08%	Not detected	Not Tested

Cautionary Statement: Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade.

Cautionary Statement – Visible Gold (VG): Visible gold identified in pan-concentrate samples represents a qualitative field observation only and should not be considered representative of bulk sample grade, drill interval grade or mineralisation continuity. Laboratory gold assays are required to determine the grade, distribution and significance of the mineralisation



For personal use only




Figure 4: Cross-section showing interpreted mineralised zones for drillholes 26NGRC001 (within resource area) & 26NGRC007 (south and outside the resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace




Figure 5: Cross-section showing interpreted mineralised zones for drillhole 26NGRC002 (within resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace



For personal use only




Figure 6: Longitudinal section (West Pit Area) showing interpreted mineralised zones for drillhole 26NGRC003, 26NGRC004, 26NGRC005 & 26NGRC006 (within resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace. All drill hole locations are within the MRE




Figure 7: Cross-section showing interpreted mineralised zones for drillhole 26NGRC008, south the of resource (MRE) boundary with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace






Figure 8: Cross-section showing interpreted mineralised zones for drillholes 26NGRC009, 26NGRC011, 26NGRC012 and 26NGRC013 (northwest ET and outside resource area), with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace




Figure 9: Cross-section showing interpreted mineralised zones for drillhole 26NGRC010 (northwest ET and outside resource area), with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace. Significant Au (g/t) intercepts (20NGD096 & 20NGD098) previously reported from historic AQX drill holes (refer to ASX release 30 June 2021 Drilling Confirms New Broad Gold Zone at Horn Island)






Figure 10: Cross-section showing interpreted mineralised zones for drillhole 26NGRC014, 26NGRC015 & 26NGRC018 (northwest ET and outside resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace




Figure 11: Cross-section showing interpreted mineralised zones for drillhole 26NGRC016, 26NGRC017 & 26NGRC019 (northwest ET and outside resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace






Figure 12: Cross-section showing interpreted mineralised zones for drillhole 26NGRC020 (northwest ET and outside resource area) with combined pXRF pathfinder responses (Pb + Zn + Cu + As) shown on the left and pXRF Au responses shown on the right of drill trace

This announcement has been approved by the Board of Alice Queen Limited.

For more information:

Ben Creagh

Media & Investor Relations

+61 (0) 417 464 233

benc@nwrcommunications.com.au



Caution regarding Forward Looking Information

This document contains forward looking statements concerning Alice Queen Limited. Forward looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward looking statements in this document are based on Alice Queens beliefs, opinions and estimates as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions or estimates should change or to reflect other future developments.

Competent Person Statement

The information in this report which relates to exploration results and Exploration Target Estimate (ET) was prepared/compiled by Mr Adrian Hell BSc (Hons), a full time employee of Alice Queen Limited and Shareholder of the Company, is a Member of the AUSIMM, and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Adrian Hell consents to the inclusion in the report of the information in the form and context in which it appears.

No New Information

To the extent that this announcement contains references to prior exploration results and Mineral Resource Estimates for the Horn Island project which have been cross referenced to previous market announcements made by the Company, unless explicitly stated, no new information is contained. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed.

ASX Announcements referred to in this report:

1. AQX ASX Announcement 16 June 2026, "PROJECT DEFINITION STUDY (PDS) CONFIRMS COMPELLING ECONOMICS FOR THE HORN ISLAND GOLD PROJECT"
2. AQX ASX Announcement 5 May 2026, "EXPLORATION TARGET REVEALS LARGE-SCALE GOLD POTENTIAL AT THE HORN ISLAND PROJECT"
3. AQX ASX Announcement 30 June 2021, "DRILLING CONFIRMS NEW BROAD GOLD ZONE AT HORN ISLAND"
4. AQX ASX Announcement 7 May 2018, "UPDATED RESOURCE DRILLING BONANZA GRADE INTERVAL"
5. AQX ASX Announcement 24 January 2018, "HORN ISLAND DRILING UPDATE"

The information in this ASX Release that relates to the Company's Mineral Resource estimate is extracted from and was reported in the Company's ASX announcement titled "Project Definition Study (PDS) Confirms Compelling Economics for the Horn Island Gold Project" dated 16 June 2026, which is available at www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, In the case of mineral resources or ore reserves, that all material assumptions and technical parameters underpinning the estimates in those announcements continue to apply and have not materially changed. The form and context in which the competent person's findings are presented have not been materially modified.



Table 2: Drillhole Collar Locations

Drillhole_ID	Easting	Northing	Elevation	EOH	Dip	Azi
26NGRC001	643785	8827132	31	190	-56	246
26NGRC002	643745	8827156	30	174	-60	222
26NGRC003	643787	8827274	15	108	-55	42
26NGRC004	643774	8827276	15	100	-55	43
26NGRC005	643774	8827277	15	100	-54	34
26NGRC006	643768	8827286	16.5	100	-56	46
26NGRC007	643590	8826915	43	282	-60	40
26NGRC008	643588	8826854	42	270	-61	39
26NGRC009	643405	8827395	21	252	-55	38
26NGRC010	643418	8827508	15	216	-61	45
26NGRC011	643447	8827443	10	222	-58	42
26NGRC012	643491	8827530	10.5	228	-60	39
26NGRC013	643489	8827529	10.5	216	-75	222
26NGRC014	643325	8827545	19.8	252	-70	52
26NGRC015	643319	8827538	19.8	168.5	-84	215
26NGRC016	643204	8827658	30.1	282	-60	51
26NGRC017	643204	8827658	30.1	210	-60	230
26NGRC018	643463	8827667	12.1	282	-61	223
26NGRC019	643355	8827802	20.3	282	-65	41
26NGRC020	643141	8827945	40.3	222	-65	51



Table 3: pXRF results (Au, As, Pb, Zn, Cu, & Combined As+Pb+Zn+Cu) (all elements reported in ppm)
 ND=element not detected, not calc.= not calculated. Calculations for combined elements As+Cu+Pb+Zn only completed if all elements returned readings. If any of the 4 elements was not detected calculation was not completed (not cal)

Cautionary Statement: Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade.

From To Au As Cu Pb Zn As+Cu+Pb+Zn								From To Au As Cu Pb Zn As+Cu+Pb+Zn							
26NGRC019 continued								26NGRC020 continued							
221.0	222.0	ND	ND	93	31	172	not calc	19.0	20.0	ND	ND	70	48	90	not calc
222.0	223.0	ND	ND	77	21	125	not calc	20.0	21.0	ND	ND	62	32	115	not calc
223.0	224.0	ND	14	64	40	115	233	21.0	22.0	ND	ND	64	51	69	not calc
224.0	225.0	ND	74	91	56	143	364	22.0	23.0	ND	ND	66	116	77	not calc
225.0	226.0	ND	14	77	16	95	202	23.0	24.0	ND	ND	71	51	70	not calc
226.0	227.0	ND	8	82	14	105	209	24.0	25.0	ND	ND	58	193	49	not calc
227.0	228.0	ND	7	68	9	191	275	25.0	26.0	ND	22	109	678	66	875
228.0	229.0	ND	13	69	12	117	211	26.0	27.0	ND	ND	56	223	36	not calc
229.0	230.0	ND	ND	69	23	261	not calc	27.0	28.0	ND	ND	62	444	47	not calc
230.0	231.0	ND	ND	67	20	129	not calc	28.0	29.0	ND	ND	67	125	102	not calc
231.0	232.0	ND	11	67	21	109	208	29.0	30.0	ND	28	64	112	212	416
232.0	233.0	ND	15	68	23	155	261	30.0	31.0	ND	ND	52	154	192	not calc
233.0	234.0	ND	ND	73	26	163	not calc	31.0	32.0	ND	ND	64	112	113	not calc
234.0	235.0	ND	ND	66	21	259	not calc	32.0	33.0	ND	28	73	126	141	368
235.0	236.0	ND	ND	65	44	153	not calc	33.0	34.0	ND	13	67	122	109	311
236.0	237.0	ND	ND	61	21	121	not calc	34.0	35.0	ND	10	70	131	124	335
237.0	238.0	ND	ND	77	26	150	not calc	35.0	36.0	ND	ND	65	115	109	not calc
238.0	239.0	ND	ND	82	11	93	not calc	36.0	37.0	ND	ND	70	155	195	not calc
239.0	240.0	ND	ND	67	15	98	not calc	37.0	38.0	ND	20	125	331	337	813
240.0	241.0	ND	ND	64	15	118	not calc	38.0	39.0	ND	ND	160	416	1307	not calc
241.0	242.0	ND	ND	77	82	381	not calc	39.0	40.0	ND	ND	81	327	176	not calc
242.0	243.0	ND	ND	91	66	1223	not calc	40.0	41.0	ND	ND	64	126	129	not calc
243.0	244.0	ND	ND	71	36	175	not calc	41.0	42.0	ND	ND	63	34	82	not calc
244.0	245.0	ND	ND	66	77	216	not calc	42.0	43.0	ND	ND	86	70	57	not calc
245.0	246.0	ND	ND	68	45	186	not calc	43.0	44.0	ND	8	67	27	63	165
246.0	247.0	ND	ND	103	47	325	not calc	44.0	45.0	ND	7	95	54	64	220
247.0	248.0	ND	ND	91	135	500	not calc	45.0	46.0	ND	ND	71	43	53	not calc
248.0	249.0	ND	7	59	10	104	180	46.0	47.0	ND	ND	74	35	61	not calc
249.0	250.0	ND	12	84	24	110	230	47.0	48.0	ND	ND	76	87	106	not calc
250.0	251.0	ND	35	76	10	64	185	48.0	49.0	ND	8	75	40	105	228
251.0	252.0	ND	7	66	14	91	178	49.0	50.0	ND	ND	59	29	68	not calc
252.0	253.0	ND	ND	81	478	1270	not calc	50.0	51.0	ND	16	75	10	55	156
253.0	254.0	ND	33	73	10	57	173	51.0	52.0	ND	ND	71	127	67	not calc
254.0	255.0	ND	26	63	13	67	169	52.0	53.0	ND	ND	68	47	60	not calc
255.0	256.0	ND	87	73	52	71	283	53.0	54.0	ND	ND	73	29	56	not calc
256.0	257.0	ND	15	72	206	153	446	54.0	55.0	ND	ND	69	55	148	not calc
257.0	258.0	ND	12	78	67	144	301	55.0	56.0	ND	ND	85	45	88	not calc
258.0	259.0	ND	12	71	20	132	235	56.0	57.0	ND	ND	73	61	61	not calc
259.0	260.0	ND	11	66	13	83	173	57.0	58.0	ND	20	78	83	97	278
260.0	261.0	ND	7	67	ND	57	not calc	58.0	59.0	ND	ND	91	107	298	not calc
261.0	262.0	ND	25	94	208	54	381	59.0	60.0	ND	ND	82	81	123	not calc
262.0	263.0	ND	11	78	12	45	146	60.0	61.0	ND	12	94	75	159	340
263.0	264.0	ND	ND	71	26	102	not calc	61.0	62.0	ND	ND	94	116	190	not calc
264.0	265.0	ND	14	51	34	349	448	62.0	63.0	ND	ND	88	144	141	not calc
265.0	266.0	ND	ND	72	80	231	not calc	63.0	64.0	ND	ND	77	154	123	not calc
266.0	267.0	ND	8	71	12	77	168	64.0	65.0	ND	ND	72	103	170	not calc
267.0	268.0	ND	24	70	6	50	150	65.0	66.0	ND	ND	100	158	339	not calc
268.0	269.0	ND	17	75	7	45	144	66.0	67.0	ND	ND	86	204	246	not calc
269.0	270.0	ND	41	69	7	53	170	67.0	68.0	ND	ND	101	242	414	not calc
270.0	271.0	ND	15	68	7	201	291	68.0	69.0	ND	ND	83	207	331	not calc
271.0	272.0	ND	ND	67	9	46	not calc	69.0	70.0	ND	ND	69	217	147	not calc
272.0	273.0	ND	ND	59	8	29	not calc	70.0	71.0	ND	111	74	219	113	517
273.0	274.0	ND	ND	66	7	43	not calc	71.0	72.0	ND	ND	87	202	140	not calc
274.0	275.0	ND	ND	90	8	26	not calc	72.0	73.0	ND	ND	72	60	228	not calc
275.0	276.0	ND	ND	68	29	45	not calc	73.0	74.0	ND	ND	85	79	82	not calc
276.0	277.0	ND	6	56	21	113	196	74.0	75.0	ND	ND	70	78	105	not calc
277.0	278.0	ND	8	74	25	46	153	75.0	76.0	ND	101	66	62	93	322
278.0	279.0	ND	ND	65	15	36	not calc	76.0	77.0	ND	ND	75	56	77	not calc
279.0	280.0	ND	10	71	20	35	136	77.0	78.0	ND	ND	69	208	103	not calc
280.0	281.0	ND	13	68	32	51	164	78.0	79.0	ND	ND	70	82	197	not calc
281.0	282.0	ND	8	74	25	71	178	79.0	80.0	ND	12	75	81	230	398
26NGRC020								80.0	81.0	ND	12	95	66	184	357
0.0	1.0	ND	17	70	47	120	254	81.0	82.0	ND	ND	85	75	135	not calc
1.0	2.0	ND	8	73	52	104	237	82.0	83.0	ND	ND	76	159	289	not calc
2.0	3.0	ND	11	75	83	89	258	83.0	84.0	ND	ND	71	32	83	not calc
3.0	4.0	ND	13	61	41	108	223	84.0	85.0	ND	ND	108	247	672	not calc
4.0	5.0	ND	14	64	86	109	273	85.0	86.0	ND	ND	92	54	170	not calc
5.0	6.0	ND	14	90	218	249	571	86.0	87.0	ND	ND	93	86	185	not calc
6.0	7.0	ND	ND	109	100	283	not calc	87.0	88.0	ND	ND	89	75	178	not calc
7.0	8.0	ND	ND	64	46	159	not calc	88.0	89.0	ND	ND	86	144	125	not calc
8.0	9.0	ND	ND	74	44	136	not calc	89.0	90.0	ND	46	110	490	1292	1938
9.0	10.0	ND	ND	95	46	161	not calc	90.0	91.0	ND	ND	100	241	535	not calc
10.0	11.0	ND	ND	77	54	156	not calc	91.0	92.0	ND	ND	74	66	123	not calc
11.0	12.0	ND	10	80	32	144	266	92.0	93.0	ND	ND	68	215	235	not calc
12.0	13.0	ND	ND	114	49	468	not calc	93.0	94.0	ND	ND	119	222	569	not calc
13.0	14.0	ND	ND	99	54	314	not calc	94.0	95.0	ND	ND	63	71	116	not calc
14.0	15.0	ND	ND	84	70	291	not calc	95.0	96.0	ND	ND	125	259	591	not calc
15.0	16.0	ND	31	166	77	413	687	96.0	97.0	ND	ND	86	74	246	not calc
16.0	17.0	ND	ND	84	44	223	not calc	97.0	98.0	ND	ND	84	139	169	not calc
17.0	18.0	ND	ND	76	39	73	not calc	98.0	99.0	ND	ND	94	128	124	not calc
18.0	19.0	ND	7	76	30	72	185	99.0	100.0	ND	ND	84	151	462	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC019 continued							
59.0	60.0	ND	ND	68	17	107	not calc
60.0	61.0	ND	ND	90	12	249	not calc
61.0	62.0	ND	5	72	8	107	192
62.0	63.0	ND	ND	82	12	102	not calc
63.0	64.0	ND	ND	82	15	124	not calc
64.0	65.0	ND	6	64	11	104	185
65.0	66.0	ND	11	72	17	111	211
66.0	67.0	ND	17	71	17	130	235
67.0	68.0	ND	9	55	17	97	178
68.0	69.0	ND	179	64	17	78	338
69.0	70.0	ND	31	63	16	71	181
70.0	71.0	ND	19	70	17	74	180
71.0	72.0	ND	ND	74	14	87	not calc
72.0	73.0	ND	7	70	13	145	235
73.0	74.0	ND	ND	68	11	86	not calc
74.0	75.0	ND	ND	81	14	79	not calc
75.0	76.0	ND	ND	75	15	80	not calc
76.0	77.0	ND	ND	85	17	85	not calc
77.0	78.0	ND	6	112	15	94	227
78.0	79.0	ND	22	214	222	368	826
79.0	80.0	ND	ND	73	47	146	not calc
80.0	81.0	ND	ND	90	188	594	not calc
81.0	82.0	ND	ND	74	23	110	not calc
82.0	83.0	ND	ND	75	30	131	not calc
83.0	84.0	ND	ND	64	14	106	not calc
84.0	85.0	ND	ND	84	17	548	not calc
85.0	86.0	ND	ND	76	14	160	not calc
86.0	87.0	ND	ND	80	12	145	not calc
87.0	88.0	ND	ND	83	23	188	not calc
88.0	89.0	ND	ND	92	8	123	not calc
89.0	90.0	ND	ND	88	15	125	not calc
90.0	91.0	ND	ND	74	18	173	not calc
91.0	92.0	ND	ND	74	19	111	not calc
92.0	93.0	ND	ND	68	15	95	not calc
93.0	94.0	ND	ND	78	15	117	not calc
94.0	95.0	ND	ND	84	18	107	not calc
95.0	96.0	ND	ND	82	14	119	not calc
96.0	97.0	ND	ND	75	10	119	not calc
97.0	98.0	ND	ND	66	10	94	not calc
98.0	99.0	ND	ND	67	13	98	not calc
99.0	100.0	ND	ND	74	11	93	not calc
100.0	101.0	ND	ND	74	14	93	not calc
101.0	102.0	ND	ND	77	19	90	not calc
102.0	103.0	ND	ND	86	47	200	not calc
103.0	104.0	ND	ND	89	115	944	not calc
104.0	105.0	ND	ND	85	28	112	not calc
105.0	106.0	ND	ND	76	27	109	not calc
106.0	107.0	ND	20	83	134	336	573
107.0	108.0	ND	ND	91	271	180	not calc
108.0	109.0	ND	ND	74	68	222	not calc
109.0	110.0	ND	ND	87	58	148	not calc
110.0	111.0	ND	ND	100	29	144	not calc
111.0	112.0	ND	ND	79	22	104	not calc
112.0	113.0	ND	ND	68	15	94	not calc
113.0	114.0	ND	ND	80	16	104	not calc
114.0	115.0	ND	ND	81	13	159	not calc
115.0	116.0	ND	ND	76	15	118	not calc
116.0	117.0	ND	ND	98	14	111	not calc
117.0	118.0	ND	ND	77	15	98	not calc
118.0	119.0	ND	ND	85	13	112	not calc
119.0	120.0	ND	ND	70	18	106	not calc
120.0	121.0	ND	ND	73	17	140	not calc
121.0	122.0	ND	30	75	21	114	240
122.0	123.0	ND	14	74	36	143	267
123.0	124.0	ND	ND	76	48	116	not calc
124.0	125.0	ND	ND	96	22	106	not calc
125.0	126.0	ND	148	78	18	103	347
126.0	127.0	ND	37	87	10	281	415
127.0	128.0	ND	ND	81	13	114	not calc
128.0	129.0	ND	ND	97	22	125	not calc
129.0	130.0	ND	ND	95	8	108	not calc
130.0	131.0	ND	ND	87	8	125	not calc
131.0	132.0	ND	ND	85	14	118	not calc
132.0	133.0	ND	ND	73	ND	214	not calc
133.0	134.0	ND	9	97	9	131	246
134.0	135.0	ND	ND	82	10	114	not calc
135.0	136.0	ND	71	88	47	116	322
136.0	137.0	ND	36	137	919	2139	3231
137.0	138.0	ND	81	198	2880	3901	7060
138.0	139.0	ND	84	169	868	1991	3112
139.0	140.0	ND	46	179	881	1445	2551

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC019 continued							
140.0	141.0	ND	31	116	532	1412	2091
141.0	142.0	ND	75	185	1696	3842	5798
142.0	143.0	ND	ND	160	2247	3372	not calc
143.0	144.0	ND	81	167	751	2618	3617
144.0	145.0	ND	55	95	265	1099	1514
145.0	146.0	ND	20	100	564	1348	2032
146.0	147.0	ND	ND	120	2046	2799	not calc
147.0	148.0	ND	ND	153	3489	2717	not calc
148.0	149.0	ND	172	138	2217	3593	6120
149.0	150.0	ND	ND	139	1464	1955	not calc
150.0	151.0	ND	ND	118	765	1211	not calc
151.0	152.0	ND	ND	85	322	572	not calc
152.0	153.0	ND	ND	108	1423	1599	not calc
153.0	154.0	ND	ND	89	118	239	not calc
154.0	155.0	ND	ND	81	158	518	not calc
155.0	156.0	ND	21	89	77	273	460
156.0	157.0	ND	ND	86	64	286	not calc
157.0	158.0	ND	12	76	88	264	440
158.0	159.0	ND	ND	90	160	293	not calc
159.0	160.0	ND	ND	66	154	170	not calc
160.0	161.0	ND	ND	81	36	143	not calc
161.0	162.0	ND	ND	80	736	767	not calc
162.0	163.0	ND	ND	70	97	406	not calc
163.0	164.0	ND	31	87	485	1046	1649
164.0	165.0	ND	ND	96	87	318	not calc
165.0	166.0	ND	ND	79	172	187	not calc
166.0	167.0	ND	ND	82	255	420	not calc
167.0	168.0	ND	ND	78	140	198	not calc
168.0	169.0	ND	ND	70	41	147	not calc
169.0	170.0	ND	ND	119	28	170	not calc
170.0	171.0	ND	ND	94	221	436	not calc
171.0	172.0	ND	ND	89	153	758	not calc
172.0	173.0	ND	ND	120	616	3043	not calc
173.0	174.0	ND	ND	98	384	1298	not calc
174.0	175.0	ND	ND	110	2732	2626	not calc
175.0	176.0	ND	105	166	1453	11687	13411
176.0	177.0	ND	ND	102	175	915	not calc
177.0	178.0	ND	ND	79	156	750	not calc
178.0	179.0	ND	ND	89	245	1185	not calc
179.0	180.0	ND	ND	99	1218	1175	not calc
180.0	181.0	ND	ND	107	338	981	not calc
181.0	182.0	ND	ND	95	243	1361	not calc
182.0	183.0	ND	55	71	54	216	396
183.0	184.0	ND	ND	90	367	3920	not calc
184.0	185.0	ND	ND	86	663	2852	not calc
185.0	186.0	ND	313	155	1094	1871	3433
186.0	187.0	ND	52	88	502	999	1641
187.0	188.0	ND	ND	68	283	511	not calc
188.0	189.0	ND	ND	171	510	719	not calc
189.0	190.0	ND	ND	72	79	205	not calc
190.0	191.0	ND	ND	84	32	112	not calc
191.0	192.0	ND	ND	83	51	168	not calc
192.0	193.0	ND	ND	78	113	348	not calc
193.0	194.0	ND	ND	79	56	165	not calc
194.0	195.0	ND	ND	71	117	363	not calc
195.0	196.0	ND	ND	72	176	277	not calc
196.0	197.0	ND	12	80	84	744	920
197.0	198.0	ND	ND	89	203	871	not calc
198.0	199.0	ND	13	69	182	624	888
199.0	200.0	ND	24	74	79	222	399
200.0	201.0	ND	ND	77	168	296	not calc
201.0	202.0	ND	ND	76	36	130	not calc
202.0	203.0	ND	18	71	32	113	234
203.0	204.0	ND	40	88	149	339	616
204.0	205.0	ND	ND	75	59	252	not calc
205.0	206.0	ND	24	65	23	132	244
206.0	207.0	ND	26	106	24	153	309
207.0	208.0	ND	24	70	28	130	252
208.0	209.0	ND	ND	84	32	140	not calc
209.0	210.0	ND	ND	81	43	138	not calc
210.0	211.0	ND	11	75	56	241	383
211.0	212.0	ND	8	71	54	186	319
212.0	213.0	ND	29	76	31	211	347
213.0	214.0	ND	226	152	57	845	1280
214.0	215.0	ND	18	75	13	155	261
215.0	216.0	ND	8	73	14	110	205
216.0	217.0	ND	22	80	63	246	411
217.0	218.0	ND	ND	75	22	110	not calc
218.0	219.0	ND	ND	87	11	110	not calc
219.0	220.0	ND	20	102	367	111	600
220.0	221.0	ND	ND	84	22	96	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC018 continued							
180.0	181.0	ND	ND	65	33	201	not calc
181.0	182.0	ND	ND	73	16	111	not calc
182.0	183.0	ND	ND	75	12	100	not calc
183.0	184.0	ND	ND	82	10	95	not calc
184.0	185.0	ND	ND	104	118	106	not calc
185.0	186.0	ND	ND	72	8	90	not calc
186.0	187.0	ND	ND	79	12	181	not calc
187.0	188.0	ND	ND	63	24	123	not calc
188.0	189.0	ND	ND	75	8	108	not calc
189.0	190.0	ND	ND	82	13	96	not calc
190.0	191.0	ND	ND	84	9	92	not calc
191.0	192.0	ND	ND	77	26	119	not calc
192.0	193.0	ND	ND	81	23	238	not calc
193.0	194.0	ND	ND	82	8	96	not calc
194.0	195.0	ND	ND	91	61	133	not calc
195.0	196.0	ND	ND	76	17	102	not calc
196.0	197.0	ND	ND	74	16	106	not calc
197.0	198.0	ND	ND	72	57	142	not calc
198.0	199.0	ND	ND	70	18	270	not calc
199.0	200.0	ND	ND	82	32	134	not calc
200.0	201.0	ND	ND	82	19	77	not calc
201.0	202.0	ND	ND	71	18	69	not calc
202.0	203.0	ND	ND	72	19	73	not calc
203.0	204.0	ND	ND	78	114	110	not calc
204.0	205.0	ND	ND	76	36	153	not calc
205.0	206.0	ND	86	149	2108	2507	4850
206.0	207.0	ND	ND	89	428	973	not calc
207.0	208.0	ND	ND	105	452	2235	not calc
208.0	209.0	ND	ND	80	332	562	not calc
209.0	210.0	ND	ND	108	562	724	not calc
210.0	211.0	ND	ND	66	43	163	not calc
211.0	212.0	ND	ND	79	56	130	not calc
212.0	213.0	ND	ND	71	35	100	not calc
213.0	214.0	ND	ND	75	35	110	not calc
214.0	215.0	ND	ND	65	47	103	not calc
215.0	216.0	ND	ND	72	41	121	not calc
216.0	217.0	ND	ND	112	1546	2332	not calc
217.0	218.0	ND	ND	209	5217	2936	not calc
218.0	219.0	ND	ND	87	875	633	not calc
219.0	220.0	ND	ND	99	712	1936	not calc
220.0	221.0	ND	91	86	563	647	1387
221.0	222.0	ND	ND	77	459	924	not calc
222.0	223.0	ND	ND	94	889	1505	not calc
223.0	224.0	ND	ND	64	153	175	not calc
224.0	225.0	ND	ND	53	178	190	not calc
225.0	226.0	ND	ND	78	516	391	not calc
226.0	227.0	ND	ND	62	116	127	not calc
227.0	228.0	ND	ND	67	145	306	not calc
228.0	229.0	ND	ND	57	144	227	not calc
229.0	230.0	ND	ND	55	121	186	not calc
230.0	231.0	ND	ND	64	111	164	not calc
231.0	232.0	ND	ND	85	161	228	not calc
232.0	233.0	ND	ND	63	139	187	not calc
233.0	234.0	ND	ND	65	66	112	not calc
234.0	235.0	ND	ND	50	5	81	not calc
235.0	236.0	ND	ND	56	8	72	not calc
236.0	237.0	ND	ND	59	13	74	not calc
237.0	238.0	ND	ND	60	20	56	not calc
238.0	239.0	ND	ND	51	18	92	not calc
239.0	240.0	ND	11	89	39	164	303
240.0	241.0	ND	ND	125	571	1169	not calc
241.0	242.0	ND	ND	475	4977	6872	not calc
242.0	243.0	ND	ND	998	10523	12450	not calc
243.0	244.0	ND	ND	710	6674	8691	not calc
244.0	245.0	ND	ND	163	1037	1607	not calc
245.0	246.0	ND	ND	163	784	1240	not calc
246.0	247.0	ND	ND	111	347	918	not calc
247.0	248.0	ND	ND	92	286	799	not calc
248.0	249.0	ND	ND	69	170	154	not calc
249.0	250.0	ND	ND	128	538	684	not calc
250.0	251.0	ND	ND	109	337	1120	not calc
251.0	252.0	ND	ND	123	423	3548	not calc
252.0	253.0	ND	ND	92	342	545	not calc
253.0	254.0	ND	ND	77	157	215	not calc
254.0	255.0	ND	ND	67	362	228	not calc
255.0	256.0	ND	ND	106	534	682	not calc
256.0	257.0	ND	10	76	114	115	315
257.0	258.0	ND	ND	74	210	200	not calc
258.0	259.0	ND	ND	96	209	1721	not calc
259.0	260.0	ND	ND	63	71	207	not calc
260.0	261.0	ND	ND	99	147	431	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC018 continued							
261.0	262.0	ND	ND	66	71	215	not calc
262.0	263.0	ND	ND	94	518	315	not calc
263.0	264.0	ND	ND	77	261	813	not calc
264.0	265.0	ND	ND	202	1097	3022	not calc
265.0	266.0	ND	ND	81	123	243	not calc
266.0	267.0	ND	ND	80	42	106	not calc
267.0	268.0	ND	181	155	1512	8780	10628
268.0	269.0	ND	72	219	1518	3533	5342
269.0	270.0	ND	ND	182	946	5867	not calc
270.0	271.0	ND	43	130	660	2485	3318
271.0	272.0	ND	ND	189	11597	1159	not calc
272.0	273.0	ND	ND	151	1951	3653	not calc
273.0	274.0	ND	62	163	3794	1779	5798
274.0	275.0	ND	ND	173	4289	3864	not calc
275.0	276.0	ND	ND	134	2114	1985	not calc
276.0	277.0	ND	ND	95	772	882	not calc
277.0	278.0	ND	ND	99	1643	781	not calc
278.0	279.0	ND	ND	88	850	700	not calc
279.0	280.0	ND	ND	74	935	1374	not calc
280.0	281.0	ND	26	91	798	2383	3298
281.0	282.0	ND	135	318	7586	4640	12679
26NGRC019							
0.0	1.0	ND	ND	80	135	176	not calc
1.0	2.0	ND	ND	61	74	128	not calc
2.0	3.0	ND	ND	65	48	130	not calc
3.0	4.0	ND	10	68	40	118	236
4.0	5.0	ND	117	75	36	97	325
5.0	6.0	ND	11	67	36	102	216
6.0	7.0	ND	ND	70	15	215	not calc
7.0	8.0	ND	ND	75	25	132	not calc
8.0	9.0	ND	40	58	11	77	186
9.0	10.0	ND	ND	74	27	111	not calc
10.0	11.0	ND	ND	69	23	87	not calc
11.0	12.0	ND	ND	71	16	90	not calc
12.0	13.0	ND	ND	60	15	116	not calc
13.0	14.0	ND	51	69	17	80	217
14.0	15.0	ND	8	63	16	57	144
15.0	16.0	ND	8	60	20	90	178
16.0	17.0	ND	ND	70	18	75	not calc
17.0	18.0	ND	ND	63	15	74	not calc
18.0	19.0	ND	10	67	11	138	226
19.0	20.0	ND	ND	68	20	100	not calc
20.0	21.0	ND	ND	72	15	103	not calc
21.0	22.0	ND	ND	52	12	71	not calc
22.0	23.0	ND	ND	58	16	97	not calc
23.0	24.0	ND	ND	62	11	79	not calc
24.0	25.0	ND	ND	64	21	94	not calc
25.0	26.0	ND	ND	67	14	82	not calc
26.0	27.0	ND	ND	73	13	70	not calc
27.0	28.0	ND	ND	65	11	111	not calc
28.0	29.0	ND	ND	55	7	88	not calc
29.0	30.0	ND	ND	70	12	107	not calc
30.0	31.0	ND	ND	69	16	82	not calc
31.0	32.0	ND	ND	63	53	74	not calc
32.0	33.0	ND	ND	66	7	75	not calc
33.0	34.0	ND	ND	58	11	98	not calc
34.0	35.0	ND	ND	70	8	89	not calc
35.0	36.0	ND	ND	61	6	78	not calc
36.0	37.0	ND	5	68	7	145	225
37.0	38.0	ND	ND	61	16	101	not calc
38.0	39.0	ND	7	68	13	121	209
39.0	40.0	ND	ND	79	14	86	not calc
40.0	41.0	ND	22	48	11	97	178
41.0	42.0	ND	6	59	18	155	238
42.0	43.0	ND	ND	49	20	133	not calc
43.0	44.0	ND	ND	66	23	108	not calc
44.0	45.0	ND	ND	60	20	93	not calc
45.0	46.0	ND	ND	64	22	93	not calc
46.0	47.0	ND	ND	72	14	89	not calc
47.0	48.0	ND	6	68	17	85	176
48.0	49.0	ND	ND	63	18	128	not calc
49.0	50.0	ND	ND	60	14	87	not calc
50.0	51.0	ND	ND	62	12	86	not calc
51.0	52.0	ND	ND	81	15	97	not calc
52.0	53.0	ND	ND	79	12	101	not calc
53.0	54.0	ND	ND	66	27	127	not calc
54.0	55.0	ND	ND	67	10	118	not calc
55.0	56.0	ND	5	63	9	113	190
56.0	57.0	ND	ND	60	10	102	not calc
57.0	58.0	ND	ND	69	12	128	not calc
58.0	59.0	ND	6	105	11	133	255



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC018 continued							
18.0	19.0	ND	ND	71	13	146	not calc
19.0	20.0	ND	ND	297	33	98	not calc
20.0	21.0	ND	ND	72	7	89	not calc
21.0	22.0	ND	ND	60	13	83	not calc
22.0	23.0	ND	ND	73	7	95	not calc
23.0	24.0	ND	ND	68	12	78	not calc
24.0	25.0	ND	ND	53	10	113	not calc
25.0	26.0	ND	ND	74	13	101	not calc
26.0	27.0	ND	ND	78	6	94	not calc
27.0	28.0	ND	ND	76	8	105	not calc
28.0	29.0	ND	ND	70	12	90	not calc
29.0	30.0	ND	ND	73	8	81	not calc
30.0	31.0	ND	ND	63	12	146	not calc
31.0	32.0	ND	ND	62	10	86	not calc
32.0	33.0	ND	ND	70	7	86	not calc
33.0	34.0	ND	ND	79	11	96	not calc
34.0	35.0	ND	ND	60	10	88	not calc
35.0	36.0	ND	ND	57	12	125	not calc
36.0	37.0	ND	ND	71	37	367	not calc
37.0	38.0	ND	ND	95	92	216	not calc
38.0	39.0	ND	ND	73	11	103	not calc
39.0	40.0	ND	ND	70	31	126	not calc
40.0	41.0	ND	ND	73	72	258	not calc
41.0	42.0	ND	ND	68	81	189	not calc
42.0	43.0	ND	ND	73	91	417	not calc
43.0	44.0	ND	ND	86	47	364	not calc
44.0	45.0	ND	66	70	46	123	305
45.0	46.0	ND	ND	75	23	110	not calc
46.0	47.0	ND	ND	64	19	107	not calc
47.0	48.0	ND	ND	78	27	112	not calc
48.0	49.0	ND	ND	71	17	227	not calc
49.0	50.0	ND	ND	85	22	153	not calc
50.0	51.0	ND	ND	96	358	234	not calc
51.0	52.0	ND	ND	88	31	116	not calc
52.0	53.0	ND	ND	89	61	309	not calc
53.0	54.0	ND	ND	80	18	101	not calc
54.0	55.0	ND	ND	79	22	167	not calc
55.0	56.0	ND	ND	77	14	115	not calc
56.0	57.0	ND	ND	76	17	98	not calc
57.0	58.0	ND	6	82	19	108	215
58.0	59.0	ND	ND	82	25	101	not calc
59.0	60.0	ND	ND	75	15	103	not calc
60.0	61.0	ND	ND	79	15	316	not calc
61.0	62.0	ND	ND	86	12	101	not calc
62.0	63.0	ND	ND	74	10	93	not calc
63.0	64.0	ND	ND	86	9	118	not calc
64.0	65.0	ND	ND	78	12	107	not calc
65.0	66.0	ND	ND	81	8	92	not calc
66.0	67.0	ND	ND	87	33	248	not calc
67.0	68.0	ND	ND	93	103	681	not calc
68.0	69.0	ND	ND	91	53	316	not calc
69.0	70.0	ND	ND	161	318	3308	not calc
70.0	71.0	ND	ND	88	168	341	not calc
71.0	72.0	ND	ND	73	107	210	not calc
72.0	73.0	ND	ND	78	175	770	not calc
73.0	74.0	ND	ND	89	21	125	not calc
74.0	75.0	ND	ND	90	28	122	not calc
75.0	76.0	ND	ND	147	90	592	not calc
76.0	77.0	ND	ND	87	15	113	not calc
77.0	78.0	ND	ND	71	19	121	not calc
78.0	79.0	ND	ND	81	17	168	not calc
79.0	80.0	ND	ND	80	13	106	not calc
80.0	81.0	ND	ND	82	10	106	not calc
81.0	82.0	ND	ND	81	11	111	not calc
82.0	83.0	ND	ND	84	12	104	not calc
83.0	84.0	ND	ND	81	16	110	not calc
84.0	85.0	ND	ND	92	13	103	not calc
85.0	86.0	ND	ND	79	ND	88	not calc
86.0	87.0	ND	ND	91	15	91	not calc
87.0	88.0	ND	ND	84	17	101	not calc
88.0	89.0	ND	ND	93	14	125	not calc
89.0	90.0	ND	ND	84	20	113	not calc
90.0	91.0	ND	ND	64	89	176	not calc
91.0	92.0	ND	ND	90	35	113	not calc
92.0	93.0	ND	ND	88	41	120	not calc
93.0	94.0	ND	ND	70	16	104	not calc
94.0	95.0	ND	ND	78	32	94	not calc
95.0	96.0	ND	ND	105	148	248	not calc
96.0	97.0	ND	ND	89	17	135	not calc
97.0	98.0	ND	ND	83	12	118	not calc
98.0	99.0	ND	ND	85	13	100	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC018 continued							
99.0	100.0	ND	ND	101	9	105	not calc
100.0	101.0	ND	ND	70	14	112	not calc
101.0	102.0	ND	ND	82	8	107	not calc
102.0	103.0	ND	ND	118	363	573	not calc
103.0	104.0	ND	ND	119	270	654	not calc
104.0	105.0	ND	ND	83	70	165	not calc
105.0	106.0	ND	ND	73	39	101	not calc
106.0	107.0	ND	ND	80	37	113	not calc
107.0	108.0	ND	ND	74	32	98	not calc
108.0	109.0	ND	ND	75	27	127	not calc
109.0	110.0	ND	ND	65	8	95	not calc
110.0	111.0	ND	ND	68	61	246	not calc
111.0	112.0	ND	ND	81	502	821	not calc
112.0	113.0	ND	ND	70	84	175	not calc
113.0	114.0	ND	ND	78	61	116	not calc
114.0	115.0	ND	ND	69	55	328	not calc
115.0	116.0	ND	ND	77	36	176	not calc
116.0	117.0	ND	ND	72	23	251	not calc
117.0	118.0	ND	ND	87	30	230	not calc
118.0	119.0	ND	ND	88	42	158	not calc
119.0	120.0	ND	ND	68	21	104	not calc
120.0	121.0	ND	ND	79	20	141	not calc
121.0	122.0	ND	ND	68	35	156	not calc
122.0	123.0	ND	ND	89	50	263	not calc
123.0	124.0	ND	ND	87	16	163	not calc
124.0	125.0	ND	ND	81	11	95	not calc
125.0	126.0	ND	ND	94	17	105	not calc
126.0	127.0	ND	ND	80	18	158	not calc
127.0	128.0	ND	ND	82	13	106	not calc
128.0	129.0	ND	ND	67	37	93	not calc
129.0	130.0	ND	ND	78	12	112	not calc
130.0	131.0	ND	ND	88	22	186	not calc
131.0	132.0	ND	ND	76	59	131	not calc
132.0	133.0	ND	ND	92	15	226	not calc
133.0	134.0	ND	ND	72	11	103	not calc
134.0	135.0	ND	ND	74	6	100	not calc
135.0	136.0	ND	ND	79	13	99	not calc
136.0	137.0	ND	ND	82	7	91	not calc
137.0	138.0	ND	ND	87	73	233	not calc
138.0	139.0	ND	ND	245	486	864	not calc
139.0	140.0	ND	ND	78	86	179	not calc
140.0	141.0	ND	ND	82	35	111	not calc
141.0	142.0	ND	ND	95	20	104	not calc
142.0	143.0	ND	ND	77	14	111	not calc
143.0	144.0	ND	ND	74	47	120	not calc
144.0	145.0	ND	ND	73	27	151	not calc
145.0	146.0	ND	ND	72	13	105	not calc
146.0	147.0	ND	ND	57	53	145	not calc
147.0	148.0	ND	ND	64	21	127	not calc
148.0	149.0	ND	ND	67	30	117	not calc
149.0	150.0	ND	ND	75	43	177	not calc
150.0	151.0	ND	ND	202	444	1190	not calc
151.0	152.0	ND	ND	90	33	206	not calc
152.0	153.0	ND	ND	70	9	98	not calc
153.0	154.0	ND	ND	82	13	115	not calc
154.0	155.0	ND	ND	74	10	115	not calc
155.0	156.0	ND	ND	75	23	113	not calc
156.0	157.0	ND	ND	86	68	274	not calc
157.0	158.0	ND	ND	66	14	109	not calc
158.0	159.0	ND	ND	77	8	96	not calc
159.0	160.0	ND	ND	89	18	2245	not calc
160.0	161.0	ND	ND	78	35	574	not calc
161.0	162.0	ND	ND	81	17	361	not calc
162.0	163.0	ND	ND	74	25	373	not calc
163.0	164.0	ND	ND	90	30	155	not calc
164.0	165.0	ND	ND	79	21	166	not calc
165.0	166.0	ND	ND	85	41	146	not calc
166.0	167.0	ND	ND	73	22	120	not calc
167.0	168.0	ND	ND	95	76	109	not calc
168.0	169.0	ND	15	82	226	302	625
169.0	170.0	ND	ND	78	43	110	not calc
170.0	171.0	ND	ND	101	700	267	not calc
171.0	172.0	ND	ND	80	32	99	not calc
172.0	173.0	ND	ND	85	33	180	not calc
173.0	174.0	ND	ND	91	94	210	not calc
174.0	175.0	ND	ND	90	73	298	not calc
175.0	176.0	ND	ND	191	1046	915	not calc
176.0	177.0	ND	ND	65	45	113	not calc
177.0	178.0	ND	ND	115	59	137	not calc
178.0	179.0	ND	ND	68	18	93	not calc
179.0	180.0	ND	ND	71	18	100	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC017 continued							
67.0	68.0	ND	ND	85	15	107	not calc
68.0	69.0	ND	ND	75	19	85	not calc
69.0	70.0	ND	ND	75	13	103	not calc
70.0	71.0	ND	ND	68	18	102	not calc
71.0	72.0	ND	ND	78	15	108	not calc
72.0	73.0	ND	ND	77	16	137	not calc
73.0	74.0	ND	ND	75	11	108	not calc
74.0	75.0	ND	ND	82	19	110	not calc
75.0	76.0	ND	ND	106	12	124	not calc
76.0	77.0	ND	ND	90	15	105	not calc
77.0	78.0	ND	ND	84	14	135	not calc
78.0	79.0	ND	ND	107	21	130	not calc
79.0	80.0	ND	ND	78	15	96	not calc
80.0	81.0	ND	ND	79	16	104	not calc
81.0	82.0	ND	ND	72	11	87	not calc
82.0	83.0	ND	6	73	15	96	190
83.0	84.0	ND	ND	79	18	89	not calc
84.0	85.0	ND	ND	83	15	148	not calc
85.0	86.0	ND	ND	95	19	118	not calc
86.0	87.0	ND	ND	99	22	96	not calc
87.0	88.0	ND	ND	80	16	133	not calc
88.0	89.0	ND	ND	82	19	102	not calc
89.0	90.0	ND	ND	109	20	103	not calc
90.0	91.0	ND	ND	80	19	121	not calc
91.0	92.0	ND	ND	88	21	116	not calc
92.0	93.0	ND	ND	127	26	102	not calc
93.0	94.0	ND	5	104	16	115	240
94.0	95.0	ND	24	270	9	135	438
95.0	96.0	ND	9	145	13	131	298
96.0	97.0	ND	6	92	25	168	291
97.0	98.0	ND	ND	92	17	127	not calc
98.0	99.0	ND	ND	89	9	107	not calc
99.0	100.0	ND	ND	54	21	53	not calc
100.0	101.0	ND	ND	81	18	76	not calc
101.0	102.0	ND	ND	70	17	86	not calc
102.0	103.0	ND	ND	63	12	176	not calc
103.0	104.0	ND	7	67	11	92	177
104.0	105.0	ND	ND	67	22	80	not calc
105.0	106.0	ND	ND	51	17	73	not calc
106.0	107.0	ND	ND	67	21	75	not calc
107.0	108.0	ND	ND	68	23	80	not calc
108.0	109.0	ND	ND	62	17	94	not calc
109.0	110.0	ND	ND	71	18	86	not calc
110.0	111.0	ND	ND	65	13	100	not calc
111.0	112.0	ND	ND	68	23	79	not calc
112.0	113.0	ND	ND	138	22	94	not calc
113.0	114.0	ND	ND	63	19	93	not calc
114.0	115.0	ND	ND	68	19	147	not calc
115.0	116.0	ND	ND	71	21	84	not calc
116.0	117.0	ND	ND	57	15	76	not calc
117.0	118.0	ND	ND	56	17	65	not calc
118.0	119.0	ND	ND	63	17	77	not calc
119.0	120.0	ND	ND	55	15	74	not calc
120.0	121.0	ND	ND	54	19	155	not calc
121.0	122.0	ND	ND	67	21	117	not calc
122.0	123.0	ND	ND	68	54	107	not calc
123.0	124.0	ND	ND	73	19	96	not calc
124.0	125.0	ND	ND	73	16	94	not calc
125.0	126.0	ND	ND	66	19	93	not calc
126.0	127.0	ND	ND	66	20	120	not calc
127.0	128.0	ND	ND	66	22	104	not calc
128.0	129.0	ND	6	68	24	83	181
129.0	130.0	ND	ND	62	10	73	not calc
130.0	131.0	ND	ND	57	16	88	not calc
131.0	132.0	ND	ND	68	18	94	not calc
132.0	133.0	ND	ND	58	19	106	not calc
133.0	134.0	ND	ND	54	19	100	not calc
134.0	135.0	ND	ND	65	69	176	not calc
135.0	136.0	ND	ND	58	27	94	not calc
136.0	137.0	ND	ND	62	28	129	not calc
137.0	138.0	ND	ND	56	97	617	not calc
138.0	139.0	ND	ND	60	23	111	not calc
139.0	140.0	ND	13	80	194	526	813
140.0	141.0	ND	14	77	78	260	429
141.0	142.0	ND	ND	68	293	258	not calc
142.0	143.0	ND	ND	65	35	100	not calc
143.0	144.0	ND	22	72	141	172	407
144.0	145.0	ND	ND	83	130	237	not calc
145.0	146.0	ND	18	94	203	261	576
146.0	147.0	ND	ND	62	40	117	not calc
147.0	148.0	ND	9	65	31	88	193

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC017 continued							
148.0	149.0	ND	26	99	241	440	806
149.0	150.0	ND	ND	69	60	153	not calc
150.0	151.0	ND	ND	56	38	146	not calc
151.0	152.0	ND	ND	80	37	272	not calc
152.0	153.0	ND	ND	74	25	87	not calc
153.0	154.0	ND	ND	92	1338	118	not calc
154.0	155.0	ND	ND	85	171	210	not calc
155.0	156.0	ND	ND	76	109	144	not calc
156.0	157.0	ND	ND	57	28	121	not calc
157.0	158.0	ND	ND	59	22	96	not calc
158.0	159.0	ND	ND	72	22	90	not calc
159.0	160.0	ND	ND	152	212	251	not calc
160.0	161.0	ND	ND	112	137	159	not calc
161.0	162.0	ND	ND	68	103	230	not calc
162.0	163.0	ND	ND	63	75	216	not calc
163.0	164.0	ND	58	211	2078	2255	4602
164.0	165.0	ND	ND	66	110	176	not calc
165.0	166.0	ND	ND	65	62	133	not calc
166.0	167.0	ND	ND	65	80	220	not calc
167.0	168.0	ND	ND	67	55	139	not calc
168.0	169.0	ND	ND	61	52	252	not calc
169.0	170.0	ND	ND	67	71	165	not calc
170.0	171.0	ND	ND	80	86	288	not calc
171.0	172.0	ND	ND	66	61	149	not calc
172.0	173.0	ND	ND	95	74	268	not calc
173.0	174.0	ND	ND	80	74	230	not calc
174.0	175.0	ND	ND	67	56	302	not calc
175.0	176.0	ND	531	320	3374	5715	9940
176.0	177.0	ND	61	82	377	361	881
177.0	178.0	ND	35	78	168	308	589
178.0	179.0	ND	731	76	294	207	1308
179.0	180.0	ND	54	74	146	302	576
180.0	181.0	ND	41	67	171	331	610
181.0	182.0	ND	7	52	22	75	156
182.0	183.0	ND	ND	64	25	84	not calc
183.0	184.0	ND	ND	65	19	90	not calc
184.0	185.0	ND	6	64	22	85	177
185.0	186.0	ND	ND	670	63	132	not calc
186.0	187.0	ND	ND	126	33	148	not calc
187.0	188.0	ND	ND	66	17	89	not calc
188.0	189.0	ND	ND	73	28	103	not calc
189.0	190.0	ND	7	65	33	112	217
190.0	191.0	ND	ND	77	28	103	not calc
191.0	192.0	ND	ND	134	34	99	not calc
192.0	193.0	ND	8	168	61	249	486
193.0	194.0	ND	ND	93	32	111	not calc
194.0	195.0	ND	17	72	40	166	295
195.0	196.0	ND	98	746	124	158	1126
196.0	197.0	ND	41	2480	70	164	2755
197.0	198.0	ND	11	205	39	140	395
198.0	199.0	ND	7	164	21	165	357
199.0	200.0	ND	ND	118	30	117	not calc
200.0	201.0	ND	ND	88	66	159	not calc
201.0	202.0	ND	ND	74	27	102	not calc
202.0	203.0	ND	ND	136	25	67	not calc
203.0	204.0	ND	ND	71	21	86	not calc
204.0	205.0	ND	ND	64	31	122	not calc
205.0	206.0	ND	6	74	17	75	172
206.0	207.0	ND	ND	71	29	129	not calc
207.0	208.0	ND	ND	87	384	1154	not calc
208.0	209.0	ND	ND	92	188	469	not calc
209.0	210.0	ND	ND	368	151	191	not calc
26NGRC018							
0.0	1.0	ND	13	73	57	132	275
1.0	2.0	ND	ND	76	80	366	not calc
2.0	3.0	ND	ND	91	216	450	not calc
3.0	4.0	ND	ND	125	330	692	not calc
4.0	5.0	ND	ND	79	130	203	not calc
5.0	6.0	ND	ND	141	320	517	not calc
6.0	7.0	ND	ND	103	382	763	not calc
7.0	8.0	ND	ND	61	37	158	not calc
8.0	9.0	ND	ND	63	66	215	not calc
9.0	10.0	ND	ND	71	29	136	not calc
10.0	11.0	ND	ND	69	27	121	not calc
11.0	12.0	ND	ND	59	23	92	not calc
12.0	13.0	ND	ND	65	23	114	not calc
13.0	14.0	ND	ND	73	15	106	not calc
14.0	15.0	ND	ND	72	16	100	not calc
15.0	16.0	ND	ND	68	17	104	not calc
16.0	17.0	ND	ND	59	19	91	not calc
17.0	18.0	ND	ND	58	16	55	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb+Zn
26NGRC017 continued							
67.0	68.0	ND	ND	85	15	107	not calc
68.0	69.0	ND	ND	75	19	85	not calc
69.0	70.0	ND	ND	75	13	103	not calc
70.0	71.0	ND	ND	68	18	102	not calc
71.0	72.0	ND	ND	78	15	108	not calc
72.0	73.0	ND	ND	77	16	137	not calc
73.0	74.0	ND	ND	75	11	108	not calc
74.0	75.0	ND	ND	82	19	110	not calc
75.0	76.0	ND	ND	106	12	124	not calc
76.0	77.0	ND	ND	90	15	105	not calc
77.0	78.0	ND	ND	84	14	135	not calc
78.0	79.0	ND	ND	107	21	130	not calc
79.0	80.0	ND	ND	78	15	96	not calc
80.0	81.0	ND	ND	79	16	104	not calc
81.0	82.0	ND	ND	72	11	87	not calc
82.0	83.0	ND	6	73	15	96	190
83.0	84.0	ND	ND	79	18	89	not calc
84.0	85.0	ND	ND	83	15	148	not calc
85.0	86.0	ND	ND	95	19	118	not calc
86.0	87.0	ND	ND	99	22	96	not calc
87.0	88.0	ND	ND	80	16	133	not calc
88.0	89.0	ND	ND	82	19	102	not calc
89.0	90.0	ND	ND	109	20	103	not calc
90.0	91.0	ND	ND	80	19	121	not calc
91.0	92.0	ND	ND	88	21	116	not calc
92.0	93.0	ND	ND	127	26	102	not calc
93.0	94.0	ND	5	104	16	115	240
94.0	95.0	ND	24	270	9	135	438
95.0	96.0	ND	9	145	13	131	298
96.0	97.0	ND	6	92	25	168	291
97.0	98.0	ND	ND	92	17	127	not calc
98.0	99.0	ND	ND	89	9	107	not calc
99.0	100.0	ND	ND	54	21	53	not calc
100.0	101.0	ND	ND	81	18	76	not calc
101.0	102.0	ND	ND	70	17	86	not calc
102.0	103.0	ND	ND	63	12	176	not calc
103.0	104.0	ND	7	67	11	92	177
104.0	105.0	ND	ND	67	22	80	not calc
105.0	106.0	ND	ND	51	17	73	not calc
106.0	107.0	ND	ND	67	21	75	not calc
107.0	108.0	ND	ND	68	23	80	not calc
108.0	109.0	ND	ND	62	17	94	not calc
109.0	110.0	ND	ND	71	18	86	not calc
110.0	111.0	ND	ND	65	13	100	not calc
111.0	112.0	ND	ND	68	23	79	not calc
112.0	113.0	ND	ND	138	22	94	not calc
113.0	114.0	ND	ND	63	19	93	not calc
114.0	115.0	ND	ND	68	19	147	not calc
115.0	116.0	ND	ND	71	21	84	not calc
116.0	117.0	ND	ND	57	15	76	not calc
117.0	118.0	ND	ND	56	17	65	not calc
118.0	119.0	ND	ND	63	17	77	not calc
119.0	120.0	ND	ND	55	15	74	not calc
120.0	121.0	ND	ND	54	19	155	not calc
121.0	122.0	ND	ND	67	21	117	not calc
122.0	123.0	ND	ND	68	54	107	not calc
123.0	124.0	ND	ND	73	19	96	not calc
124.0	125.0	ND	ND	73	16	94	not calc
125.0	126.0	ND	ND	66	19	93	not calc
126.0	127.0	ND	ND	66	20	120	not calc
127.0	128.0	ND	ND	66	22	104	not calc
128.0	129.0	ND	6	68	24	83	181
129.0	130.0	ND	ND	62	10	73	not calc
130.0	131.0	ND	ND	57	16	88	not calc
131.0	132.0	ND	ND	68	18	94	not calc
132.0	133.0	ND	ND	58	19	106	not calc
133.0	134.0	ND	ND	54	19	100	not calc
134.0	135.0	ND	ND	65	69	176	not calc
135.0	136.0	ND	ND	58	27	94	not calc
136.0	137.0	ND	ND	62	28	129	not calc
137.0	138.0	ND	ND	56	97	617	not calc
138.0	139.0	ND	ND	60	23	111	not calc
139.0	140.0	ND	13	80	194	526	813
140.0	141.0	ND	14	77	78	260	429
141.0	142.0	ND	ND	68	293	258	not calc
142.0	143.0	ND	ND	65	35	100	not calc
143.0	144.0	ND	22	72	141	172	407
144.0	145.0	ND	ND	83	130	237	not calc
145.0	146.0	ND	18	94	203	261	576
146.0	147.0	ND	ND	62	40	117	not calc
147.0	148.0	ND	9	65	31	88	193

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb+Zn
26NGRC017 continued							
148.0	149.0	ND	26	99	241	440	806
149.0	150.0	ND	ND	69	60	153	not calc
150.0	151.0	ND	ND	56	38	146	not calc
151.0	152.0	ND	ND	80	37	272	not calc
152.0	153.0	ND	ND	74	25	87	not calc
153.0	154.0	ND	ND	92	1338	118	not calc
154.0	155.0	ND	ND	85	171	210	not calc
155.0	156.0	ND	ND	76	109	144	not calc
156.0	157.0	ND	ND	57	28	121	not calc
157.0	158.0	ND	ND	59	22	96	not calc
158.0	159.0	ND	ND	72	22	90	not calc
159.0	160.0	ND	ND	152	212	251	not calc
160.0	161.0	ND	ND	112	137	159	not calc
161.0	162.0	ND	ND	68	103	230	not calc
162.0	163.0	ND	ND	63	75	216	not calc
163.0	164.0	ND	58	211	2078	2255	4602
164.0	165.0	ND	ND	66	110	176	not calc
165.0	166.0	ND	ND	65	62	133	not calc
166.0	167.0	ND	ND	65	80	220	not calc
167.0	168.0	ND	ND	67	55	139	not calc
168.0	169.0	ND	ND	61	52	252	not calc
169.0	170.0	ND	ND	67	71	165	not calc
170.0	171.0	ND	ND	80	86	288	not calc
171.0	172.0	ND	ND	66	61	149	not calc
172.0	173.0	ND	ND	95	74	268	not calc
173.0	174.0	ND	ND	80	74	230	not calc
174.0	175.0	ND	ND	67	56	302	not calc
175.0	176.0	ND	531	320	3374	5715	9940
176.0	177.0	ND	61	82	377	361	881
177.0	178.0	ND	35	78	168	308	589
178.0	179.0	ND	731	76	294	207	1308
179.0	180.0	ND	54	74	146	302	576
180.0	181.0	ND	41	67	171	331	610
181.0	182.0	ND	7	52	22	75	156
182.0	183.0	ND	ND	64	25	84	not calc
183.0	184.0	ND	ND	65	19	90	not calc
184.0	185.0	ND	6	64	22	85	177
185.0	186.0	ND	ND	670	63	132	not calc
186.0	187.0	ND	ND	126	33	148	not calc
187.0	188.0	ND	ND	66	17	89	not calc
188.0	189.0	ND	ND	73	28	103	not calc
189.0	190.0	ND	7	65	33	112	217
190.0	191.0	ND	ND	77	28	103	not calc
191.0	192.0	ND	ND	134	34	99	not calc
192.0	193.0	ND	8	168	61	249	486
193.0	194.0	ND	ND	93	32	111	not calc
194.0	195.0	ND	17	72	40	166	295
195.0	196.0	ND	98	746	124	158	1126
196.0	197.0	ND	41	2480	70	164	2755
197.0	198.0	ND	11	205	39	140	395
198.0	199.0	ND	7	164	21	165	357
199.0	200.0	ND	ND	118	30	117	not calc
200.0	201.0	ND	ND	88	66	159	not calc
201.0	202.0	ND	ND	74	27	102	not calc
202.0	203.0	ND	ND	136	25	67	not calc
203.0	204.0	ND	ND	71	21	86	not calc
204.0	205.0	ND	ND	64	31	122	not calc
205.0	206.0	ND	6	74	17	75	172
206.0	207.0	ND	ND	71	29	129	not calc
207.0	208.0	ND	ND	87	384	1154	not calc
208.0	209.0	ND	ND	92	188	469	not calc
209.0	210.0	ND	ND	368	151	191	not calc
26NGRC018							
0.0	1.0	ND	13	73	57	132	275
1.0	2.0	ND	ND	76	80	366	not calc
2.0	3.0	ND	ND	91	216	450	not calc
3.0	4.0	ND	ND	125	330	692	not calc
4.0	5.0	ND	ND	79	130	203	not calc
5.0	6.0	ND	ND	141	320	517	not calc
6.0	7.0	ND	ND	103	382	763	not calc
7.0	8.0	ND	ND	61	37	158	not calc
8.0	9.0	ND	ND	63	66	215	not calc
9.0	10.0	ND	ND	71	29	136	not calc
10.0	11.0	ND	ND	69	27	121	not calc
11.0	12.0	ND	ND	59	23	92	not calc
12.0	13.0	ND	ND	65	23	114	not calc
13.0	14.0	ND	ND	73	15	106	not calc
14.0	15.0	ND	ND	72	16	100	not calc
15.0	16.0	ND	ND	68	17	104	not calc
16.0	17.0	ND	ND	59	19	91	not calc
17.0	18.0	ND	ND	58	16	55	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC016 continued							
188.0	189.0	ND	ND	100	16	144	not calc
189.0	190.0	ND	ND	100	8	128	not calc
190.0	191.0	ND	ND	86	13	103	not calc
191.0	192.0	ND	ND	111	13	132	not calc
192.0	193.0	ND	ND	92	16	114	not calc
193.0	194.0	ND	ND	96	31	107	not calc
194.0	195.0	ND	ND	89	103	88	not calc
195.0	196.0	ND	ND	99	21	104	not calc
196.0	197.0	ND	ND	99	10	116	not calc
197.0	198.0	ND	ND	97	14	101	not calc
198.0	199.0	ND	ND	79	8	112	not calc
199.0	200.0	ND	ND	107	11	106	not calc
200.0	201.0	ND	6	62	7	52	127
201.0	202.0	ND	ND	55	12	55	not calc
202.0	203.0	ND	ND	71	14	68	not calc
203.0	204.0	ND	ND	70	108	59	not calc
204.0	205.0	ND	ND	67	24	85	not calc
205.0	206.0	ND	ND	63	19	60	not calc
206.0	207.0	ND	ND	69	14	103	not calc
207.0	208.0	ND	ND	72	14	55	not calc
208.0	209.0	ND	ND	62	24	79	not calc
209.0	210.0	ND	ND	62	130	152	not calc
210.0	211.0	ND	ND	45	54	99	not calc
211.0	212.0	ND	ND	69	111	87	not calc
212.0	213.0	ND	ND	53	71	80	not calc
213.0	214.0	ND	ND	54	31	54	not calc
214.0	215.0	ND	ND	55	36	42	not calc
215.0	216.0	ND	ND	46	32	67	not calc
216.0	217.0	ND	ND	60	19	98	not calc
217.0	218.0	ND	ND	47	42	51	not calc
218.0	219.0	ND	ND	61	30	92	not calc
219.0	220.0	ND	ND	77	37	75	not calc
220.0	221.0	ND	ND	62	16	53	not calc
221.0	222.0	ND	ND	52	21	63	not calc
222.0	223.0	ND	ND	66	9	108	not calc
223.0	224.0	ND	ND	54	10	60	not calc
224.0	225.0	ND	ND	50	13	50	not calc
225.0	226.0	ND	ND	59	16	79	not calc
226.0	227.0	ND	ND	63	23	90	not calc
227.0	228.0	ND	ND	59	17	69	not calc
228.0	229.0	ND	ND	60	29	83	not calc
229.0	230.0	ND	ND	63	18	38	not calc
230.0	231.0	ND	ND	72	34	80	not calc
231.0	232.0	ND	ND	112	74	60	not calc
232.0	233.0	ND	15	108	90	149	362
233.0	234.0	ND	ND	56	58	98	not calc
234.0	235.0	ND	ND	78	147	110	not calc
235.0	236.0	ND	ND	88	144	84	not calc
236.0	237.0	ND	ND	75	49	96	not calc
237.0	238.0	ND	ND	72	85	115	not calc
238.0	239.0	ND	ND	55	26	103	not calc
239.0	240.0	ND	ND	68	18	62	not calc
240.0	241.0	ND	ND	72	22	70	not calc
241.0	242.0	ND	ND	59	11	65	not calc
242.0	243.0	ND	ND	202	142	152	not calc
243.0	244.0	ND	ND	54	42	74	not calc
244.0	245.0	ND	ND	53	16	65	not calc
245.0	246.0	ND	ND	69	113	91	not calc
246.0	247.0	ND	ND	69	16	70	not calc
247.0	248.0	ND	ND	62	22	70	not calc
248.0	249.0	ND	ND	83	30	100	not calc
249.0	250.0	ND	7	76	24	98	205
250.0	251.0	ND	ND	56	38	88	not calc
251.0	252.0	ND	116	147	1089	925	2277
252.0	253.0	ND	50	227	1847	3551	5675
253.0	254.0	ND	ND	225	2778	2245	not calc
254.0	255.0	ND	51	133	710	3611	4505
255.0	256.0	ND	ND	81	554	646	not calc
256.0	257.0	ND	12	70	103	211	396
257.0	258.0	ND	22	109	470	356	957
258.0	259.0	ND	ND	57	109	286	not calc
259.0	260.0	ND	ND	70	341	871	not calc
260.0	261.0	ND	16	118	282	845	1261
261.0	262.0	ND	ND	175	780	2511	not calc
262.0	263.0	ND	ND	139	302	2673	not calc
263.0	264.0	ND	ND	76	90	920	not calc
264.0	265.0	ND	ND	73	129	6603	not calc
265.0	266.0	ND	ND	121	157	1486	not calc
266.0	267.0	ND	ND	76	389	846	not calc
267.0	268.0	ND	ND	65	74	634	not calc
268.0	269.0	ND	ND	55	54	251	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC016 continued							
269.0	270.0	ND	ND	85	268	2445	not calc
270.0	271.0	ND	13	83	95	718	909
271.0	272.0	ND	ND	60	65	266	not calc
272.0	273.0	ND	ND	90	221	828	not calc
273.0	274.0	ND	ND	73	101	403	not calc
274.0	275.0	ND	ND	59	74	634	not calc
275.0	276.0	ND	42	235	2205	820	3302
276.0	277.0	ND	ND	68	92	312	not calc
277.0	278.0	ND	ND	80	102	257	not calc
278.0	279.0	ND	ND	49	23	77	not calc
279.0	280.0	ND	ND	84	58	916	not calc
280.0	281.0	ND	ND	57	16	99	not calc
281.0	282.0	ND	ND	158	322	1509	not calc
26NGRC017							
0.0	1.0	ND	ND	67	13	92	not calc
1.0	2.0	ND	ND	87	20	80	not calc
2.0	3.0	ND	8	75	13	83	179
3.0	4.0	ND	ND	85	19	87	not calc
4.0	5.0	ND	ND	76	17	85	not calc
5.0	6.0	ND	ND	77	14	80	not calc
6.0	7.0	ND	ND	65	14	131	not calc
7.0	8.0	ND	6	65	13	88	172
8.0	9.0	ND	ND	75	14	114	not calc
9.0	10.0	ND	ND	68	12	83	not calc
10.0	11.0	ND	ND	62	18	85	not calc
11.0	12.0	ND	ND	57	13	81	not calc
12.0	13.0	ND	ND	68	10	95	not calc
13.0	14.0	ND	ND	80	12	110	not calc
14.0	15.0	ND	6	63	16	84	169
15.0	16.0	ND	ND	75	12	98	not calc
16.0	17.0	ND	ND	63	11	93	not calc
17.0	18.0	ND	ND	80	16	91	not calc
18.0	19.0	ND	ND	82	14	102	not calc
19.0	20.0	ND	ND	73	12	96	not calc
20.0	21.0	ND	ND	83	19	128	not calc
21.0	22.0	ND	ND	85	13	100	not calc
22.0	23.0	ND	ND	80	12	94	not calc
23.0	24.0	ND	ND	77	11	93	not calc
24.0	25.0	ND	ND	75	16	90	not calc
25.0	26.0	ND	ND	66	14	96	not calc
26.0	27.0	ND	ND	61	7	87	not calc
27.0	28.0	ND	ND	84	79	139	not calc
28.0	29.0	ND	ND	67	9	89	not calc
29.0	30.0	ND	ND	81	11	95	not calc
30.0	31.0	ND	ND	68	14	119	not calc
31.0	32.0	ND	ND	94	14	105	not calc
32.0	33.0	ND	ND	66	14	91	not calc
33.0	34.0	ND	ND	67	15	93	not calc
34.0	35.0	ND	ND	79	15	84	not calc
35.0	36.0	ND	ND	73	12	83	not calc
36.0	37.0	ND	ND	73	19	202	not calc
37.0	38.0	ND	ND	174	20	105	not calc
38.0	39.0	ND	ND	78	17	94	not calc
39.0	40.0	ND	ND	97	38	101	not calc
40.0	41.0	ND	ND	77	17	96	not calc
41.0	42.0	ND	ND	82	18	89	not calc
42.0	43.0	ND	ND	83	8	107	not calc
43.0	44.0	ND	ND	61	27	93	not calc
44.0	45.0	ND	ND	90	14	95	not calc
45.0	46.0	ND	ND	83	27	89	not calc
46.0	47.0	ND	ND	81	10	102	not calc
47.0	48.0	ND	ND	86	16	102	not calc
48.0	49.0	ND	5	104	11	112	232
49.0	50.0	ND	ND	160	14	99	not calc
50.0	51.0	ND	ND	89	15	95	not calc
51.0	52.0	ND	ND	103	19	106	not calc
52.0	53.0	ND	ND	89	17	129	not calc
53.0	54.0	ND	ND	100	13	137	not calc
54.0	55.0	ND	ND	82	19	120	not calc
55.0	56.0	ND	ND	154	17	100	not calc
56.0	57.0	ND	ND	93	17	104	not calc
57.0	58.0	ND	6	99	13	99	217
58.0	59.0	ND	ND	88	23	126	not calc
59.0	60.0	ND	ND	95	19	112	not calc
60.0	61.0	ND	ND	90	17	276	not calc
61.0	62.0	ND	ND	79	21	134	not calc
62.0	63.0	ND	ND	90	16	111	not calc
63.0	64.0	ND	ND	92	16	106	not calc
64.0	65.0	ND	ND	76	18	120	not calc
65.0	66.0	ND	ND	69	23	197	not calc
66.0	67.0	ND	ND	88	17	175	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC016 continued							
26.0	27.0	ND	ND	101	16	67	not calc
27.0	28.0	ND	ND	83	9	77	not calc
28.0	29.0	6	1269	82	11	92	1454
29.0	30.0	ND	19	93	13	104	229
30.0	31.0	ND	12	75	77	141	305
31.0	32.0	ND	7	87	12	97	203
32.0	33.0	ND	98	190	743	2211	3242
33.0	34.0	ND	ND	99	18	129	not calc
34.0	35.0	ND	ND	122	43	134	not calc
35.0	36.0	ND	25	148	16	139	328
36.0	37.0	ND	224	97	31	181	533
37.0	38.0	ND	ND	105	13	119	not calc
38.0	39.0	ND	ND	121	65	230	not calc
39.0	40.0	ND	ND	128	18	121	not calc
40.0	41.0	ND	ND	116	25	112	not calc
41.0	42.0	ND	ND	99	11	110	not calc
42.0	43.0	ND	ND	124	18	171	not calc
43.0	44.0	ND	10	117	21	167	315
44.0	45.0	ND	ND	99	26	318	not calc
45.0	46.0	ND	ND	100	63	211	not calc
46.0	47.0	ND	ND	108	15	117	not calc
47.0	48.0	ND	11	87	16	112	226
48.0	49.0	ND	ND	99	48	358	not calc
49.0	50.0	ND	11	87	60	193	351
50.0	51.0	ND	ND	215	853	1283	not calc
51.0	52.0	ND	ND	95	92	206	not calc
52.0	53.0	ND	ND	108	37	154	not calc
53.0	54.0	ND	ND	90	38	104	not calc
54.0	55.0	ND	ND	89	57	198	not calc
55.0	56.0	ND	ND	78	42	114	not calc
56.0	57.0	ND	ND	81	31	129	not calc
57.0	58.0	ND	ND	75	30	93	not calc
58.0	59.0	ND	ND	74	27	91	not calc
59.0	60.0	ND	ND	76	19	78	not calc
60.0	61.0	ND	ND	60	54	281	not calc
61.0	62.0	ND	ND	87	95	276	not calc
62.0	63.0	ND	ND	98	163	492	not calc
63.0	64.0	ND	ND	86	108	173	not calc
64.0	65.0	ND	ND	109	93	172	not calc
65.0	66.0	ND	ND	86	96	246	not calc
66.0	67.0	ND	ND	78	98	216	not calc
67.0	68.0	ND	ND	88	148	608	not calc
68.0	69.0	ND	ND	115	292	510	not calc
69.0	70.0	ND	ND	81	96	143	not calc
70.0	71.0	ND	19	77	97	158	351
71.0	72.0	ND	10	80	50	282	422
72.0	73.0	ND	ND	74	40	127	not calc
73.0	74.0	ND	ND	70	75	121	not calc
74.0	75.0	ND	ND	88	205	107	not calc
75.0	76.0	ND	ND	84	44	101	not calc
76.0	77.0	ND	ND	73	45	89	not calc
77.0	78.0	ND	ND	83	30	99	not calc
78.0	79.0	ND	ND	99	20	126	not calc
79.0	80.0	ND	8	101	18	74	201
80.0	81.0	ND	ND	76	20	76	not calc
81.0	82.0	ND	ND	75	18	59	not calc
82.0	83.0	ND	ND	75	24	70	not calc
83.0	84.0	ND	6	74	29	103	212
84.0	85.0	ND	ND	93	18	128	not calc
85.0	86.0	ND	ND	76	23	74	not calc
86.0	87.0	ND	ND	85	20	69	not calc
87.0	88.0	ND	ND	78	19	64	not calc
88.0	89.0	ND	ND	90	20	80	not calc
89.0	90.0	ND	ND	79	50	100	not calc
90.0	91.0	ND	ND	85	50	160	not calc
91.0	92.0	ND	8	78	44	111	241
92.0	93.0	ND	ND	88	54	92	not calc
93.0	94.0	ND	ND	83	23	81	not calc
94.0	95.0	ND	10	80	26	70	186
95.0	96.0	ND	8	86	35	90	219
96.0	97.0	ND	51	96	46	577	770
97.0	98.0	ND	ND	232	810	1023	not calc
98.0	99.0	ND	ND	103	172	247	not calc
99.0	100.0	ND	ND	114	661	908	not calc
100.0	101.0	ND	ND	109	460	629	not calc
101.0	102.0	ND	ND	346	2872	3073	not calc
102.0	103.0	ND	ND	92	94	189	not calc
103.0	104.0	ND	ND	94	88	232	not calc
104.0	105.0	ND	ND	87	64	182	not calc
105.0	106.0	ND	ND	95	82	332	not calc
106.0	107.0	ND	40	617	1626	3396	5679

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC016 continued							
107.0	108.0	ND	ND	202	1178	1196	not calc
108.0	109.0	ND	ND	202	1019	2590	not calc
109.0	110.0	ND	ND	113	288	744	not calc
110.0	111.0	ND	ND	202	544	3417	not calc
111.0	112.0	ND	195	427	3934	8344	12900
112.0	113.0	ND	ND	288	1819	3660	not calc
113.0	114.0	ND	ND	426	4541	8477	not calc
114.0	115.0	ND	ND	209	1296	2783	not calc
115.0	116.0	ND	ND	95	267	562	not calc
116.0	117.0	ND	ND	76	74	216	not calc
117.0	118.0	ND	ND	87	169	1663	not calc
118.0	119.0	ND	ND	94	98	427	not calc
119.0	120.0	ND	ND	114	121	305	not calc
120.0	121.0	ND	ND	70	16	109	not calc
121.0	122.0	ND	ND	81	66	214	not calc
122.0	123.0	ND	ND	82	63	215	not calc
123.0	124.0	ND	ND	89	56	174	not calc
124.0	125.0	ND	ND	82	19	92	not calc
125.0	126.0	ND	ND	115	369	120	not calc
126.0	127.0	ND	ND	90	65	132	not calc
127.0	128.0	ND	ND	540	4582	3439	not calc
128.0	129.0	ND	428	394	2014	4093	6929
129.0	130.0	ND	120	211	1567	5096	6994
130.0	131.0	ND	95	185	1715	5355	7350
131.0	132.0	ND	ND	194	2104	2196	not calc
132.0	133.0	ND	39	135	569	975	1718
133.0	134.0	ND	ND	103	83	180	not calc
134.0	135.0	ND	ND	105	3011	255	not calc
135.0	136.0	ND	ND	93	156	271	not calc
136.0	137.0	ND	ND	104	161	445	not calc
137.0	138.0	ND	49	172	1180	955	2356
138.0	139.0	ND	ND	101	175	325	not calc
139.0	140.0	ND	ND	96	216	489	not calc
140.0	141.0	ND	ND	174	609	619	not calc
141.0	142.0	ND	ND	114	188	205	not calc
142.0	143.0	ND	ND	113	242	588	not calc
143.0	144.0	ND	ND	82	61	129	not calc
144.0	145.0	ND	ND	74	58	129	not calc
145.0	146.0	ND	ND	88	33	127	not calc
146.0	147.0	ND	ND	133	400	992	not calc
147.0	148.0	ND	ND	76	48	136	not calc
148.0	149.0	ND	ND	147	1214	1140	not calc
149.0	150.0	ND	ND	105	221	247	not calc
150.0	151.0	ND	ND	81	28	111	not calc
151.0	152.0	ND	ND	101	24	131	not calc
152.0	153.0	ND	ND	91	18	110	not calc
153.0	154.0	ND	ND	98	14	117	not calc
154.0	155.0	ND	ND	86	19	104	not calc
155.0	156.0	ND	ND	88	15	115	not calc
156.0	157.0	ND	ND	97	35	174	not calc
157.0	158.0	ND	ND	166	1709	2797	not calc
158.0	159.0	ND	ND	89	33	147	not calc
159.0	160.0	ND	ND	87	22	118	not calc
160.0	161.0	ND	ND	94	21	116	not calc
161.0	162.0	ND	ND	90	14	112	not calc
162.0	163.0	ND	ND	92	25	110	not calc
163.0	164.0	ND	ND	103	15	107	not calc
164.0	165.0	ND	7	91	10	112	220
165.0	166.0	ND	ND	88	17	116	not calc
166.0	167.0	ND	6	105	14	112	237
167.0	168.0	ND	ND	107	43	195	not calc
168.0	169.0	ND	ND	156	185	1519	not calc
169.0	170.0	ND	ND	92	20	127	not calc
170.0	171.0	ND	ND	143	836	1769	not calc
171.0	172.0	ND	ND	818	12134	2143	not calc
172.0	173.0	ND	ND	146	646	335	not calc
173.0	174.0	ND	ND	109	205	166	not calc
174.0	175.0	ND	ND	84	38	136	not calc
175.0	176.0	ND	ND	80	26	111	not calc
176.0	177.0	ND	ND	85	29	117	not calc
177.0	178.0	ND	ND	100	22	114	not calc
178.0	179.0	ND	ND	124	97	848	not calc
179.0	180.0	ND	ND	91	81	206	not calc
180.0	181.0	ND	11	90	65	115	281
181.0	182.0	ND	ND	96	11	126	not calc
182.0	183.0	ND	ND	104	21	117	not calc
183.0	184.0	ND	ND	96	18	131	not calc
184.0	185.0	ND	7	112	8	130	257
185.0	186.0	ND	ND	102	11	132	not calc
186.0	187.0	ND	ND	101	10	159	not calc
187.0	188.0	ND	ND	95	10	116	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC015 continued							
33.0	34.0	ND	ND	591	25	96	not calc
34.0	35.0	ND	ND	665	25	131	not calc
35.0	36.0	ND	ND	95	20	142	not calc
36.0	37.0	ND	ND	98	25	147	not calc
37.0	38.0	ND	ND	83	22	107	not calc
38.0	39.0	ND	ND	79	20	102	not calc
39.0	40.0	ND	ND	129	15	124	not calc
40.0	41.0	ND	ND	110	29	167	not calc
41.0	42.0	ND	ND	78	29	108	not calc
42.0	43.0	ND	ND	85	36	177	not calc
43.0	44.0	ND	ND	102	28	121	not calc
44.0	45.0	ND	ND	76	18	118	not calc
45.0	46.0	ND	ND	78	20	114	not calc
46.0	47.0	ND	ND	90	30	111	not calc
47.0	48.0	ND	ND	83	20	103	not calc
48.0	49.0	ND	ND	82	22	78	not calc
49.0	50.0	ND	ND	84	29	92	not calc
50.0	51.0	ND	ND	83	34	152	not calc
51.0	52.0	ND	ND	107	37	129	not calc
52.0	53.0	ND	ND	126	22	111	not calc
53.0	54.0	ND	ND	94	34	113	not calc
54.0	55.0	ND	ND	96	68	153	not calc
55.0	56.0	ND	ND	89	32	135	not calc
56.0	57.0	ND	ND	92	33	140	not calc
57.0	58.0	ND	ND	71	27	145	not calc
58.0	59.0	ND	ND	87	21	161	not calc
59.0	60.0	ND	ND	78	20	117	not calc
60.0	61.0	ND	ND	75	31	406	not calc
61.0	62.0	ND	ND	81	25	120	not calc
62.0	63.0	ND	ND	84	19	121	not calc
63.0	64.0	ND	ND	90	26	115	not calc
64.0	65.0	ND	ND	75	20	116	not calc
65.0	66.0	ND	ND	87	24	150	not calc
66.0	67.0	ND	ND	82	14	142	not calc
67.0	68.0	ND	ND	80	19	126	not calc
68.0	69.0	ND	8	95	52	150	305
69.0	70.0	ND	ND	71	353	222	not calc
70.0	71.0	ND	ND	82	28	127	not calc
71.0	72.0	ND	ND	82	27	123	not calc
72.0	73.0	ND	ND	82	70	167	not calc
73.0	74.0	ND	ND	75	26	114	not calc
74.0	75.0	ND	ND	75	87	171	not calc
75.0	76.0	ND	ND	64	67	120	not calc
76.0	77.0	ND	ND	264	121	400	not calc
77.0	78.0	ND	48	70	59	359	536
78.0	79.0	ND	28	94	57	236	415
79.0	80.0	ND	51	71	36	142	300
80.0	81.0	ND	72	75	110	291	548
81.0	82.0	ND	22	73	14	89	198
82.0	83.0	ND	76	83	34	186	379
83.0	84.0	ND	9	71	24	122	226
84.0	85.0	ND	142	94	687	871	1794
85.0	86.0	ND	84	72	112	399	667
86.0	87.0	ND	19	96	27	130	272
87.0	88.0	ND	8	102	21	126	257
88.0	89.0	ND	ND	125	96	169	not calc
89.0	90.0	ND	ND	79	112	187	not calc
90.0	91.0	ND	ND	91	44	118	not calc
91.0	92.0	ND	ND	85	28	115	not calc
92.0	93.0	ND	ND	74	24	118	not calc
93.0	94.0	ND	23	65	33	151	272
94.0	95.0	ND	8	79	28	115	230
95.0	96.0	ND	ND	65	21	103	not calc
96.0	97.0	ND	ND	78	24	176	not calc
97.0	98.0	ND	8	97	46	192	343
98.0	99.0	ND	ND	68	22	105	not calc
99.0	100.0	ND	ND	93	17	109	not calc
100.0	101.0	ND	ND	72	19	90	not calc
101.0	102.0	ND	ND	72	33	100	not calc
102.0	103.0	ND	ND	76	17	134	not calc
103.0	104.0	ND	ND	88	26	108	not calc
104.0	105.0	ND	ND	82	134	238	not calc
105.0	106.0	ND	ND	86	156	339	not calc
106.0	107.0	ND	ND	114	282	690	not calc
107.0	108.0	ND	25	143	332	1056	1556
108.0	109.0	ND	27	128	266	905	1326
109.0	110.0	ND	17	76	60	217	370
110.0	111.0	ND	ND	97	44	190	not calc
111.0	112.0	ND	ND	85	36	152	not calc
112.0	113.0	ND	ND	118	123	340	not calc
113.0	114.0	ND	ND	111	108	484	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC015 continued							
114.0	115.0	ND	ND	106	293	743	not calc
115.0	116.0	ND	10	85	86	258	439
116.0	117.0	ND	13	81	55	243	392
117.0	118.0	ND	ND	78	61	214	not calc
118.0	119.0	ND	ND	84	85	189	not calc
119.0	120.0	ND	ND	71	85	385	not calc
120.0	121.0	ND	8	70	55	344	477
121.0	122.0	ND	ND	120	98	449	not calc
122.0	123.0	ND	ND	68	40	246	not calc
123.0	124.0	ND	7	97	33	158	295
124.0	125.0	ND	ND	60	62	97	not calc
125.0	126.0	ND	ND	76	91	192	not calc
126.0	127.0	ND	12	171	56	3248	3487
127.0	128.0	ND	ND	87	28	161	not calc
128.0	129.0	ND	ND	80	27	176	not calc
129.0	130.0	ND	ND	86	31	140	not calc
130.0	131.0	ND	7	91	34	137	269
131.0	132.0	ND	ND	83	36	146	not calc
132.0	133.0	ND	32	84	167	2399	2682
133.0	134.0	ND	169	576	10314	1910	12969
134.0	135.0	ND	ND	122	762	333	not calc
135.0	136.0	ND	52	98	161	227	538
136.0	137.0	ND	ND	75	78	100	not calc
137.0	138.0	ND	17	83	229	280	609
138.0	139.0	ND	ND	86	71	145	not calc
139.0	140.0	ND	ND	91	74	139	not calc
140.0	141.0	ND	ND	90	33	101	not calc
141.0	142.0	ND	ND	95	28	104	not calc
142.0	143.0	ND	16	87	63	125	291
143.0	144.0	ND	ND	99	43	130	not calc
144.0	145.0	ND	ND	125	28	129	not calc
145.0	146.0	ND	16	128	127	399	670
146.0	147.0	ND	ND	111	87	172	not calc
147.0	148.0	ND	ND	106	155	216	not calc
148.0	149.0	ND	9	88	46	124	267
149.0	150.0	ND	ND	95	80	161	not calc
150.0	151.0	ND	22	60	71	226	379
151.0	152.0	ND	ND	74	48	123	not calc
152.0	153.0	ND	ND	150	883	945	not calc
153.0	154.0	ND	ND	203	433	1001	not calc
154.0	155.0	ND	ND	86	257	385	not calc
155.0	156.0	ND	ND	149	318	384	not calc
156.0	157.0	ND	ND	98	198	341	not calc
157.0	158.0	ND	ND	79	171	339	not calc
158.0	159.0	ND	ND	84	276	589	not calc
159.0	160.0	ND	ND	75	54	173	not calc
160.0	161.0	ND	ND	77	49	129	not calc
161.0	162.0	ND	ND	86	115	227	not calc
162.0	163.0	ND	ND	67	72	143	not calc
163.0	164.0	ND	ND	65	123	244	not calc
164.0	165.0	ND	ND	74	95	189	not calc
165.0	166.0	ND	ND	70	101	285	not calc
166.0	167.0	ND	ND	68	94	322	not calc
167.0	168.0	ND	ND	86	122	267	not calc
26NGRC016							
0.0	1.0	ND	8	111	28	138	285
1.0	2.0	ND	ND	98	23	118	not calc
2.0	3.0	ND	ND	93	17	112	not calc
3.0	4.0	ND	ND	97	18	100	not calc
4.0	5.0	ND	ND	100	17	94	not calc
5.0	6.0	ND	ND	88	16	93	not calc
6.0	7.0	ND	ND	109	43	174	not calc
7.0	8.0	ND	ND	118	34	154	not calc
8.0	9.0	ND	ND	98	16	101	not calc
9.0	10.0	ND	ND	88	25	101	not calc
10.0	11.0	ND	ND	91	22	90	not calc
11.0	12.0	ND	ND	95	16	86	not calc
12.0	13.0	ND	ND	110	11	115	not calc
13.0	14.0	ND	ND	99	12	104	not calc
14.0	15.0	ND	13	87	6	83	189
15.0	16.0	ND	ND	110	19	106	not calc
16.0	17.0	ND	ND	96	25	116	not calc
17.0	18.0	ND	ND	97	10	94	not calc
18.0	19.0	ND	ND	92	12	91	not calc
19.0	20.0	ND	ND	102	11	133	not calc
20.0	21.0	ND	ND	87	13	92	not calc
21.0	22.0	ND	35	99	13	96	243
22.0	23.0	ND	ND	95	15	100	not calc
23.0	24.0	ND	ND	130	11	115	not calc
24.0	25.0	ND	33	99	14	89	235
25.0	26.0	ND	64	107	13	78	262



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC014 continued							
124.0	125.0	ND	ND	71	84	105	not calc
125.0	126.0	ND	ND	90	370	248	not calc
126.0	127.0	ND	ND	110	846	2842	not calc
127.0	128.0	ND	ND	66	71	179	not calc
128.0	129.0	ND	ND	73	13	68	not calc
129.0	130.0	ND	ND	69	15	51	not calc
130.0	131.0	ND	ND	73	15	76	not calc
131.0	132.0	ND	ND	80	19	77	not calc
132.0	133.0	ND	ND	1047	352	811	not calc
133.0	134.0	ND	ND	98	15	68	not calc
134.0	135.0	ND	ND	88	17	54	not calc
135.0	136.0	ND	ND	67	15	53	not calc
136.0	137.0	ND	ND	76	14	50	not calc
137.0	138.0	ND	ND	82	8	48	not calc
138.0	139.0	ND	ND	64	12	58	not calc
139.0	140.0	ND	ND	76	12	59	not calc
140.0	141.0	ND	ND	78	11	66	not calc
141.0	142.0	ND	ND	66	ND	55	not calc
142.0	143.0	ND	ND	77	9	71	not calc
143.0	144.0	ND	ND	84	10	65	not calc
144.0	145.0	ND	ND	72	7	68	not calc
145.0	146.0	ND	ND	72	12	63	not calc
146.0	147.0	ND	ND	72	17	53	not calc
147.0	148.0	ND	ND	77	13	52	not calc
148.0	149.0	ND	ND	87	14	55	not calc
149.0	150.0	ND	ND	83	14	51	not calc
150.0	151.0	ND	ND	55	13	55	not calc
151.0	152.0	ND	ND	56	10	47	not calc
152.0	153.0	ND	ND	71	9	50	not calc
153.0	154.0	ND	ND	71	12	59	not calc
154.0	155.0	ND	ND	62	9	50	not calc
155.0	156.0	ND	ND	59	14	43	not calc
156.0	157.0	ND	ND	64	10	52	not calc
157.0	158.0	ND	ND	71	12	48	not calc
158.0	159.0	ND	ND	64	13	46	not calc
159.0	160.0	ND	ND	53	7	41	not calc
160.0	161.0	ND	ND	75	10	40	not calc
161.0	162.0	ND	12	75	142	346	575
162.0	163.0	ND	ND	71	17	66	not calc
163.0	164.0	ND	ND	64	12	59	not calc
164.0	165.0	ND	ND	58	17	121	not calc
165.0	166.0	ND	ND	55	12	45	not calc
166.0	167.0	ND	ND	68	41	57	not calc
167.0	168.0	ND	ND	62	11	45	not calc
168.0	169.0	ND	ND	59	9	57	not calc
169.0	170.0	ND	ND	69	11	42	not calc
170.0	171.0	ND	ND	62	9	45	not calc
171.0	172.0	ND	ND	66	9	44	not calc
172.0	173.0	ND	ND	55	11	38	not calc
173.0	174.0	ND	ND	62	10	38	not calc
174.0	175.0	ND	ND	60	9	42	not calc
175.0	176.0	ND	ND	78	8	56	not calc
176.0	177.0	ND	ND	75	7	47	not calc
177.0	178.0	ND	ND	80	9	54	not calc
178.0	179.0	ND	ND	63	7	47	not calc
179.0	180.0	ND	ND	65	10	42	not calc
180.0	181.0	ND	ND	68	25	91	not calc
181.0	182.0	ND	ND	71	9	44	not calc
182.0	183.0	ND	ND	80	326	385	not calc
183.0	184.0	ND	ND	66	37	80	not calc
184.0	185.0	ND	ND	70	19	45	not calc
185.0	186.0	ND	ND	64	19	51	not calc
186.0	187.0	ND	ND	84	14	61	not calc
187.0	188.0	ND	ND	73	16	50	not calc
188.0	189.0	ND	ND	61	ND	44	not calc
189.0	190.0	ND	ND	68	11	52	not calc
190.0	191.0	ND	ND	81	77	40	not calc
191.0	192.0	ND	ND	66	26	49	not calc
192.0	193.0	ND	ND	120	175	289	not calc
193.0	194.0	ND	ND	71	15	71	not calc
194.0	195.0	ND	ND	80	159	143	not calc
195.0	196.0	ND	ND	80	45	145	not calc
196.0	197.0	ND	ND	76	14	86	not calc
197.0	198.0	ND	ND	79	9	66	not calc
198.0	199.0	ND	ND	89	23	104	not calc
199.0	200.0	ND	ND	71	8	63	not calc
200.0	201.0	ND	ND	76	47	77	not calc
201.0	202.0	ND	ND	61	11	44	not calc
202.0	203.0	ND	ND	66	15	47	not calc
203.0	204.0	ND	ND	65	28	60	not calc
204.0	205.0	ND	7	63	50	153	273

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC014 continued							
205.0	206.0	ND	ND	73	109	105	not calc
206.0	207.0	ND	ND	155	531	3245	not calc
207.0	208.0	ND	ND	62	245	319	not calc
208.0	209.0	ND	ND	72	517	810	not calc
209.0	210.0	ND	ND	76	46	108	not calc
210.0	211.0	ND	ND	54	76	158	not calc
211.0	212.0	ND	ND	82	141	115	not calc
212.0	213.0	ND	ND	102	438	987	not calc
213.0	214.0	ND	ND	206	2672	9080	not calc
214.0	215.0	ND	ND	75	263	326	not calc
215.0	216.0	ND	ND	121	760	1350	not calc
216.0	217.0	ND	ND	82	410	235	not calc
217.0	218.0	ND	ND	95	54	636	not calc
218.0	219.0	ND	ND	119	1991	1754	not calc
219.0	220.0	ND	ND	108	739	1485	not calc
220.0	221.0	ND	ND	98	2247	2021	not calc
221.0	222.0	ND	ND	75	597	837	not calc
222.0	223.0	ND	ND	99	395	233	not calc
223.0	224.0	ND	ND	79	130	130	not calc
224.0	225.0	ND	ND	83	113	185	not calc
225.0	226.0	ND	ND	143	3525	1240	not calc
226.0	227.0	ND	ND	110	1867	527	not calc
227.0	228.0	ND	ND	141	2002	1279	not calc
228.0	229.0	ND	ND	142	952	897	not calc
229.0	230.0	ND	ND	76	352	449	not calc
230.0	231.0	ND	ND	85	302	342	not calc
231.0	232.0	ND	ND	73	178	210	not calc
232.0	233.0	ND	ND	74	206	231	not calc
233.0	234.0	ND	ND	123	1241	2418	not calc
234.0	235.0	ND	ND	60	116	157	not calc
235.0	236.0	ND	ND	79	372	1373	not calc
236.0	237.0	ND	ND	106	192	1779	not calc
237.0	238.0	ND	44	130	1069	2190	3433
238.0	239.0	ND	191	267	3317	1644	5419
239.0	240.0	ND	ND	130	1464	1218	not calc
240.0	241.0	ND	ND	102	353	553	not calc
241.0	242.0	ND	ND	84	476	1054	not calc
242.0	243.0	ND	120	88	801	1161	2170
243.0	244.0	ND	ND	51	369	187	not calc
244.0	245.0	ND	ND	121	297	520	not calc
245.0	246.0	ND	ND	86	146	144	not calc
246.0	247.0	ND	ND	67	32	68	not calc
247.0	248.0	ND	ND	65	158	57	not calc
248.0	249.0	ND	ND	56	58	65	not calc
249.0	250.0	ND	13	60	35	225	333
250.0	251.0	ND	ND	60	28	152	not calc
251.0	252.0	ND	ND	80	77	438	not calc
26NGRC015							
0.0	1.0	ND	32	88	66	332	518
1.0	2.0	ND	29	123	63	134	349
2.0	3.0	ND	12	108	32	99	251
3.0	4.0	ND	ND	120	25	106	not calc
4.0	5.0	ND	10	174	29	107	320
5.0	6.0	ND	ND	111	29	118	not calc
6.0	7.0	ND	ND	111	31	154	not calc
7.0	8.0	ND	ND	130	23	134	not calc
8.0	9.0	ND	ND	79	15	114	not calc
9.0	10.0	ND	7	231	22	122	382
10.0	11.0	ND	ND	108	28	125	not calc
11.0	12.0	ND	ND	118	30	108	not calc
12.0	13.0	ND	ND	86	20	109	not calc
13.0	14.0	ND	7	179	18	98	302
14.0	15.0	ND	8	156	18	114	296
15.0	16.0	ND	ND	185	38	161	not calc
16.0	17.0	ND	ND	123	23	121	not calc
17.0	18.0	ND	ND	119	17	111	not calc
18.0	19.0	ND	15	112	42	139	308
19.0	20.0	ND	ND	151	26	285	not calc
20.0	21.0	ND	ND	149	17	129	not calc
21.0	22.0	ND	ND	131	16	93	not calc
22.0	23.0	ND	ND	114	62	189	not calc
23.0	24.0	ND	6	131	23	122	282
24.0	25.0	ND	ND	93	22	112	not calc
25.0	26.0	ND	ND	104	19	108	not calc
26.0	27.0	ND	ND	88	21	125	not calc
27.0	28.0	ND	ND	91	17	99	not calc
28.0	29.0	ND	ND	159	26	101	not calc
29.0	30.0	ND	ND	101	22	98	not calc
30.0	31.0	ND	ND	76	13	95	not calc
31.0	32.0	ND	ND	97	16	106	not calc
32.0	33.0	ND	ND	98	21	99	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC013 continued							
179.0	180.0	ND	ND	84	37	71	not calc
180.0	181.0	ND	ND	72	23	84	not calc
181.0	182.0	ND	ND	71	76	56	not calc
182.0	183.0	ND	ND	76	64	72	not calc
183.0	184.0	ND	ND	80	206	396	not calc
184.0	185.0	ND	ND	73	155	144	not calc
185.0	186.0	ND	42	67	217	269	595
186.0	187.0	ND	ND	163	1391	986	not calc
187.0	188.0	ND	37	84	186	278	585
188.0	189.0	ND	21	81	241	458	801
189.0	190.0	ND	82	196	3810	7743	11831
190.0	191.0	ND	ND	235	4068	9008	not calc
191.0	192.0	ND	ND	440	4159	18119	not calc
192.0	193.0	ND	71	240	5175	5795	11281
193.0	194.0	ND	53	178	1867	1480	3578
194.0	195.0	ND	171	331	3662	2541	6705
195.0	196.0	ND	312	660	11061	6211	18244
196.0	197.0	ND	ND	150	1523	1019	not calc
197.0	198.0	ND	ND	129	1555	1056	not calc
198.0	199.0	ND	ND	134	722	549	not calc
199.0	200.0	ND	30	141	1314	1969	3454
200.0	201.0	ND	42	114	1110	1145	2411
201.0	202.0	ND	ND	113	400	804	not calc
202.0	203.0	ND	ND	96	397	601	not calc
203.0	204.0	ND	ND	202	1278	719	not calc
204.0	205.0	ND	28	112	497	806	1443
205.0	206.0	ND	13	78	190	221	502
206.0	207.0	ND	8	67	54	115	244
207.0	208.0	ND	ND	78	20	68	not calc
208.0	209.0	ND	ND	83	15	55	not calc
209.0	210.0	ND	ND	73	15	70	not calc
210.0	211.0	ND	ND	67	68	142	not calc
211.0	212.0	ND	10	63	50	101	224
212.0	213.0	ND	ND	72	50	127	not calc
213.0	214.0	ND	ND	64	17	53	not calc
214.0	215.0	ND	ND	77	14	60	not calc
215.0	216.0	ND	ND	58	16	42	not calc
26NGRC014							
0.0	1.0	ND	12	120	31	48	211
1.0	2.0	ND	6	83	26	53	168
2.0	3.0	ND	10	133	19	50	212
3.0	4.0	ND	6	85	22	60	173
4.0	5.0	ND	6	83	15	48	152
5.0	6.0	ND	10	160	22	57	249
6.0	7.0	ND	11	94	21	167	293
7.0	8.0	ND	8	174	23	90	295
8.0	9.0	ND	48	64	14	44	170
9.0	10.0	ND	57	78	16	58	209
10.0	11.0	ND	ND	90	329	564	not calc
11.0	12.0	ND	ND	67	354	158	not calc
12.0	13.0	ND	ND	70	57	89	not calc
13.0	14.0	ND	ND	65	38	91	not calc
14.0	15.0	ND	ND	64	42	51	not calc
15.0	16.0	ND	ND	57	38	95	not calc
16.0	17.0	ND	ND	75	19	89	not calc
17.0	18.0	ND	17	49	184	152	402
18.0	19.0	ND	ND	99	2059	629	not calc
19.0	20.0	ND	24	72	115	129	340
20.0	21.0	ND	259	86	26	78	449
21.0	22.0	ND	10	61	15	60	146
22.0	23.0	ND	40	61	14	87	202
23.0	24.0	ND	76	62	16	64	218
24.0	25.0	ND	ND	161	265	3455	not calc
25.0	26.0	ND	ND	74	157	228	not calc
26.0	27.0	ND	ND	66	21	84	not calc
27.0	28.0	ND	ND	58	29	84	not calc
28.0	29.0	ND	ND	76	116	88	not calc
29.0	30.0	ND	ND	56	61	166	not calc
30.0	31.0	ND	25	92	368	1259	1744
31.0	32.0	ND	ND	65	170	337	not calc
32.0	33.0	ND	ND	65	47	137	not calc
33.0	34.0	ND	ND	84	65	124	not calc
34.0	35.0	ND	ND	84	182	354	not calc
35.0	36.0	ND	ND	82	122	302	not calc
36.0	37.0	ND	ND	56	39	171	not calc
37.0	38.0	ND	ND	80	188	421	not calc
38.0	39.0	ND	ND	67	27	78	not calc
39.0	40.0	ND	ND	78	23	65	not calc
40.0	41.0	ND	ND	86	22	59	not calc
41.0	42.0	ND	ND	62	20	95	not calc
42.0	43.0	ND	13	66	106	97	282

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC014 continued							
43.0	44.0	ND	ND	79	278	524	not calc
44.0	45.0	ND	17	118	163	113	411
45.0	46.0	ND	8	85	23	56	172
46.0	47.0	ND	191	487	4874	11928	17480
47.0	48.0	ND	24	120	685	1663	2492
48.0	49.0	ND	ND	64	99	277	not calc
49.0	50.0	ND	ND	73	42	108	not calc
50.0	51.0	ND	ND	73	299	138	not calc
51.0	52.0	ND	ND	55	89	67	not calc
52.0	53.0	ND	ND	64	19	53	not calc
53.0	54.0	ND	15	92	237	106	450
54.0	55.0	ND	ND	72	62	230	not calc
55.0	56.0	ND	ND	63	355	302	not calc
56.0	57.0	ND	ND	217	1528	1921	not calc
57.0	58.0	ND	ND	182	1940	2794	not calc
58.0	59.0	ND	ND	203	1770	3436	not calc
59.0	60.0	ND	ND	157	1362	3809	not calc
60.0	61.0	ND	ND	76	697	1043	not calc
61.0	62.0	ND	ND	71	353	432	not calc
62.0	63.0	ND	ND	74	171	415	not calc
63.0	64.0	ND	ND	81	377	278	not calc
64.0	65.0	ND	ND	62	231	357	not calc
65.0	66.0	ND	15	90	188	2236	2529
66.0	67.0	ND	ND	80	163	231	not calc
67.0	68.0	ND	ND	60	60	110	not calc
68.0	69.0	ND	ND	70	70	104	not calc
69.0	70.0	ND	ND	94	239	999	not calc
70.0	71.0	ND	ND	76	143	403	not calc
71.0	72.0	ND	ND	77	85	134	not calc
72.0	73.0	ND	ND	74	92	112	not calc
73.0	74.0	ND	ND	60	129	252	not calc
74.0	75.0	ND	192	223	3089	4259	7763
75.0	76.0	ND	ND	139	1576	1721	not calc
76.0	77.0	ND	ND	76	320	634	not calc
77.0	78.0	ND	ND	85	210	379	not calc
78.0	79.0	ND	31	186	691	2537	3445
79.0	80.0	ND	30	66	118	258	472
80.0	81.0	20	3470	196	5800	21951	31417
81.0	82.0	ND	33	67	151	548	799
82.0	83.0	ND	273	117	800	894	2084
83.0	84.0	ND	122	93	384	498	1097
84.0	85.0	ND	66	94	339	869	1368
85.0	86.0	ND	600	868	10537	28701	40706
86.0	87.0	ND	552	256	2583	2190	5581
87.0	88.0	ND	27	78	212	350	667
88.0	89.0	ND	14	65	218	413	710
89.0	90.0	ND	ND	93	360	705	not calc
90.0	91.0	ND	54	82	242	482	860
91.0	92.0	ND	25	68	249	668	1010
92.0	93.0	ND	23	121	368	1571	2083
93.0	94.0	ND	51	117	827	1846	2841
94.0	95.0	ND	39	106	866	1650	2661
95.0	96.0	ND	ND	83	969	1493	not calc
96.0	97.0	ND	38	86	555	1209	1888
97.0	98.0	ND	ND	93	685	1129	not calc
98.0	99.0	ND	ND	179	3619	1405	not calc
99.0	100.0	ND	ND	103	499	300	not calc
100.0	101.0	ND	ND	74	228	303	not calc
101.0	102.0	ND	ND	58	74	65	not calc
102.0	103.0	ND	43	87	649	1848	2627
103.0	104.0	ND	ND	270	929	863	not calc
104.0	105.0	ND	ND	73	92	118	not calc
105.0	106.0	ND	ND	65	51	92	not calc
106.0	107.0	ND	ND	81	54	893	not calc
107.0	108.0	ND	ND	67	30	340	not calc
108.0	109.0	ND	ND	59	30	151	not calc
109.0	110.0	ND	ND	66	39	91	not calc
110.0	111.0	ND	ND	72	35	79	not calc
111.0	112.0	ND	ND	61	22	72	not calc
112.0	113.0	ND	ND	82	19	80	not calc
113.0	114.0	ND	ND	72	30	64	not calc
114.0	115.0	ND	ND	77	24	76	not calc
115.0	116.0	ND	ND	81	94	622	not calc
116.0	117.0	ND	ND	76	30	151	not calc
117.0	118.0	ND	ND	68	17	60	not calc
118.0	119.0	ND	ND	59	15	52	not calc
119.0	120.0	ND	ND	83	15	55	not calc
120.0	121.0	ND	ND	68	48	76	not calc
121.0	122.0	ND	ND	103	17	79	not calc
122.0	123.0	ND	ND	77	19	46	not calc
123.0	124.0	ND	ND	66	16	43	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC013 continued							
17.0	18.0	ND	15	95	182	213	505
18.0	19.0	ND	ND	237	5690	4604	not calc
19.0	20.0	ND	27	94	380	507	1008
20.0	21.0	ND	ND	90	756	400	not calc
21.0	22.0	ND	ND	107	340	1327	not calc
22.0	23.0	ND	ND	71	143	164	not calc
23.0	24.0	ND	ND	67	116	148	not calc
24.0	25.0	ND	ND	74	86	138	not calc
25.0	26.0	ND	ND	84	122	132	not calc
26.0	27.0	ND	ND	74	75	165	not calc
27.0	28.0	ND	ND	67	35	113	not calc
28.0	29.0	ND	ND	83	17	69	not calc
29.0	30.0	ND	ND	73	18	75	not calc
30.0	31.0	ND	ND	65	19	122	not calc
31.0	32.0	ND	ND	78	255	251	not calc
32.0	33.0	ND	ND	68	91	111	not calc
33.0	34.0	ND	ND	234	5569	3355	not calc
34.0	35.0	ND	ND	77	328	285	not calc
35.0	36.0	ND	ND	76	88	91	not calc
36.0	37.0	ND	ND	76	87	223	not calc
37.0	38.0	ND	28	305	883	2012	3228
38.0	39.0	ND	ND	71	29	85	not calc
39.0	40.0	ND	ND	70	43	87	not calc
40.0	41.0	ND	19	91	263	677	1050
41.0	42.0	ND	ND	107	658	608	not calc
42.0	43.0	ND	ND	72	34	99	not calc
43.0	44.0	ND	ND	64	17	59	not calc
44.0	45.0	ND	ND	57	21	59	not calc
45.0	46.0	ND	ND	60	30	55	not calc
46.0	47.0	ND	ND	66	22	64	not calc
47.0	48.0	ND	ND	66	20	58	not calc
48.0	49.0	ND	ND	71	16	87	not calc
49.0	50.0	ND	ND	339	17005	24162	not calc
50.0	51.0	ND	28	84	768	958	1838
51.0	52.0	ND	ND	72	199	274	not calc
52.0	53.0	ND	ND	988	3047	5432	not calc
53.0	54.0	ND	ND	83	259	402	not calc
54.0	55.0	ND	ND	71	256	491	not calc
55.0	56.0	ND	ND	52	74	143	not calc
56.0	57.0	ND	ND	70	117	388	not calc
57.0	58.0	ND	ND	172	5472	11947	not calc
58.0	59.0	ND	ND	66	109	201	not calc
59.0	60.0	ND	ND	77	295	569	not calc
60.0	61.0	ND	9	70	59	175	313
61.0	62.0	ND	ND	53	198	184	not calc
62.0	63.0	ND	ND	70	113	268	not calc
63.0	64.0	ND	46	93	852	3395	4386
64.0	65.0	ND	10	55	103	302	470
65.0	66.0	ND	ND	157	1383	325	not calc
66.0	67.0	ND	ND	88	261	929	not calc
67.0	68.0	ND	ND	53	66	133	not calc
68.0	69.0	ND	ND	58	33	86	not calc
69.0	70.0	ND	ND	68	35	77	not calc
70.0	71.0	ND	9	73	25	72	179
71.0	72.0	ND	ND	79	20	82	not calc
72.0	73.0	ND	ND	73	41	83	not calc
73.0	74.0	ND	5	63	15	59	142
74.0	75.0	ND	ND	76	24	78	not calc
75.0	76.0	ND	ND	62	31	125	not calc
76.0	77.0	ND	ND	91	344	60	not calc
77.0	78.0	ND	ND	71	44	120	not calc
78.0	79.0	ND	ND	62	40	148	not calc
79.0	80.0	ND	ND	69	50	149	not calc
80.0	81.0	ND	ND	81	63	181	not calc
81.0	82.0	ND	ND	109	59	196	not calc
82.0	83.0	ND	ND	66	53	167	not calc
83.0	84.0	ND	ND	62	61	131	not calc
84.0	85.0	ND	ND	85	222	370	not calc
85.0	86.0	ND	ND	57	164	137	not calc
86.0	87.0	ND	ND	73	282	628	not calc
87.0	88.0	ND	ND	70	62	142	not calc
88.0	89.0	ND	ND	104	1555	1990	not calc
89.0	90.0	ND	ND	59	121	272	not calc
90.0	91.0	ND	ND	80	201	588	not calc
91.0	92.0	ND	ND	68	100	235	not calc
92.0	93.0	ND	ND	59	51	179	not calc
93.0	94.0	ND	ND	80	31	96	not calc
94.0	95.0	ND	ND	69	24	81	not calc
95.0	96.0	ND	ND	68	47	132	not calc
96.0	97.0	ND	ND	60	20	107	not calc
97.0	98.0	ND	ND	73	14	69	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC013 continued							
98.0	99.0	ND	ND	63	11	61	not calc
99.0	100.0	ND	ND	62	13	57	not calc
100.0	101.0	ND	ND	71	9	46	not calc
101.0	102.0	ND	ND	87	12	56	not calc
102.0	103.0	ND	ND	67	153	192	not calc
103.0	104.0	ND	ND	75	11	62	not calc
104.0	105.0	ND	ND	78	7	63	not calc
105.0	106.0	ND	ND	77	14	63	not calc
106.0	107.0	ND	ND	70	13	66	not calc
107.0	108.0	ND	ND	74	10	76	not calc
108.0	109.0	ND	ND	78	66	164	not calc
109.0	110.0	ND	ND	96	51	82	not calc
110.0	111.0	ND	ND	99	9	64	not calc
111.0	112.0	ND	ND	101	166	109	not calc
112.0	113.0	ND	ND	94	108	67	not calc
113.0	114.0	ND	ND	86	121	164	not calc
114.0	115.0	ND	ND	108	82	86	not calc
115.0	116.0	ND	ND	104	35	51	not calc
116.0	117.0	ND	ND	109	46	164	not calc
117.0	118.0	ND	ND	112	32	97	not calc
118.0	119.0	ND	ND	98	18	63	not calc
119.0	120.0	ND	ND	100	13	55	not calc
120.0	121.0	ND	ND	95	36	148	not calc
121.0	122.0	ND	ND	127	44	57	not calc
122.0	123.0	ND	ND	91	159	60	not calc
123.0	124.0	ND	ND	103	87	51	not calc
124.0	125.0	ND	ND	76	14	51	not calc
125.0	126.0	ND	ND	93	57	67	not calc
126.0	127.0	ND	ND	84	115	108	not calc
127.0	128.0	ND	ND	96	14	53	not calc
128.0	129.0	ND	ND	78	14	43	not calc
129.0	130.0	ND	ND	82	34	89	not calc
130.0	131.0	ND	ND	96	24	68	not calc
131.0	132.0	ND	ND	92	41	46	not calc
132.0	133.0	ND	ND	85	18	50	not calc
133.0	134.0	ND	ND	61	134	35	not calc
134.0	135.0	ND	ND	78	25	41	not calc
135.0	136.0	ND	ND	72	20	45	not calc
136.0	137.0	ND	ND	82	18	46	not calc
137.0	138.0	ND	ND	79	16	43	not calc
138.0	139.0	ND	7	74	43	213	337
139.0	140.0	ND	ND	78	20	49	not calc
140.0	141.0	ND	ND	126	37	55	not calc
141.0	142.0	ND	ND	87	16	49	not calc
142.0	143.0	ND	ND	64	15	50	not calc
143.0	144.0	ND	ND	65	18	47	not calc
144.0	145.0	ND	21	77	297	118	513
145.0	146.0	ND	ND	90	39	57	not calc
146.0	147.0	ND	ND	77	23	51	not calc
147.0	148.0	ND	ND	72	72	65	not calc
148.0	149.0	ND	ND	72	34	48	not calc
149.0	150.0	ND	ND	82	147	49	not calc
150.0	151.0	ND	ND	80	29	53	not calc
151.0	152.0	ND	ND	81	18	39	not calc
152.0	153.0	ND	ND	80	34	54	not calc
153.0	154.0	ND	ND	81	13	40	not calc
154.0	155.0	ND	ND	264	1883	2162	not calc
155.0	156.0	ND	ND	89	180	175	not calc
156.0	157.0	ND	ND	117	269	824	not calc
157.0	158.0	ND	ND	74	56	85	not calc
158.0	159.0	ND	ND	95	483	115	not calc
159.0	160.0	ND	ND	88	80	78	not calc
160.0	161.0	ND	ND	96	507	197	not calc
161.0	162.0	ND	ND	85	68	85	not calc
162.0	163.0	ND	ND	79	49	171	not calc
163.0	164.0	ND	ND	70	35	79	not calc
164.0	165.0	ND	ND	65	32	56	not calc
165.0	166.0	ND	ND	89	16	62	not calc
166.0	167.0	ND	ND	146	1815	432	not calc
167.0	168.0	ND	ND	117	4477	240	not calc
168.0	169.0	ND	ND	85	95	264	not calc
169.0	170.0	ND	ND	82	87	132	not calc
170.0	171.0	ND	ND	72	122	114	not calc
171.0	172.0	ND	ND	64	29	56	not calc
172.0	173.0	ND	ND	74	49	89	not calc
173.0	174.0	ND	ND	85	49	111	not calc
174.0	175.0	ND	ND	98	25	202	not calc
175.0	176.0	ND	ND	82	21	60	not calc
176.0	177.0	ND	ND	62	19	40	not calc
177.0	178.0	ND	ND	63	16	49	not calc
178.0	179.0	ND	ND	57	20	52	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC012 continued							
84.0	85.0	ND	128	233	2900	7512	10773
85.0	86.0	ND	32	88	242	785	1147
86.0	87.0	ND	17	87	213	446	763
87.0	88.0	ND	ND	104	255	693	not calc
88.0	89.0	ND	ND	83	39	110	not calc
89.0	90.0	ND	ND	76	78	102	not calc
90.0	91.0	ND	ND	83	45	138	not calc
91.0	92.0	ND	ND	71	24	101	not calc
92.0	93.0	ND	ND	71	56	99	not calc
93.0	94.0	ND	ND	60	26	53	not calc
94.0	95.0	ND	ND	76	95	254	not calc
95.0	96.0	ND	ND	81	503	1016	not calc
96.0	97.0	ND	ND	136	2489	2857	not calc
97.0	98.0	ND	ND	95	365	920	not calc
98.0	99.0	ND	ND	121	130	2999	not calc
99.0	100.0	ND	ND	75	191	359	not calc
100.0	101.0	ND	ND	71	256	356	not calc
101.0	102.0	ND	ND	63	157	330	not calc
102.0	103.0	ND	ND	87	1078	2972	not calc
103.0	104.0	ND	ND	64	252	145	not calc
104.0	105.0	ND	ND	79	217	172	not calc
105.0	106.0	ND	ND	65	74	96	not calc
106.0	107.0	ND	ND	168	1124	2539	not calc
107.0	108.0	ND	ND	71	93	150	not calc
108.0	109.0	ND	ND	123	204	1353	not calc
109.0	110.0	ND	ND	89	269	408	not calc
110.0	111.0	ND	ND	78	242	303	not calc
111.0	112.0	ND	ND	85	177	323	not calc
112.0	113.0	ND	ND	75	73	139	not calc
113.0	114.0	ND	11	62	79	162	314
114.0	115.0	ND	ND	70	285	172	not calc
115.0	116.0	ND	ND	72	58	474	not calc
116.0	117.0	ND	ND	85	28	79	not calc
117.0	118.0	ND	ND	78	24	59	not calc
118.0	119.0	ND	9	72	36	59	176
119.0	120.0	ND	ND	68	26	45	not calc
120.0	121.0	ND	5	55	19	78	157
121.0	122.0	ND	ND	81	26	64	not calc
122.0	123.0	ND	ND	113	104	109	not calc
123.0	124.0	ND	ND	96	181	167	not calc
124.0	125.0	ND	ND	75	125	221	not calc
125.0	126.0	ND	ND	75	26	70	not calc
126.0	127.0	ND	ND	63	23	78	not calc
127.0	128.0	ND	ND	153	13	46	not calc
128.0	129.0	ND	ND	69	47	98	not calc
129.0	130.0	ND	ND	66	12	43	not calc
130.0	131.0	ND	ND	54	345	195	not calc
131.0	132.0	ND	ND	58	14	43	not calc
132.0	133.0	ND	ND	71	19	53	not calc
133.0	134.0	ND	ND	56	14	49	not calc
134.0	135.0	ND	ND	63	14	49	not calc
135.0	136.0	ND	ND	75	14	49	not calc
136.0	137.0	ND	ND	76	108	42	not calc
137.0	138.0	ND	ND	80	17	34	not calc
138.0	139.0	ND	ND	52	15	67	not calc
139.0	140.0	ND	ND	64	12	50	not calc
140.0	141.0	ND	ND	63	9	60	not calc
141.0	142.0	ND	ND	76	9	35	not calc
142.0	143.0	ND	ND	56	17	53	not calc
143.0	144.0	ND	ND	64	108	43	not calc
144.0	145.0	ND	ND	67	20	93	not calc
145.0	146.0	ND	ND	82	72	166	not calc
146.0	147.0	ND	ND	67	15	56	not calc
147.0	148.0	ND	ND	56	13	53	not calc
148.0	149.0	ND	ND	68	12	44	not calc
149.0	150.0	ND	6	57	7	61	131
150.0	151.0	ND	7	72	24	110	213
151.0	152.0	ND	ND	53	24	113	not calc
152.0	153.0	ND	ND	58	25	59	not calc
153.0	154.0	ND	ND	59	31	70	not calc
154.0	155.0	ND	ND	54	26	88	not calc
155.0	156.0	ND	ND	68	14	100	not calc
156.0	157.0	ND	ND	85	1131	1611	not calc
157.0	158.0	ND	ND	53	99	128	not calc
158.0	159.0	ND	ND	49	13	62	not calc
159.0	160.0	ND	ND	58	39	75	not calc
160.0	161.0	ND	ND	62	8	65	not calc
161.0	162.0	ND	6	53	11	72	142
162.0	163.0	ND	ND	63	12	108	not calc
163.0	164.0	ND	ND	57	30	78	not calc
164.0	165.0	ND	ND	69	26	89	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC012 continued							
165.0	166.0	ND	ND	68	30	66	not calc
166.0	167.0	ND	ND	77	135	321	not calc
167.0	168.0	ND	ND	70	28	69	not calc
168.0	169.0	ND	ND	61	12	69	not calc
169.0	170.0	ND	ND	54	27	83	not calc
170.0	171.0	ND	ND	60	37	213	not calc
171.0	172.0	ND	ND	99	20	68	not calc
172.0	173.0	ND	ND	57	12	56	not calc
173.0	174.0	ND	ND	73	14	53	not calc
174.0	175.0	ND	ND	59	287	59	not calc
175.0	176.0	ND	ND	72	25	71	not calc
176.0	177.0	ND	ND	69	44	59	not calc
177.0	178.0	ND	ND	79	20	177	not calc
178.0	179.0	ND	ND	65	15	247	not calc
179.0	180.0	ND	ND	83	44	153	not calc
180.0	181.0	ND	ND	64	48	322	not calc
181.0	182.0	ND	7	75	50	245	377
182.0	183.0	ND	ND	69	37	134	not calc
183.0	184.0	ND	ND	72	11	76	not calc
184.0	185.0	ND	ND	74	18	135	not calc
185.0	186.0	ND	ND	67	39	560	not calc
186.0	187.0	ND	ND	68	33	199	not calc
187.0	188.0	ND	ND	103	171	1295	not calc
188.0	189.0	ND	ND	69	20	121	not calc
189.0	190.0	ND	ND	64	38	176	not calc
190.0	191.0	ND	6	67	17	197	287
191.0	192.0	ND	ND	54	20	82	not calc
192.0	193.0	ND	ND	71	30	303	not calc
193.0	194.0	ND	ND	66	61	276	not calc
194.0	195.0	ND	ND	69	62	536	not calc
195.0	196.0	ND	9	74	110	147	340
196.0	197.0	ND	ND	63	34	72	not calc
197.0	198.0	ND	ND	77	135	288	not calc
198.0	199.0	ND	ND	76	104	514	not calc
199.0	200.0	ND	ND	61	16	106	not calc
200.0	201.0	ND	ND	42	11	52	not calc
201.0	202.0	ND	ND	47	13	61	not calc
202.0	203.0	ND	ND	45	8	57	not calc
203.0	204.0	ND	ND	66	77	85	not calc
204.0	205.0	ND	ND	47	294	132	not calc
205.0	206.0	ND	ND	38	20	71	not calc
206.0	207.0	ND	ND	56	106	214	not calc
207.0	208.0	ND	ND	51	22	68	not calc
208.0	209.0	ND	ND	50	15	59	not calc
209.0	210.0	ND	ND	51	12	80	not calc
210.0	211.0	ND	ND	59	85	184	not calc
211.0	212.0	ND	ND	59	16	65	not calc
212.0	213.0	ND	ND	65	23	61	not calc
213.0	214.0	ND	ND	63	10	55	not calc
214.0	215.0	ND	ND	59	85	26	not calc
215.0	216.0	ND	ND	69	27	73	not calc
216.0	217.0	ND	ND	63	11	93	not calc
217.0	218.0	ND	ND	71	13	75	not calc
218.0	219.0	ND	ND	73	26	362	not calc
219.0	220.0	ND	ND	70	81	224	not calc
220.0	221.0	ND	ND	71	128	176	not calc
221.0	222.0	ND	ND	80	546	940	not calc
222.0	223.0	ND	ND	69	54	170	not calc
223.0	224.0	ND	ND	74	47	129	not calc
224.0	225.0	ND	ND	80	151	1161	not calc
225.0	226.0	ND	ND	67	245	1351	not calc
226.0	227.0	ND	ND	58	61	399	not calc
227.0	228.0	ND	ND	51	23	171	not calc
26NGRC013							
0.0	1.0	ND	ND	63	98	286	not calc
1.0	2.0	ND	ND	67	106	328	not calc
2.0	3.0	ND	13	71	139	349	572
3.0	4.0	ND	ND	72	134	187	not calc
4.0	5.0	ND	ND	82	236	468	not calc
5.0	6.0	ND	ND	64	91	138	not calc
6.0	7.0	ND	ND	79	202	261	not calc
7.0	8.0	ND	ND	87	145	336	not calc
8.0	9.0	ND	ND	61	22	93	not calc
9.0	10.0	ND	ND	78	44	80	not calc
10.0	11.0	ND	ND	58	39	73	not calc
11.0	12.0	ND	ND	68	39	81	not calc
12.0	13.0	ND	ND	82	23	86	not calc
13.0	14.0	ND	ND	69	13	66	not calc
14.0	15.0	ND	ND	85	62	239	not calc
15.0	16.0	ND	ND	115	457	2454	not calc
16.0	17.0	ND	ND	191	1278	309	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC011 continued							
145.0	146.0	ND	ND	66	140	141	not calc
146.0	147.0	ND	ND	90	50	158	not calc
147.0	148.0	ND	ND	75	38	208	not calc
148.0	149.0	ND	ND	94	62	116	not calc
149.0	150.0	ND	ND	60	87	148	not calc
150.0	151.0	ND	ND	74	577	460	not calc
151.0	152.0	ND	ND	76	776	116	not calc
152.0	153.0	ND	ND	59	54	123	not calc
153.0	154.0	ND	ND	76	58	523	not calc
154.0	155.0	ND	ND	151	24	99	not calc
155.0	156.0	ND	ND	56	44	69	not calc
156.0	157.0	ND	ND	62	35	136	not calc
157.0	158.0	ND	ND	57	26	64	not calc
158.0	159.0	ND	ND	50	17	63	not calc
159.0	160.0	ND	ND	103	20	61	not calc
160.0	161.0	ND	ND	68	17	134	not calc
161.0	162.0	ND	ND	67	13	62	not calc
162.0	163.0	ND	ND	65	39	155	not calc
163.0	164.0	ND	ND	136	27	140	not calc
164.0	165.0	ND	ND	143	7	89	not calc
165.0	166.0	ND	ND	85	69	381	not calc
166.0	167.0	ND	ND	59	63	431	not calc
167.0	168.0	ND	ND	64	12	105	not calc
168.0	169.0	ND	ND	75	17	150	not calc
169.0	170.0	ND	ND	69	9	58	not calc
170.0	171.0	ND	ND	61	6	63	not calc
171.0	172.0	ND	ND	66	10	129	not calc
172.0	173.0	ND	ND	71	11	57	not calc
173.0	174.0	ND	ND	64	42	67	not calc
174.0	175.0	ND	ND	65	18	68	not calc
175.0	176.0	ND	ND	73	10	64	not calc
176.0	177.0	ND	ND	65	24	97	not calc
177.0	178.0	ND	36	180	173	792	1181
178.0	179.0	ND	ND	142	860	633	not calc
179.0	180.0	ND	ND	86	183	166	not calc
180.0	181.0	ND	ND	293	2427	1334	not calc
181.0	182.0	ND	ND	124	250	224	not calc
182.0	183.0	ND	ND	66	28	61	not calc
183.0	184.0	ND	ND	61	12	58	not calc
184.0	185.0	ND	ND	72	10	67	not calc
185.0	186.0	ND	ND	61	15	60	not calc
186.0	187.0	ND	ND	64	17	116	not calc
187.0	188.0	ND	ND	62	15	69	not calc
188.0	189.0	ND	ND	64	15	81	not calc
189.0	190.0	ND	ND	61	42	62	not calc
190.0	191.0	ND	ND	62	24	95	not calc
191.0	192.0	ND	ND	137	13	84	not calc
192.0	193.0	ND	8	70	9	62	149
193.0	194.0	ND	ND	50	11	76	not calc
194.0	195.0	ND	ND	52	31	57	not calc
195.0	196.0	ND	ND	63	17	71	not calc
196.0	197.0	ND	ND	59	16	61	not calc
197.0	198.0	ND	ND	67	39	134	not calc
198.0	199.0	ND	ND	67	38	289	not calc
199.0	200.0	ND	ND	109	130	347	not calc
200.0	201.0	ND	ND	61	23	142	not calc
201.0	202.0	ND	ND	56	41	196	not calc
202.0	203.0	ND	ND	64	37	106	not calc
203.0	204.0	ND	ND	75	80	194	not calc
204.0	205.0	ND	ND	71	66	209	not calc
205.0	206.0	ND	ND	58	114	91	not calc
206.0	207.0	ND	ND	60	17	84	not calc
207.0	208.0	ND	8	91	50	1263	1412
208.0	209.0	ND	ND	73	36	122	not calc
209.0	210.0	ND	ND	81	103	227	not calc
210.0	211.0	ND	52	64	725	460	1301
211.0	212.0	ND	ND	122	39	97	not calc
212.0	213.0	ND	ND	52	21	60	not calc
213.0	214.0	ND	ND	77	20	77	not calc
214.0	215.0	ND	ND	66	65	512	not calc
215.0	216.0	ND	ND	67	52	216	not calc
216.0	217.0	ND	ND	61	81	143	not calc
217.0	218.0	ND	ND	54	140	1343	not calc
218.0	219.0	ND	ND	84	318	972	not calc
219.0	220.0	ND	8	53	67	145	273
220.0	221.0	ND	ND	63	58	160	not calc
221.0	222.0	ND	11	80	47	145	283
26NGRC012							
0.0	1.0	ND	18	83	127	354	582
1.0	2.0	ND	ND	82	208	595	not calc
2.0	3.0	ND	ND	76	171	958	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC012 continued							
3.0	4.0	ND	ND	100	847	1058	not calc
4.0	5.0	ND	ND	73	168	489	not calc
5.0	6.0	ND	ND	77	165	337	not calc
6.0	7.0	ND	ND	58	30	241	not calc
7.0	8.0	ND	ND	64	32	237	not calc
8.0	9.0	ND	ND	80	250	334	not calc
9.0	10.0	ND	ND	60	52	101	not calc
10.0	11.0	ND	ND	71	29	86	not calc
11.0	12.0	ND	ND	61	34	68	not calc
12.0	13.0	ND	6	68	18	55	147
13.0	14.0	ND	ND	77	156	426	not calc
14.0	15.0	ND	ND	141	378	1200	not calc
15.0	16.0	ND	ND	72	165	179	not calc
16.0	17.0	ND	46	325	2254	1033	3658
17.0	18.0	ND	ND	189	316	211	not calc
18.0	19.0	ND	31	114	366	468	979
19.0	20.0	ND	ND	60	33	87	not calc
20.0	21.0	ND	ND	83	30	99	not calc
21.0	22.0	ND	ND	62	15	49	not calc
22.0	23.0	ND	ND	53	15	35	not calc
23.0	24.0	ND	ND	57	10	49	not calc
24.0	25.0	ND	ND	63	20	105	not calc
25.0	26.0	ND	ND	105	79	825	not calc
26.0	27.0	ND	ND	97	17	100	not calc
27.0	28.0	ND	ND	152	20	71	not calc
28.0	29.0	ND	ND	62	13	72	not calc
29.0	30.0	ND	ND	101	110	86	not calc
30.0	31.0	ND	ND	67	13	80	not calc
31.0	32.0	ND	ND	76	11	59	not calc
32.0	33.0	ND	ND	71	14	59	not calc
33.0	34.0	ND	ND	79	10	67	not calc
34.0	35.0	ND	ND	68	10	54	not calc
35.0	36.0	ND	ND	80	20	69	not calc
36.0	37.0	ND	ND	62	9	63	not calc
37.0	38.0	ND	ND	61	10	61	not calc
38.0	39.0	ND	ND	107	208	212	not calc
39.0	40.0	ND	ND	212	1671	2222	not calc
40.0	41.0	ND	ND	96	285	1274	not calc
41.0	42.0	ND	ND	96	123	385	not calc
42.0	43.0	ND	8	69	29	112	218
43.0	44.0	ND	ND	66	25	83	not calc
44.0	45.0	ND	ND	167	168	794	not calc
45.0	46.0	ND	ND	92	53	103	not calc
46.0	47.0	ND	ND	85	137	67	not calc
47.0	48.0	ND	ND	83	29	86	not calc
48.0	49.0	ND	ND	71	10	54	not calc
49.0	50.0	ND	ND	67	7	56	not calc
50.0	51.0	ND	ND	68	12	44	not calc
51.0	52.0	ND	ND	70	13	56	not calc
52.0	53.0	ND	ND	83	9	41	not calc
53.0	54.0	ND	ND	80	14	34	not calc
54.0	55.0	ND	ND	76	15	74	not calc
55.0	56.0	ND	ND	81	36	94	not calc
56.0	57.0	ND	ND	74	13	78	not calc
57.0	58.0	ND	ND	73	27	51	not calc
58.0	59.0	ND	ND	90	9	45	not calc
59.0	60.0	ND	ND	77	50	51	not calc
60.0	61.0	ND	6	156	12	54	228
61.0	62.0	ND	ND	78	14	53	not calc
62.0	63.0	ND	ND	66	10	44	not calc
63.0	64.0	ND	ND	69	18	41	not calc
64.0	65.0	ND	ND	87	13	46	not calc
65.0	66.0	ND	ND	72	8	65	not calc
66.0	67.0	ND	ND	78	69	366	not calc
67.0	68.0	ND	ND	89	63	90	not calc
68.0	69.0	ND	ND	70	47	101	not calc
69.0	70.0	ND	ND	93	41	50	not calc
70.0	71.0	ND	7	59	33	61	160
71.0	72.0	ND	ND	88	112	290	not calc
72.0	73.0	ND	7	69	33	206	315
73.0	74.0	ND	ND	71	145	223	not calc
74.0	75.0	ND	ND	77	345	69	not calc
75.0	76.0	ND	ND	72	90	130	not calc
76.0	77.0	ND	8	96	26	66	196
77.0	78.0	ND	ND	64	39	57	not calc
78.0	79.0	ND	ND	80	75	53	not calc
79.0	80.0	ND	ND	77	53	50	not calc
80.0	81.0	ND	ND	68	29	71	not calc
81.0	82.0	ND	ND	105	25	180	not calc
82.0	83.0	ND	ND	163	33	109	not calc
83.0	84.0	ND	ND	99	244	1165	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC010 continued							
200.0	201.0	ND	ND	57	64	171	not calc
201.0	202.0	ND	ND	53	26	65	not calc
202.0	203.0	ND	ND	58	6	62	not calc
203.0	204.0	ND	ND	68	9	71	not calc
204.0	205.0	ND	ND	64	87	93	not calc
205.0	206.0	ND	ND	53	31	71	not calc
206.0	207.0	ND	ND	59	11	54	not calc
207.0	208.0	ND	ND	63	11	68	not calc
208.0	209.0	ND	ND	52	11	54	not calc
209.0	210.0	ND	ND	66	35	119	not calc
210.0	211.0	ND	ND	54	19	93	not calc
211.0	212.0	ND	ND	105	11	81	not calc
212.0	213.0	ND	ND	60	83	372	not calc
213.0	214.0	ND	ND	78	152	729	not calc
214.0	215.0	ND	ND	64	57	176	not calc
215.0	216.0	ND	ND	62	56	178	not calc
26NGRC011							
0.0	1.0	ND	6	67	24	64	161
1.0	2.0	ND	22	77	40	46	185
2.0	3.0	ND	ND	62	43	50	not calc
3.0	4.0	ND	7	55	28	68	158
4.0	5.0	ND	12	55	25	75	167
5.0	6.0	ND	ND	81	22	67	not calc
6.0	7.0	ND	7	58	17	56	138
7.0	8.0	ND	ND	71	22	61	not calc
8.0	9.0	ND	9	75	12	51	147
9.0	10.0	ND	ND	62	14	52	not calc
10.0	11.0	ND	ND	65	19	76	not calc
11.0	12.0	ND	ND	65	14	61	not calc
12.0	13.0	ND	ND	58	11	77	not calc
13.0	14.0	ND	ND	69	9	54	not calc
14.0	15.0	ND	ND	73	15	58	not calc
15.0	16.0	ND	6	78	10	69	163
16.0	17.0	ND	ND	57	13	45	not calc
17.0	18.0	ND	ND	71	15	50	not calc
18.0	19.0	ND	ND	68	14	140	not calc
19.0	20.0	ND	ND	85	46	95	not calc
20.0	21.0	ND	ND	83	95	164	not calc
21.0	22.0	ND	ND	70	26	62	not calc
22.0	23.0	ND	ND	72	22	73	not calc
23.0	24.0	ND	24	85	26	71	206
24.0	25.0	ND	8	75	24	163	270
25.0	26.0	ND	ND	96	35	57	not calc
26.0	27.0	ND	ND	84	25	63	not calc
27.0	28.0	ND	ND	94	207	410	not calc
28.0	29.0	ND	27	85	17	63	192
29.0	30.0	ND	6	79	20	68	173
30.0	31.0	ND	ND	88	60	460	not calc
31.0	32.0	ND	ND	94	581	123	not calc
32.0	33.0	ND	ND	83	1090	513	not calc
33.0	34.0	ND	ND	95	246	1487	not calc
34.0	35.0	ND	ND	86	127	115	not calc
35.0	36.0	ND	ND	78	336	578	not calc
36.0	37.0	ND	ND	92	33	102	not calc
37.0	38.0	ND	ND	80	67	161	not calc
38.0	39.0	ND	13	92	200	73	378
39.0	40.0	ND	ND	54	24	58	not calc
40.0	41.0	ND	ND	66	61	76	not calc
41.0	42.0	ND	ND	81	35	82	not calc
42.0	43.0	ND	40	79	792	932	1843
43.0	44.0	ND	ND	62	51	102	not calc
44.0	45.0	ND	ND	73	69	343	not calc
45.0	46.0	ND	13	88	48	144	293
46.0	47.0	ND	ND	69	39	69	not calc
47.0	48.0	ND	18	82	276	1036	1412
48.0	49.0	ND	ND	91	2006	1155	not calc
49.0	50.0	ND	130	488	3054	4369	8041
50.0	51.0	ND	225	170	2329	7048	9772
51.0	52.0	ND	ND	340	1205	1266	not calc
52.0	53.0	ND	ND	99	369	724	not calc
53.0	54.0	ND	ND	88	106	320	not calc
54.0	55.0	ND	ND	77	144	631	not calc
55.0	56.0	ND	ND	62	76	228	not calc
56.0	57.0	ND	ND	149	209	520	not calc
57.0	58.0	ND	ND	83	180	990	not calc
58.0	59.0	ND	ND	73	118	270	not calc
59.0	60.0	ND	ND	73	77	179	not calc
60.0	61.0	ND	ND	136	11	125	not calc
61.0	62.0	ND	148	740	5122	7234	13244
62.0	63.0	ND	109	294	1793	1837	4033
63.0	64.0	ND	ND	100	512	432	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC011 continued							
64.0	65.0	ND	ND	88	211	255	not calc
65.0	66.0	ND	ND	145	630	848	not calc
66.0	67.0	ND	32	102	673	522	1329
67.0	68.0	ND	23	175	716	4053	4967
68.0	69.0	ND	37	137	216	1172	1562
69.0	70.0	ND	ND	98	154	263	not calc
70.0	71.0	ND	ND	134	485	436	not calc
71.0	72.0	ND	ND	278	1080	2031	not calc
72.0	73.0	ND	ND	86	297	674	not calc
73.0	74.0	ND	ND	73	120	225	not calc
74.0	75.0	ND	ND	65	49	137	not calc
75.0	76.0	ND	ND	66	39	95	not calc
76.0	77.0	ND	ND	77	470	617	not calc
77.0	78.0	ND	23	106	235	4530	4894
78.0	79.0	ND	156	93	173	2928	3350
79.0	80.0	ND	13	74	101	593	781
80.0	81.0	ND	ND	181	24	119	not calc
81.0	82.0	ND	ND	122	82	240	not calc
82.0	83.0	ND	ND	113	588	1139	not calc
83.0	84.0	ND	ND	151	271	941	not calc
84.0	85.0	ND	ND	228	1158	1667	not calc
85.0	86.0	ND	ND	144	46	159	not calc
86.0	87.0	ND	ND	67	207	984	not calc
87.0	88.0	ND	ND	142	20	124	not calc
88.0	89.0	ND	ND	200	58	219	not calc
89.0	90.0	ND	26	54	30	76	186
90.0	91.0	ND	22	76	38	88	224
91.0	92.0	ND	140	61	16	49	266
92.0	93.0	ND	99	155	1240	3303	4797
93.0	94.0	ND	ND	287	2653	6186	not calc
94.0	95.0	ND	11	75	165	196	447
95.0	96.0	ND	40	81	90	421	632
96.0	97.0	ND	7	72	12	42	133
97.0	98.0	ND	ND	63	8	51	not calc
98.0	99.0	ND	ND	70	9	55	not calc
99.0	100.0	ND	11	69	99	364	543
100.0	101.0	ND	ND	66	341	1211	not calc
101.0	102.0	ND	ND	158	521	967	not calc
102.0	103.0	ND	ND	75	21	120	not calc
103.0	104.0	ND	ND	102	1239	340	not calc
104.0	105.0	ND	ND	75	55	78	not calc
105.0	106.0	ND	ND	68	89	505	not calc
106.0	107.0	ND	ND	64	37	63	not calc
107.0	108.0	ND	ND	61	18	52	not calc
108.0	109.0	ND	ND	74	14	94	not calc
109.0	110.0	ND	ND	72	24	179	not calc
110.0	111.0	ND	ND	81	24	99	not calc
111.0	112.0	ND	ND	69	13	59	not calc
112.0	113.0	ND	ND	66	15	63	not calc
113.0	114.0	ND	ND	61	20	110	not calc
114.0	115.0	ND	ND	79	13	232	not calc
115.0	116.0	ND	ND	66	11	54	not calc
116.0	117.0	ND	ND	69	33	53	not calc
117.0	118.0	ND	ND	65	38	87	not calc
118.0	119.0	ND	ND	169	26	63	not calc
119.0	120.0	ND	ND	69	59	59	not calc
120.0	121.0	ND	ND	64	20	92	not calc
121.0	122.0	ND	9	79	30	94	212
122.0	123.0	ND	ND	106	20	51	not calc
123.0	124.0	ND	ND	68	29	44	not calc
124.0	125.0	ND	ND	80	16	63	not calc
125.0	126.0	ND	ND	67	28	85	not calc
126.0	127.0	ND	70	126	793	614	1603
127.0	128.0	ND	ND	78	27	66	not calc
128.0	129.0	ND	ND	65	92	69	not calc
129.0	130.0	ND	ND	64	24	55	not calc
130.0	131.0	ND	19	91	102	869	1081
131.0	132.0	ND	ND	144	244	127	not calc
132.0	133.0	ND	ND	73	28	84	not calc
133.0	134.0	ND	ND	81	31	84	not calc
134.0	135.0	ND	ND	69	32	62	not calc
135.0	136.0	ND	ND	72	16	62	not calc
136.0	137.0	ND	ND	68	15	49	not calc
137.0	138.0	ND	ND	139	52	68	not calc
138.0	139.0	ND	ND	73	12	81	not calc
139.0	140.0	ND	10	63	29	61	163
140.0	141.0	ND	14	52	22	87	175
141.0	142.0	ND	ND	107	553	1279	not calc
142.0	143.0	ND	34	123	934	1461	2552
143.0	144.0	ND	21	86	302	367	776
144.0	145.0	ND	30	103	662	605	1400



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC010 continued							
37.0	38.0	ND	ND	78	37	169	not calc
38.0	39.0	ND	ND	85	19	77	not calc
39.0	40.0	ND	ND	70	23	81	not calc
40.0	41.0	ND	ND	73	22	98	not calc
41.0	42.0	ND	ND	65	10	55	not calc
42.0	43.0	ND	ND	133	968	893	not calc
43.0	44.0	ND	ND	467	5262	2683	not calc
44.0	45.0	ND	ND	105	406	471	not calc
45.0	46.0	ND	ND	76	122	382	not calc
46.0	47.0	ND	ND	67	59	109	not calc
47.0	48.0	ND	ND	62	91	109	not calc
48.0	49.0	ND	ND	175	524	1649	not calc
49.0	50.0	ND	ND	76	59	100	not calc
50.0	51.0	ND	25	243	489	1452	2209
51.0	52.0	ND	ND	79	24	99	not calc
52.0	53.0	ND	ND	61	30	113	not calc
53.0	54.0	ND	ND	63	339	214	not calc
54.0	55.0	ND	ND	264	3546	5081	not calc
55.0	56.0	ND	ND	69	27	57	not calc
56.0	57.0	ND	ND	176	1960	5795	not calc
57.0	58.0	ND	ND	76	777	1357	not calc
58.0	59.0	ND	ND	81	147	227	not calc
59.0	60.0	ND	ND	143	65	150	not calc
60.0	61.0	ND	ND	51	78	145	not calc
61.0	62.0	ND	ND	93	104	337	not calc
62.0	63.0	ND	ND	71	16	64	not calc
63.0	64.0	ND	ND	80	23	113	not calc
64.0	65.0	ND	ND	62	12	76	not calc
65.0	66.0	ND	ND	69	12	62	not calc
66.0	67.0	ND	ND	63	18	144	not calc
67.0	68.0	ND	22	67	146	377	612
68.0	69.0	ND	14	53	53	118	238
69.0	70.0	ND	ND	58	53	90	not calc
70.0	71.0	ND	17	67	69	439	592
71.0	72.0	ND	ND	82	243	437	not calc
72.0	73.0	ND	ND	217	2627	4263	not calc
73.0	74.0	ND	33	97	471	1367	1968
74.0	75.0	ND	ND	77	167	377	not calc
75.0	76.0	ND	ND	88	121	135	not calc
76.0	77.0	ND	ND	81	50	130	not calc
77.0	78.0	ND	ND	165	114	142	not calc
78.0	79.0	ND	ND	80	18	66	not calc
79.0	80.0	ND	43	93	1136	2990	4262
80.0	81.0	ND	16	81	157	321	575
81.0	82.0	ND	ND	71	20	56	not calc
82.0	83.0	ND	ND	55	19	71	not calc
83.0	84.0	ND	ND	76	17	60	not calc
84.0	85.0	ND	ND	77	18	74	not calc
85.0	86.0	ND	ND	63	38	117	not calc
86.0	87.0	ND	ND	63	16	55	not calc
87.0	88.0	ND	ND	79	33	129	not calc
88.0	89.0	ND	ND	66	13	73	not calc
89.0	90.0	ND	ND	59	27	91	not calc
90.0	91.0	ND	ND	65	32	56	not calc
91.0	92.0	ND	ND	74	13	55	not calc
92.0	93.0	ND	ND	74	26	44	not calc
93.0	94.0	ND	6	56	13	50	125
94.0	95.0	ND	ND	59	12	56	not calc
95.0	96.0	ND	ND	70	14	76	not calc
96.0	97.0	ND	ND	60	42	146	not calc
97.0	98.0	ND	ND	60	26	102	not calc
98.0	99.0	ND	ND	85	25	197	not calc
99.0	100.0	ND	ND	69	23	78	not calc
100.0	101.0	ND	ND	116	290	143	not calc
101.0	102.0	ND	ND	89	97	103	not calc
102.0	103.0	ND	ND	139	1004	504	not calc
103.0	104.0	ND	ND	90	131	110	not calc
104.0	105.0	ND	11	71	121	104	307
105.0	106.0	ND	ND	94	436	936	not calc
106.0	107.0	ND	15	86	70	412	583
107.0	108.0	ND	ND	81	57	145	not calc
108.0	109.0	ND	ND	87	14	81	not calc
109.0	110.0	ND	ND	71	28	83	not calc
110.0	111.0	ND	ND	71	25	73	not calc
111.0	112.0	ND	ND	69	24	77	not calc
112.0	113.0	ND	ND	74	29	74	not calc
113.0	114.0	ND	ND	62	14	70	not calc
114.0	115.0	ND	ND	66	139	108	not calc
115.0	116.0	ND	ND	64	14	66	not calc
116.0	117.0	ND	ND	53	15	63	not calc
117.0	118.0	ND	ND	93	13	84	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC010 continued							
118.0	119.0	ND	13	86	21	79	199
119.0	120.0	ND	ND	86	11	72	not calc
120.0	121.0	ND	ND	64	19	123	not calc
122.0	123.0	ND	ND	67	8	61	not calc
123.0	124.0	ND	ND	74	11	98	not calc
124.0	125.0	ND	ND	60	14	71	not calc
125.0	126.0	ND	ND	72	12	81	not calc
126.0	127.0	ND	ND	72	16	123	not calc
127.0	128.0	ND	ND	61	13	65	not calc
128.0	129.0	ND	ND	63	15	65	not calc
129.0	130.0	ND	ND	60	9	60	not calc
130.0	131.0	ND	ND	69	10	67	not calc
131.0	132.0	ND	ND	80	14	78	not calc
132.0	133.0	ND	ND	74	ND	83	not calc
133.0	134.0	ND	ND	71	8	58	not calc
134.0	135.0	ND	ND	63	17	84	not calc
135.0	136.0	ND	ND	70	13	67	not calc
136.0	137.0	ND	ND	69	8	69	not calc
137.0	138.0	ND	ND	68	16	71	not calc
138.0	139.0	ND	ND	81	16	96	not calc
139.0	140.0	ND	8	79	7	73	167
140.0	141.0	ND	ND	61	10	66	not calc
141.0	142.0	ND	ND	55	13	63	not calc
142.0	143.0	ND	ND	67	13	65	not calc
143.0	144.0	ND	ND	78	12	73	not calc
144.0	145.0	ND	ND	70	11	73	not calc
145.0	146.0	ND	ND	74	11	68	not calc
146.0	147.0	ND	14	82	37	307	440
147.0	148.0	ND	ND	76	91	127	not calc
148.0	149.0	ND	11	60	30	61	162
149.0	150.0	ND	ND	62	48	98	not calc
150.0	151.0	ND	ND	62	18	99	not calc
151.0	152.0	ND	ND	72	74	70	not calc
152.0	153.0	ND	38	106	1513	308	1965
153.0	154.0	ND	ND	67	164	86	not calc
154.0	155.0	ND	ND	67	165	92	not calc
155.0	156.0	ND	ND	102	141	73	not calc
156.0	157.0	ND	ND	65	22	130	not calc
157.0	158.0	ND	ND	55	13	71	not calc
158.0	159.0	ND	ND	75	17	95	not calc
159.0	160.0	ND	7	72	9	65	153
160.0	161.0	ND	ND	71	12	84	not calc
161.0	162.0	ND	ND	72	9	83	not calc
162.0	163.0	ND	ND	90	16	94	not calc
163.0	164.0	ND	ND	79	17	68	not calc
164.0	165.0	ND	ND	95	29	75	not calc
165.0	166.0	ND	ND	91	39	95	not calc
166.0	167.0	ND	7	197	27	99	330
167.0	168.0	ND	ND	111	294	80	not calc
168.0	169.0	ND	ND	89	16	72	not calc
169.0	170.0	ND	ND	85	35	79	not calc
170.0	171.0	ND	ND	73	13	85	not calc
171.0	172.0	ND	ND	66	15	47	not calc
172.0	173.0	ND	ND	55	21	69	not calc
173.0	174.0	ND	7	75	14	62	158
174.0	175.0	ND	5	138	ND	130	not calc
175.0	176.0	ND	ND	71	11	88	not calc
176.0	177.0	ND	ND	52	14	69	not calc
177.0	178.0	ND	ND	71	9	67	not calc
178.0	179.0	ND	ND	56	28	56	not calc
179.0	180.0	ND	ND	76	818	60	not calc
180.0	181.0	ND	ND	78	44	81	not calc
181.0	182.0	ND	ND	143	14	112	not calc
182.0	183.0	ND	ND	66	7	81	not calc
183.0	184.0	ND	ND	65	19	68	not calc
184.0	185.0	ND	ND	87	90	88	not calc
185.0	186.0	ND	ND	63	51	141	not calc
186.0	187.0	ND	ND	73	39	191	not calc
187.0	188.0	ND	ND	63	63	220	not calc
188.0	189.0	ND	ND	68	8	79	not calc
189.0	190.0	ND	ND	81	9	119	not calc
190.0	191.0	ND	ND	80	10	81	not calc
191.0	192.0	ND	ND	70	78	77	not calc
192.0	193.0	ND	ND	63	44	77	not calc
193.0	194.0	ND	ND	66	12	418	not calc
194.0	195.0	ND	ND	58	15	72	not calc
195.0	196.0	ND	ND	65	11	68	not calc
196.0	197.0	ND	ND	372	ND	210	not calc
197.0	198.0	ND	ND	69	6	42	not calc
198.0	199.0	ND	ND	55	14	93	not calc
199.0	200.0	ND	ND	158	ND	94	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC009 continued							
128.0	129.0	ND	17	92	60	172	341
129.0	130.0	ND	8	78	28	99	213
130.0	131.0	ND	ND	82	36	158	not calc
131.0	132.0	ND	ND	138	30	80	not calc
132.0	133.0	ND	ND	76	18	62	not calc
133.0	134.0	ND	ND	163	10	94	not calc
134.0	135.0	ND	ND	193	17	53	not calc
135.0	136.0	ND	24	86	63	259	432
136.0	137.0	ND	9	63	10	50	132
137.0	138.0	ND	ND	85	111	81	not calc
138.0	139.0	ND	ND	73	14	73	not calc
139.0	140.0	ND	12	61	60	255	388
140.0	141.0	ND	22	92	220	428	762
141.0	142.0	ND	ND	59	33	72	not calc
142.0	143.0	ND	ND	61	45	113	not calc
143.0	144.0	ND	ND	63	16	56	not calc
144.0	145.0	ND	ND	65	16	65	not calc
145.0	146.0	ND	ND	62	9	49	not calc
146.0	147.0	ND	ND	56	9	46	not calc
147.0	148.0	ND	6	60	13	45	124
148.0	149.0	ND	6	99	27	58	190
149.0	150.0	ND	ND	119	15	53	not calc
150.0	151.0	ND	ND	70	11	58	not calc
151.0	152.0	ND	ND	91	236	2362	not calc
152.0	153.0	ND	ND	63	121	141	not calc
153.0	154.0	ND	ND	79	91	109	not calc
154.0	155.0	ND	ND	148	49	119	not calc
155.0	156.0	ND	ND	83	59	169	not calc
156.0	157.0	ND	ND	72	52	144	not calc
157.0	158.0	ND	ND	78	27	71	not calc
158.0	159.0	ND	ND	67	21	62	not calc
159.0	160.0	ND	ND	86	26	76	not calc
160.0	161.0	ND	ND	74	24	68	not calc
161.0	162.0	ND	ND	83	34	83	not calc
162.0	163.0	ND	8	79	37	115	239
163.0	164.0	ND	66	314	1064	897	2341
164.0	165.0	ND	ND	82	50	77	not calc
165.0	166.0	ND	ND	92	28	59	not calc
166.0	167.0	ND	ND	69	38	85	not calc
167.0	168.0	ND	ND	72	29	50	not calc
168.0	169.0	ND	ND	75	96	115	not calc
169.0	170.0	ND	ND	78	57	107	not calc
170.0	171.0	ND	ND	88	96	46	not calc
171.0	172.0	ND	ND	83	36	44	not calc
172.0	173.0	ND	ND	73	63	35	not calc
173.0	174.0	ND	ND	78	41	55	not calc
174.0	175.0	ND	ND	84	298	51	not calc
175.0	176.0	ND	ND	65	15	69	not calc
176.0	177.0	ND	ND	65	21	61	not calc
177.0	178.0	ND	ND	75	11	66	not calc
178.0	179.0	ND	ND	70	9	52	not calc
179.0	180.0	ND	ND	65	15	61	not calc
180.0	181.0	ND	ND	55	14	77	not calc
181.0	182.0	ND	ND	74	16	61	not calc
182.0	183.0	ND	ND	73	13	78	not calc
183.0	184.0	ND	ND	63	14	48	not calc
184.0	185.0	ND	ND	59	15	57	not calc
185.0	186.0	ND	ND	47	16	66	not calc
186.0	187.0	ND	51	140	668	640	1499
187.0	188.0	ND	ND	107	585	447	not calc
188.0	189.0	ND	10	65	19	67	161
189.0	190.0	ND	ND	198	827	2118	not calc
190.0	191.0	ND	ND	81	109	363	not calc
191.0	192.0	ND	ND	68	68	112	not calc
192.0	193.0	ND	ND	66	80	169	not calc
193.0	194.0	ND	ND	70	52	97	not calc
194.0	195.0	ND	9	64	12	68	153
195.0	196.0	ND	9	74	15	66	164
196.0	197.0	ND	ND	73	133	180	not calc
197.0	198.0	ND	ND	147	1243	1412	not calc
198.0	199.0	ND	315	382	4055	7155	11907
199.0	200.0	ND	104	575	3889	2845	7413
200.0	201.0	ND	405	685	18472	3301	22863
201.0	202.0	ND	ND	360	8328	12994	not calc
202.0	203.0	ND	ND	107	1550	1640	not calc
203.0	204.0	ND	55	132	1405	2210	3802
204.0	205.0	ND	124	145	2332	2084	4685
205.0	206.0	ND	ND	149	275	2032	not calc
206.0	207.0	ND	15	71	168	268	522
207.0	208.0	ND	ND	77	351	547	not calc
208.0	209.0	ND	ND	94	373	415	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC009 continued							
209.0	210.0	ND	ND	64	225	305	not calc
210.0	211.0	ND	ND	96	447	515	not calc
211.0	212.0	ND	8	71	69	179	327
212.0	213.0	ND	11	62	63	186	322
213.0	214.0	ND	17	68	49	108	242
214.0	215.0	ND	ND	57	28	80	not calc
215.0	216.0	ND	ND	132	45	114	not calc
216.0	217.0	ND	ND	70	34	114	not calc
217.0	218.0	ND	ND	68	315	466	not calc
218.0	219.0	ND	20	81	176	214	491
219.0	220.0	ND	9	69	74	376	528
220.0	221.0	ND	18	71	252	341	682
221.0	222.0	ND	ND	69	94	121	not calc
222.0	223.0	ND	12	84	115	217	428
223.0	224.0	ND	8	63	59	118	248
224.0	225.0	ND	ND	74	22	63	not calc
225.0	226.0	ND	ND	70	27	74	not calc
226.0	227.0	ND	ND	77	18	53	not calc
227.0	228.0	ND	ND	148	16	57	not calc
228.0	229.0	ND	ND	64	17	57	not calc
229.0	230.0	ND	ND	73	21	54	not calc
230.0	231.0	ND	ND	69	20	63	not calc
231.0	232.0	ND	ND	59	38	79	not calc
232.0	233.0	ND	ND	236	55	88	not calc
233.0	234.0	ND	ND	63	33	60	not calc
234.0	235.0	ND	ND	71	12	227	not calc
235.0	236.0	ND	ND	75	15	63	not calc
236.0	237.0	ND	79	341	503	447	1370
237.0	238.0	ND	56	374	225	155	810
238.0	239.0	ND	15	102	55	156	328
239.0	240.0	ND	8	95	31	95	229
240.0	241.0	ND	ND	78	45	107	not calc
241.0	242.0	ND	ND	63	18	66	not calc
242.0	243.0	ND	ND	72	9	64	not calc
243.0	244.0	ND	ND	146	12	90	not calc
244.0	245.0	ND	ND	56	21	84	not calc
245.0	246.0	ND	ND	54	30	78	not calc
246.0	247.0	ND	ND	61	20	96	not calc
247.0	248.0	ND	ND	77	50	354	not calc
248.0	249.0	ND	ND	90	80	178	not calc
249.0	250.0	ND	ND	75	57	166	not calc
250.0	251.0	ND	ND	65	46	105	not calc
251.0	252.0	ND	ND	65	83	167	not calc
26NGRC010							
0.0	1.0	ND	ND	159	141	95	not calc
1.0	2.0	ND	ND	200	128	73	not calc
2.0	3.0	ND	ND	361	131	94	not calc
3.0	4.0	ND	ND	174	82	125	not calc
4.0	5.0	ND	ND	114	202	178	not calc
5.0	6.0	ND	ND	71	27	64	not calc
6.0	7.0	ND	ND	59	104	189	not calc
7.0	8.0	ND	ND	67	58	161	not calc
8.0	9.0	ND	ND	118	44	182	not calc
9.0	10.0	ND	ND	137	12	88	not calc
10.0	11.0	ND	ND	71	34	182	not calc
11.0	12.0	ND	9	64	79	84	236
12.0	13.0	ND	ND	59	16	76	not calc
13.0	14.0	ND	ND	68	9	63	not calc
14.0	15.0	ND	39	63	8	45	155
15.0	16.0	ND	41	109	488	1010	1648
16.0	17.0	ND	36	110	68	272	486
17.0	18.0	ND	13	60	35	175	283
18.0	19.0	ND	30	64	42	80	216
19.0	20.0	ND	34	142	296	1206	1678
20.0	21.0	ND	27	77	196	433	733
21.0	22.0	ND	15	70	84	143	312
22.0	23.0	ND	45	73	32	57	207
23.0	24.0	ND	23	70	35	81	209
24.0	25.0	ND	24	99	83	291	497
25.0	26.0	ND	117	95	171	406	789
26.0	27.0	ND	10	64	50	105	229
27.0	28.0	ND	18	72	284	371	745
28.0	29.0	ND	42	96	899	1154	2191
29.0	30.0	ND	24	80	149	179	432
30.0	31.0	ND	ND	60	93	37	not calc
31.0	32.0	ND	56	98	874	1996	3024
32.0	33.0	ND	ND	75	317	1462	not calc
33.0	34.0	ND	ND	75	172	264	not calc
34.0	35.0	ND	ND	65	19	78	not calc
35.0	36.0	ND	ND	105	31	80	not calc
36.0	37.0	ND	ND	59	27	116	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb+Zn
26NGRC008 continued							
236.0	237.0	ND	ND	67	21	48	not calc
237.0	238.0	ND	ND	80	19	46	not calc
238.0	239.0	ND	ND	78	26	45	not calc
239.0	240.0	ND	ND	56	23	48	not calc
240.0	241.0	ND	ND	65	21	58	not calc
241.0	242.0	ND	5	76	9	54	144
242.0	243.0	ND	ND	82	18	53	not calc
243.0	244.0	ND	ND	80	21	45	not calc
244.0	245.0	ND	ND	79	17	49	not calc
245.0	246.0	ND	ND	87	17	47	not calc
246.0	247.0	ND	8	77	15	79	179
247.0	248.0	ND	ND	84	15	52	not calc
248.0	249.0	ND	ND	73	24	41	not calc
249.0	250.0	ND	ND	67	17	50	not calc
250.0	251.0	ND	ND	52	10	92	not calc
251.0	252.0	ND	ND	60	18	61	not calc
252.0	253.0	ND	ND	52	15	58	not calc
253.0	254.0	ND	ND	118	6	75	not calc
254.0	255.0	ND	ND	63	23	52	not calc
255.0	256.0	ND	ND	48	15	51	not calc
256.0	257.0	ND	ND	61	36	48	not calc
257.0	258.0	ND	ND	63	18	61	not calc
258.0	259.0	ND	ND	83	70	108	not calc
259.0	260.0	ND	ND	61	99	195	not calc
260.0	261.0	ND	ND	94	364	659	not calc
261.0	262.0	ND	ND	94	600	644	not calc
262.0	263.0	ND	ND	57	81	197	not calc
263.0	264.0	ND	11	67	41	112	231
264.0	265.0	ND	ND	62	37	102	not calc
265.0	266.0	ND	8	114	19	53	194
266.0	267.0	ND	ND	60	17	38	not calc
267.0	268.0	ND	ND	63	17	51	not calc
268.0	269.0	ND	ND	63	26	50	not calc
269.0	270.0	ND	ND	62	48	69	not calc
26NGRC009							
1.0	2.0	ND	12	86	73	128	299
2.0	3.0	ND	ND	66	32	56	not calc
3.0	4.0	ND	ND	77	30	49	not calc
4.0	5.0	ND	6	74	17	58	155
5.0	6.0	ND	ND	66	21	56	not calc
6.0	7.0	ND	ND	73	30	80	not calc
7.0	8.0	ND	ND	66	21	43	not calc
8.0	9.0	ND	ND	62	18	37	not calc
9.0	10.0	ND	ND	79	13	46	not calc
10.0	11.0	ND	ND	57	16	47	not calc
11.0	12.0	ND	ND	57	22	44	not calc
12.0	13.0	ND	ND	80	32	119	not calc
13.0	14.0	ND	ND	65	42	95	not calc
14.0	15.0	ND	ND	69	53	162	not calc
15.0	16.0	ND	ND	69	28	71	not calc
16.0	17.0	ND	ND	74	23	57	not calc
17.0	18.0	ND	ND	60	17	53	not calc
18.0	19.0	ND	ND	74	37	93	not calc
19.0	20.0	ND	ND	71	39	103	not calc
20.0	21.0	ND	ND	66	26	81	not calc
21.0	22.0	ND	ND	61	18	49	not calc
22.0	23.0	ND	ND	72	21	45	not calc
23.0	24.0	ND	ND	85	16	43	not calc
24.0	25.0	ND	ND	55	24	67	not calc
25.0	26.0	ND	ND	85	22	89	not calc
26.0	27.0	ND	11	71	32	82	196
27.0	28.0	ND	ND	149	13	70	not calc
28.0	29.0	ND	ND	67	18	58	not calc
29.0	30.0	ND	ND	72	36	97	not calc
30.0	31.0	ND	18	76	84	134	312
31.0	32.0	ND	18	85	12	75	190
32.0	33.0	ND	ND	81	108	80	not calc
33.0	34.0	ND	264	791	6962	3628	11645
34.0	35.0	ND	ND	70	24	65	not calc
35.0	36.0	ND	ND	71	30	59	not calc
36.0	37.0	ND	ND	81	25	105	not calc
37.0	38.0	ND	21	88	152	186	447
38.0	39.0	ND	ND	93	36	79	not calc
39.0	40.0	ND	ND	78	23	47	not calc
40.0	41.0	ND	ND	76	19	49	not calc
41.0	42.0	ND	7	79	17	44	147
42.0	43.0	ND	8	76	23	45	152
43.0	44.0	ND	ND	92	205	381	not calc
44.0	45.0	ND	12	72	95	267	446
45.0	46.0	ND	ND	69	33	106	not calc
46.0	47.0	ND	ND	76	25	117	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb+Zn
26NGRC009 continued							
47.0	48.0	ND	ND	74	21	59	not calc
48.0	49.0	ND	ND	73	27	68	not calc
49.0	50.0	ND	ND	77	26	54	not calc
50.0	51.0	ND	ND	62	25	57	not calc
51.0	52.0	ND	ND	72	16	58	not calc
52.0	53.0	ND	ND	74	22	40	not calc
53.0	54.0	ND	ND	68	17	47	not calc
54.0	55.0	ND	ND	76	21	71	not calc
55.0	56.0	ND	24	76	24	105	229
56.0	57.0	ND	13	61	43	78	195
57.0	58.0	ND	ND	66	17	55	not calc
58.0	59.0	ND	ND	82	18	63	not calc
59.0	60.0	5	811	55	18	63	947
60.0	61.0	ND	ND	62	27	80	not calc
61.0	62.0	ND	ND	77	106	106	not calc
62.0	63.0	ND	64	121	364	273	822
63.0	64.0	ND	269	111	345	332	1057
64.0	65.0	ND	123	109	280	406	918
65.0	66.0	ND	54	102	282	696	1134
66.0	67.0	ND	ND	153	63	101	not calc
67.0	68.0	ND	6	69	30	58	163
68.0	69.0	ND	16	88	21	88	213
69.0	70.0	ND	6	79	12	82	179
70.0	71.0	ND	ND	74	53	79	not calc
71.0	72.0	ND	ND	135	251	781	not calc
72.0	73.0	ND	9	82	49	126	266
73.0	74.0	ND	27	79	23	85	214
74.0	75.0	ND	15	102	26	103	246
75.0	76.0	ND	ND	69	46	71	not calc
76.0	77.0	ND	ND	83	90	140	not calc
77.0	78.0	ND	ND	100	58	93	not calc
78.0	79.0	ND	ND	82	46	213	not calc
79.0	80.0	ND	ND	79	59	214	not calc
80.0	81.0	ND	6	87	14	84	191
81.0	82.0	ND	ND	83	14	63	not calc
82.0	83.0	ND	ND	62	13	60	not calc
83.0	84.0	ND	ND	73	12	53	not calc
84.0	85.0	ND	ND	76	26	61	not calc
85.0	86.0	ND	ND	69	14	63	not calc
86.0	87.0	ND	ND	68	14	57	not calc
87.0	88.0	ND	ND	81	12	60	not calc
88.0	89.0	ND	ND	70	12	62	not calc
89.0	90.0	ND	ND	77	11	60	not calc
90.0	91.0	ND	ND	75	10	45	not calc
91.0	92.0	ND	ND	70	22	45	not calc
92.0	93.0	ND	13	134	19	83	249
93.0	94.0	ND	10	65	9	47	131
94.0	95.0	ND	ND	74	12	50	not calc
95.0	96.0	ND	17	36	ND	28	not calc
96.0	97.0	ND	ND	69	11	73	not calc
97.0	98.0	ND	ND	70	10	43	not calc
98.0	99.0	ND	ND	71	22	66	not calc
99.0	100.0	ND	5	68	8	45	126
100.0	101.0	ND	ND	76	17	64	not calc
101.0	102.0	ND	ND	60	12	56	not calc
102.0	103.0	ND	ND	78	12	57	not calc
103.0	104.0	ND	ND	51	8	50	not calc
104.0	105.0	ND	ND	68	10	48	not calc
105.0	106.0	ND	ND	55	10	55	not calc
106.0	107.0	ND	ND	69	14	54	not calc
107.0	108.0	ND	ND	61	15	55	not calc
108.0	109.0	ND	ND	56	9	79	not calc
109.0	110.0	ND	ND	72	27	84	not calc
110.0	111.0	ND	ND	51	11	67	not calc
111.0	112.0	ND	ND	67	11	67	not calc
112.0	113.0	ND	ND	80	16	102	not calc
113.0	114.0	ND	ND	65	19	90	not calc
114.0	115.0	ND	ND	77	13	100	not calc
115.0	116.0	ND	ND	69	25	118	not calc
116.0	117.0	ND	25	128	51	1000	1204
117.0	118.0	ND	11	110	86	362	569
118.0	119.0	ND	19	89	175	770	1053
119.0	120.0	ND	8	75	76	166	325
120.0	121.0	ND	ND	76	87	191	not calc
121.0	122.0	ND	17	72	48	184	321
122.0	123.0	ND	9	67	91	88	255
123.0	124.0	ND	52	86	303	1962	2403
124.0	125.0	ND	61	112	1251	2026	3450
125.0	126.0	ND	57	130	432	1956	2575
126.0	127.0	ND	31	155	250	642	1078
127.0	128.0	ND	55	70	446	333	904



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC008 continued							
74.0	75.0	ND	ND	49	26	53	not calc
75.0	76.0	ND	ND	69	23	57	not calc
76.0	77.0	ND	ND	43	30	48	not calc
77.0	78.0	ND	9	46	18	39	112
78.0	79.0	ND	ND	39	29	58	not calc
79.0	80.0	ND	ND	58	19	36	not calc
80.0	81.0	ND	ND	42	23	31	not calc
81.0	82.0	ND	ND	53	18	43	not calc
82.0	83.0	ND	ND	50	15	40	not calc
83.0	84.0	ND	ND	47	22	32	not calc
84.0	85.0	ND	5	34	15	83	137
85.0	86.0	ND	ND	40	18	39	not calc
86.0	87.0	ND	ND	44	22	52	not calc
87.0	88.0	ND	ND	55	44	45	not calc
88.0	89.0	ND	61	71	22	74	228
89.0	90.0	ND	16	72	65	85	238
90.0	91.0	ND	284	61	47	135	527
91.0	92.0	ND	16	54	55	169	294
92.0	93.0	ND	ND	48	27	62	not calc
93.0	94.0	ND	6	49	17	313	385
94.0	95.0	ND	ND	66	26	66	not calc
95.0	96.0	ND	ND	60	18	62	not calc
96.0	97.0	ND	ND	63	49	131	not calc
97.0	98.0	ND	8	79	24	80	191
98.0	99.0	ND	ND	75	17	64	not calc
99.0	100.0	ND	8	52	58	112	230
100.0	101.0	ND	27	53	33	84	197
101.0	102.0	ND	12	54	27	79	172
102.0	103.0	ND	ND	55	23	73	not calc
103.0	104.0	ND	ND	53	23	60	not calc
104.0	105.0	ND	ND	58	31	50	not calc
105.0	106.0	ND	ND	58	29	51	not calc
106.0	107.0	ND	ND	54	21	48	not calc
107.0	108.0	ND	ND	57	36	57	not calc
108.0	109.0	ND	11	62	40	263	376
109.0	110.0	ND	8	69	29	100	206
110.0	111.0	ND	ND	69	27	73	not calc
111.0	112.0	ND	13	54	39	122	228
112.0	113.0	ND	26	70	54	437	587
113.0	114.0	ND	ND	63	29	115	not calc
114.0	115.0	ND	33	65	29	150	277
115.0	116.0	ND	37	63	33	75	208
116.0	117.0	ND	ND	56	50	82	not calc
117.0	118.0	7	1647	55	109	391	2202
118.0	119.0	6	937	58	137	484	1616
119.0	120.0	ND	264	64	288	804	1420
120.0	121.0	ND	202	64	85	408	759
121.0	122.0	ND	94	58	185	454	791
122.0	123.0	ND	1175	94	693	1480	3442
123.0	124.0	ND	304	84	241	628	1257
124.0	125.0	9	1288	61	907	1338	3594
125.0	126.0	ND	752	50	169	476	1447
126.0	127.0	ND	854	59	86	237	1236
127.0	128.0	ND	ND	50	125	185	not calc
128.0	129.0	ND	8	54	28	88	178
129.0	130.0	ND	ND	50	41	65	not calc
130.0	131.0	ND	ND	53	53	85	not calc
131.0	132.0	ND	8	54	26	65	153
132.0	133.0	ND	26	60	42	203	331
133.0	134.0	ND	8	62	44	124	238
134.0	135.0	ND	ND	116	23	59	not calc
135.0	136.0	ND	ND	67	33	61	not calc
136.0	137.0	ND	ND	66	31	62	not calc
137.0	138.0	ND	ND	55	31	56	not calc
138.0	139.0	ND	ND	60	38	329	not calc
139.0	140.0	ND	ND	65	22	120	not calc
140.0	141.0	ND	ND	50	45	82	not calc
141.0	142.0	ND	18	61	46	67	192
142.0	143.0	ND	21	55	19	49	144
143.0	144.0	ND	15	48	17	45	125
144.0	145.0	ND	6	53	19	127	205
145.0	146.0	ND	ND	165	22	99	not calc
146.0	147.0	ND	ND	49	35	59	not calc
147.0	148.0	ND	13	53	19	53	138
148.0	149.0	ND	ND	53	35	54	not calc
149.0	150.0	ND	ND	48	22	53	not calc
150.0	151.0	ND	ND	59	32	158	not calc
151.0	152.0	ND	ND	70	31	71	not calc
152.0	153.0	ND	ND	46	21	50	not calc
153.0	154.0	ND	ND	63	43	49	not calc
154.0	155.0	ND	ND	57	27	58	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC008 continued							
155.0	156.0	ND	208	53	139	148	548
156.0	157.0	ND	43	70	60	201	374
157.0	158.0	ND	ND	50	26	67	not calc
158.0	159.0	ND	ND	60	48	77	not calc
159.0	160.0	ND	ND	59	50	80	not calc
160.0	161.0	ND	ND	58	20	59	not calc
161.0	162.0	ND	10	57	26	34	127
162.0	163.0	ND	7	72	ND	53	not calc
163.0	164.0	ND	ND	74	7	67	not calc
164.0	165.0	ND	ND	49	14	50	not calc
165.0	166.0	ND	16	60	17	57	150
166.0	167.0	ND	ND	61	21	51	not calc
167.0	168.0	ND	ND	63	19	57	not calc
168.0	169.0	ND	ND	52	13	89	not calc
169.0	170.0	ND	ND	49	22	77	not calc
170.0	171.0	ND	ND	50	16	72	not calc
171.0	172.0	ND	ND	55	15	49	not calc
172.0	173.0	ND	ND	48	19	54	not calc
173.0	174.0	ND	ND	43	14	47	not calc
174.0	175.0	ND	ND	53	14	65	not calc
175.0	176.0	ND	ND	52	18	59	not calc
176.0	177.0	ND	ND	54	19	53	not calc
177.0	178.0	ND	ND	49	20	43	not calc
178.0	179.0	ND	ND	57	18	48	not calc
179.0	180.0	ND	ND	47	14	52	not calc
180.0	181.0	ND	7	65	31	205	308
181.0	182.0	ND	ND	48	25	52	not calc
182.0	183.0	ND	ND	63	15	59	not calc
183.0	184.0	ND	ND	62	18	59	not calc
184.0	185.0	ND	ND	62	18	51	not calc
185.0	186.0	ND	ND	51	39	62	not calc
186.0	187.0	ND	ND	56	24	94	not calc
187.0	188.0	ND	ND	51	24	61	not calc
188.0	189.0	ND	ND	53	21	56	not calc
189.0	190.0	ND	ND	58	18	48	not calc
190.0	191.0	ND	ND	45	18	60	not calc
191.0	192.0	ND	ND	52	17	46	not calc
192.0	193.0	ND	ND	51	17	182	not calc
193.0	194.0	ND	ND	62	19	61	not calc
194.0	195.0	ND	ND	53	9	48	not calc
195.0	196.0	ND	ND	67	16	58	not calc
196.0	197.0	ND	ND	54	15	48	not calc
197.0	198.0	ND	ND	64	21	75	not calc
198.0	199.0	ND	ND	53	13	61	not calc
199.0	200.0	ND	ND	51	12	50	not calc
200.0	201.0	ND	ND	59	20	36	not calc
201.0	202.0	ND	ND	57	19	49	not calc
202.0	203.0	ND	ND	60	22	53	not calc
203.0	204.0	ND	ND	51	20	57	not calc
204.0	205.0	ND	ND	73	20	115	not calc
205.0	206.0	ND	ND	51	24	49	not calc
206.0	207.0	ND	ND	94	21	60	not calc
207.0	208.0	ND	ND	58	16	50	not calc
208.0	209.0	ND	ND	59	28	48	not calc
209.0	210.0	ND	ND	48	22	47	not calc
210.0	211.0	ND	ND	67	47	203	not calc
211.0	212.0	ND	ND	73	24	75	not calc
212.0	213.0	ND	ND	76	12	48	not calc
213.0	214.0	ND	7	60	13	44	124
214.0	215.0	ND	ND	47	16	42	not calc
215.0	216.0	ND	ND	64	29	50	not calc
216.0	217.0	ND	ND	64	15	67	not calc
217.0	218.0	ND	ND	67	10	45	not calc
218.0	219.0	ND	6	70	12	43	131
219.0	220.0	ND	ND	53	11	33	not calc
220.0	221.0	ND	ND	65	21	42	not calc
221.0	222.0	ND	ND	64	14	43	not calc
222.0	223.0	ND	ND	81	11	85	not calc
223.0	224.0	ND	ND	61	20	50	not calc
224.0	225.0	ND	ND	57	15	59	not calc
225.0	226.0	ND	ND	64	67	44	not calc
226.0	227.0	ND	ND	66	18	51	not calc
227.0	228.0	ND	10	66	18	49	143
228.0	229.0	ND	ND	71	17	103	not calc
229.0	230.0	ND	ND	73	44	66	not calc
230.0	231.0	ND	ND	82	28	77	not calc
231.0	232.0	ND	ND	69	22	59	not calc
232.0	233.0	ND	ND	77	22	82	not calc
233.0	234.0	ND	ND	87	25	96	not calc
234.0	235.0	ND	ND	66	16	70	not calc
235.0	236.0	ND	ND	85	19	44	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC007 continued							
195.0	196.0	ND	ND	57	19	50	not calc
196.0	197.0	ND	ND	55	17	42	not calc
197.0	198.0	ND	ND	60	17	51	not calc
198.0	199.0	ND	ND	59	66	122	not calc
199.0	200.0	ND	11	70	34	93	208
200.0	201.0	ND	ND	71	29	84	not calc
201.0	202.0	ND	ND	62	23	50	not calc
202.0	203.0	ND	ND	68	21	53	not calc
203.0	204.0	ND	ND	63	22	45	not calc
204.0	205.0	ND	8	62	13	62	145
205.0	206.0	ND	ND	55	13	42	not calc
206.0	207.0	ND	ND	62	12	43	not calc
207.0	208.0	ND	ND	57	16	51	not calc
208.0	209.0	ND	ND	60	52	48	not calc
209.0	210.0	ND	14	62	40	171	287
210.0	211.0	ND	ND	65	20	110	not calc
211.0	212.0	ND	ND	70	20	61	not calc
212.0	213.0	ND	14	65	67	266	412
213.0	214.0	ND	11	62	21	67	161
214.0	215.0	ND	ND	54	25	79	not calc
215.0	216.0	ND	28	59	54	94	235
216.0	217.0	ND	ND	64	25	107	not calc
217.0	218.0	ND	7	58	15	52	132
218.0	219.0	ND	ND	61	16	54	not calc
219.0	220.0	ND	ND	54	21	46	not calc
220.0	221.0	ND	ND	59	22	38	not calc
221.0	222.0	ND	ND	50	35	40	not calc
222.0	223.0	ND	8	56	51	641	756
223.0	224.0	ND	ND	59	78	62	not calc
224.0	225.0	ND	ND	50	43	69	not calc
225.0	226.0	ND	ND	69	11	49	not calc
226.0	227.0	ND	ND	61	22	54	not calc
227.0	228.0	ND	ND	59	22	45	not calc
228.0	229.0	ND	ND	65	18	56	not calc
229.0	230.0	ND	ND	56	13	52	not calc
230.0	231.0	ND	11	70	11	37	129
231.0	232.0	ND	ND	65	33	39	not calc
232.0	233.0	ND	ND	68	66	45	not calc
233.0	234.0	ND	6	69	20	74	169
234.0	235.0	ND	ND	55	25	86	not calc
235.0	236.0	ND	ND	66	29	47	not calc
236.0	237.0	ND	ND	61	18	49	not calc
237.0	238.0	ND	6	72	14	49	141
238.0	239.0	ND	ND	62	21	48	not calc
239.0	240.0	ND	ND	66	24	51	not calc
240.0	241.0	ND	8	92	11	72	183
241.0	242.0	ND	ND	63	17	74	not calc
242.0	243.0	ND	ND	62	21	46	not calc
243.0	244.0	ND	ND	75	13	54	not calc
244.0	245.0	ND	ND	64	22	66	not calc
245.0	246.0	ND	ND	71	17	56	not calc
246.0	247.0	ND	ND	65	18	82	not calc
247.0	248.0	ND	ND	74	19	60	not calc
248.0	249.0	ND	ND	59	19	53	not calc
249.0	250.0	ND	ND	73	17	45	not calc
250.0	251.0	ND	ND	58	20	31	not calc
251.0	252.0	ND	ND	75	20	32	not calc
252.0	253.0	ND	ND	75	16	86	not calc
253.0	254.0	ND	ND	66	14	42	not calc
254.0	255.0	ND	ND	67	19	42	not calc
255.0	256.0	ND	ND	66	16	38	not calc
256.0	257.0	ND	7	56	12	35	110
257.0	258.0	ND	ND	72	22	37	not calc
258.0	259.0	ND	8	55	25	84	172
259.0	260.0	ND	ND	72	28	109	not calc
260.0	261.0	ND	10	64	12	35	121
261.0	262.0	ND	ND	81	13	44	not calc
262.0	263.0	ND	7	69	24	99	199
263.0	264.0	ND	ND	61	15	51	not calc
264.0	265.0	ND	ND	79	39	174	not calc
265.0	266.0	ND	ND	63	21	102	not calc
266.0	267.0	ND	ND	56	21	69	not calc
267.0	268.0	ND	12	68	43	185	308
268.0	269.0	ND	ND	65	36	116	not calc
269.0	270.0	ND	ND	68	90	61	not calc
270.0	271.0	ND	ND	47	43	165	not calc
271.0	272.0	ND	ND	66	40	158	not calc
272.0	273.0	ND	ND	80	67	152	not calc
273.0	274.0	ND	ND	97	96	90	not calc
274.0	275.0	ND	ND	92	296	306	not calc
275.0	276.0	ND	ND	70	122	74	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC007 continued							
276.0	277.0	ND	ND	81	67	99	not calc
277.0	278.0	ND	11	108	56	472	647
278.0	279.0	ND	ND	78	76	260	not calc
279.0	280.0	ND	ND	93	48	175	not calc
280.0	281.0	ND	ND	72	29	73	not calc
281.0	282.0	ND	ND	76	59	224	not calc
26NGRC008							
0.0	1.0	ND	16	70	24	91	201
1.0	2.0	ND	57	55	53	60	225
2.0	3.0	ND	16	87	33	48	184
3.0	4.0	ND	42	69	108	73	292
4.0	5.0	ND	17	69	68	147	301
5.0	6.0	ND	17	73	67	219	376
6.0	7.0	ND	34	66	24	42	166
7.0	8.0	ND	14	75	56	106	251
8.0	9.0	ND	9	74	19	47	149
9.0	10.0	ND	ND	79	24	55	not calc
10.0	11.0	ND	13	64	21	46	144
11.0	12.0	ND	8	61	13	27	109
12.0	13.0	ND	11	51	15	78	155
13.0	14.0	ND	7	66	24	52	149
14.0	15.0	ND	ND	69	22	50	not calc
15.0	16.0	ND	ND	69	25	34	not calc
16.0	17.0	ND	ND	65	21	43	not calc
17.0	18.0	ND	ND	72	27	59	not calc
18.0	19.0	ND	ND	69	22	67	not calc
19.0	20.0	ND	ND	66	21	45	not calc
20.0	21.0	ND	ND	46	26	107	not calc
21.0	22.0	ND	ND	53	26	92	not calc
22.0	23.0	ND	ND	74	22	44	not calc
23.0	24.0	ND	ND	55	20	53	not calc
24.0	25.0	ND	13	54	35	43	145
25.0	26.0	ND	ND	63	19	68	not calc
26.0	27.0	ND	ND	76	19	43	not calc
27.0	28.0	ND	ND	65	25	49	not calc
28.0	29.0	ND	10	64	22	47	143
29.0	30.0	ND	ND	71	19	47	not calc
30.0	31.0	ND	ND	67	19	90	not calc
31.0	32.0	ND	ND	52	19	51	not calc
32.0	33.0	ND	ND	75	31	61	not calc
33.0	34.0	ND	10	67	26	129	232
34.0	35.0	ND	ND	55	24	52	not calc
35.0	36.0	ND	ND	61	18	54	not calc
36.0	37.0	ND	ND	113	23	74	not calc
37.0	38.0	ND	ND	65	24	48	not calc
38.0	39.0	ND	ND	72	21	56	not calc
39.0	40.0	ND	ND	73	50	77	not calc
40.0	41.0	ND	ND	66	30	64	not calc
41.0	42.0	ND	ND	79	24	61	not calc
42.0	43.0	ND	ND	99	21	71	not calc
43.0	44.0	ND	ND	67	26	63	not calc
44.0	45.0	ND	ND	61	22	48	not calc
45.0	46.0	ND	ND	64	22	51	not calc
46.0	47.0	ND	ND	64	23	52	not calc
47.0	48.0	ND	ND	63	28	90	not calc
48.0	49.0	ND	ND	66	24	140	not calc
49.0	50.0	ND	ND	64	26	49	not calc
50.0	51.0	ND	ND	76	31	58	not calc
51.0	52.0	ND	ND	75	20	47	not calc
52.0	53.0	ND	ND	71	23	58	not calc
53.0	54.0	ND	ND	76	26	57	not calc
54.0	55.0	ND	ND	72	25	257	not calc
55.0	56.0	ND	ND	76	22	102	not calc
56.0	57.0	ND	ND	76	22	69	not calc
57.0	58.0	ND	ND	76	25	58	not calc
58.0	59.0	ND	7	69	26	76	178
59.0	60.0	ND	ND	81	25	58	not calc
60.0	61.0	ND	ND	75	27	87	not calc
61.0	62.0	ND	ND	70	26	54	not calc
62.0	63.0	ND	ND	80	25	71	not calc
63.0	64.0	ND	ND	56	60	64	not calc
64.0	65.0	ND	ND	50	202	59	not calc
65.0	66.0	ND	ND	61	67	49	not calc
66.0	67.0	ND	ND	48	29	84	not calc
67.0	68.0	ND	ND	63	30	63	not calc
68.0	69.0	ND	7	44	27	41	119
69.0	70.0	ND	ND	51	35	55	not calc
70.0	71.0	ND	ND	44	23	32	not calc
71.0	72.0	ND	ND	44	19	37	not calc
72.0	73.0	ND	ND	53	23	55	not calc
73.0	74.0	ND	ND	48	24	42	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC007 continued							
32.0	33.0	ND	ND	59	23	56	not calc
33.0	34.0	ND	ND	73	21	61	not calc
34.0	35.0	ND	ND	71	23	63	not calc
35.0	36.0	ND	ND	69	21	57	not calc
36.0	37.0	ND	ND	57	22	66	not calc
37.0	38.0	ND	ND	49	20	54	not calc
38.0	39.0	ND	ND	76	21	57	not calc
39.0	40.0	ND	ND	59	23	42	not calc
40.0	41.0	ND	ND	60	28	64	not calc
41.0	42.0	ND	ND	57	29	59	not calc
42.0	43.0	ND	ND	60	24	80	not calc
43.0	44.0	ND	ND	61	21	57	not calc
44.0	45.0	ND	ND	60	20	59	not calc
45.0	46.0	ND	ND	71	23	57	not calc
46.0	47.0	ND	ND	67	48	212	not calc
47.0	48.0	ND	ND	73	25	66	not calc
48.0	49.0	ND	ND	68	34	72	not calc
49.0	50.0	ND	ND	62	56	209	not calc
50.0	51.0	ND	ND	53	44	58	not calc
51.0	52.0	ND	ND	71	25	43	not calc
52.0	53.0	ND	ND	65	51	94	not calc
53.0	54.0	ND	19	50	31	77	177
54.0	55.0	ND	12	51	8	37	108
55.0	56.0	ND	ND	57	59	98	not calc
56.0	57.0	ND	ND	56	36	121	not calc
57.0	58.0	ND	ND	64	28	48	not calc
58.0	59.0	ND	42	104	22	49	217
59.0	60.0	ND	9	59	27	49	144
60.0	61.0	ND	6	55	ND	23	not calc
61.0	62.0	ND	ND	63	21	44	not calc
62.0	63.0	ND	ND	58	30	51	not calc
63.0	64.0	ND	ND	62	25	47	not calc
64.0	65.0	ND	ND	61	25	52	not calc
65.0	66.0	ND	ND	68	25	33	not calc
66.0	67.0	ND	ND	65	23	38	not calc
67.0	68.0	ND	8	53	16	42	119
68.0	69.0	ND	6	113	25	49	193
69.0	70.0	ND	ND	65	18	42	not calc
70.0	71.0	ND	6	46	20	34	106
71.0	72.0	ND	ND	80	24	46	not calc
72.0	73.0	7	1553	64	297	1182	3096
73.0	74.0	ND	34	59	28	58	179
74.0	75.0	ND	ND	49	27	39	not calc
75.0	76.0	ND	47	54	34	64	199
76.0	77.0	ND	52	60	33	72	217
77.0	78.0	ND	45	53	28	72	198
78.0	79.0	ND	48	55	33	73	209
79.0	80.0	ND	493	46	43	106	688
80.0	81.0	ND	103	44	44	95	286
81.0	82.0	ND	84	52	46	96	278
82.0	83.0	ND	12	58	32	69	171
83.0	84.0	ND	ND	56	38	56	not calc
84.0	85.0	ND	11	54	28	46	139
85.0	86.0	ND	11	43	33	68	155
86.0	87.0	ND	7	38	34	78	157
87.0	88.0	ND	153	56	62	161	432
88.0	89.0	ND	393	42	54	161	650
89.0	90.0	ND	76	39	27	43	185
90.0	91.0	ND	219	62	235	425	941
91.0	92.0	ND	391	46	337	565	1339
92.0	93.0	ND	908	51	722	584	2265
93.0	94.0	11	1205	53	72	172	1502
94.0	95.0	ND	366	58	112	327	863
95.0	96.0	ND	426	53	142	405	1026
96.0	97.0	ND	235	55	102	270	662
97.0	98.0	ND	124	55	67	172	418
98.0	99.0	ND	66	58	37	73	234
99.0	100.0	ND	56	72	30	75	233
100.0	101.0	ND	46	72	41	93	252
101.0	102.0	ND	21	70	20	58	169
102.0	103.0	ND	97	63	36	99	295
103.0	104.0	ND	810	61	151	631	1653
104.0	105.0	ND	184	90	70	122	466
105.0	106.0	ND	718	60	164	402	1344
106.0	107.0	ND	76	69	74	175	394
107.0	108.0	6	639	71	278	544	1532
108.0	109.0	4	107	95	776	1227	2205
109.0	110.0	ND	26	75	116	241	458
110.0	111.0	ND	14	68	56	105	243
111.0	112.0	ND	7	68	40	69	184
112.0	113.0	ND	8	87	46	68	209

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC007 continued							
113.0	114.0	ND	10	68	40	68	186
114.0	115.0	ND	11	59	29	59	158
115.0	116.0	ND	9	66	28	62	165
116.0	117.0	ND	18	63	40	80	201
117.0	118.0	ND	11	57	30	72	170
118.0	119.0	ND	13	54	27	91	185
119.0	120.0	ND	50	63	120	205	438
120.0	121.0	ND	41	67	274	530	912
121.0	122.0	ND	25	57	47	103	232
122.0	123.0	ND	16	57	52	103	228
123.0	124.0	ND	23	70	47	121	261
124.0	125.0	ND	25	74	46	121	266
125.0	126.0	ND	19	62	57	92	230
126.0	127.0	ND	10	169	47	258	484
127.0	128.0	ND	20	95	41	105	261
128.0	129.0	ND	15	78	45	103	241
129.0	130.0	ND	18	76	61	134	289
130.0	131.0	ND	237	78	72	432	819
131.0	132.0	ND	98	65	77	310	550
132.0	133.0	ND	36	76	33	50	195
133.0	134.0	ND	15	84	35	59	193
134.0	135.0	ND	21	83	38	68	210
135.0	136.0	ND	13	71	51	57	192
136.0	137.0	ND	12	99	32	84	227
137.0	138.0	ND	24	68	61	110	263
138.0	139.0	ND	ND	70	19	91	not calc
139.0	140.0	ND	ND	69	24	57	not calc
140.0	141.0	ND	ND	67	35	61	not calc
141.0	142.0	ND	ND	85	87	139	not calc
142.0	143.0	ND	ND	84	74	206	not calc
143.0	144.0	ND	22	68	65	295	450
144.0	145.0	ND	11	60	28	75	174
145.0	146.0	ND	9	71	77	113	270
146.0	147.0	ND	ND	61	60	118	not calc
147.0	148.0	ND	11	82	51	93	237
148.0	149.0	ND	25	61	85	118	289
149.0	150.0	6	653	65	145	137	1000
150.0	152.0	ND	32	68	42	77	219
152.0	153.0	ND	37	74	55	128	294
153.0	154.0	ND	32	70	52	79	233
154.0	155.0	ND	18	76	38	93	225
155.0	156.0	ND	29	73	47	102	251
156.0	157.0	ND	25	74	20	52	171
157.0	158.0	ND	96	78	582	364	1120
158.0	159.0	ND	385	87	70	105	647
159.0	160.0	ND	94	73	117	135	419
160.0	161.0	4	194	104	314	974	1586
161.0	162.0	ND	82	74	123	206	485
162.0	163.0	ND	33	64	59	199	355
163.0	164.0	ND	6	76	21	38	141
164.0	165.0	ND	7	74	14	55	150
165.0	166.0	ND	17	85	17	49	168
166.0	167.0	6	1494	71	217	237	2019
167.0	168.0	ND	71	81	72	101	325
168.0	169.0	ND	24	65	28	92	209
169.0	170.0	ND	238	72	115	96	521
170.0	171.0	ND	91	74	60	55	280
171.0	172.0	ND	18	71	24	45	158
172.0	173.0	ND	87	70	28	44	229
173.0	174.0	ND	142	71	71	71	355
174.0	175.0	ND	8	80	24	51	163
175.0	176.0	ND	11	60	21	52	144
176.0	177.0	ND	10	51	39	60	160
177.0	178.0	ND	7	60	22	58	147
178.0	179.0	ND	ND	51	21	51	not calc
179.0	180.0	ND	ND	60	28	96	not calc
180.0	181.0	ND	36	61	35	101	233
181.0	182.0	ND	ND	57	19	48	not calc
182.0	183.0	ND	534	70	240	552	1396
183.0	184.0	ND	244	63	69	209	585
184.0	185.0	ND	932	57	153	470	1612
185.0	186.0	ND	189	76	197	550	1012
186.0	187.0	ND	15	56	27	68	166
187.0	188.0	ND	15	67	14	78	174
188.0	189.0	ND	ND	61	22	50	not calc
189.0	190.0	ND	ND	61	19	49	not calc
190.0	191.0	ND	ND	64	23	40	not calc
191.0	192.0	ND	ND	56	17	89	not calc
192.0	193.0	ND	6	47	22	894	969
193.0	194.0	ND	ND	60	18	77	not calc
194.0	195.0	ND	ND	73	36	113	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC005 continued							
72.0	73.0	ND	ND	88	175	422	not calc
73.0	74.0	ND	35	78	146	296	555
74.0	75.0	ND	16	72	28	114	230
75.0	76.0	ND	12	71	32	161	276
76.0	77.0	ND	16	82	12	94	204
77.0	78.0	ND	99	62	ND	75	not calc
78.0	79.0	7	689	72	21	144	926
79.0	80.0	ND	178	63	12	88	341
80.0	81.0	ND	121	68	11	68	268
81.0	82.0	ND	135	62	22	76	295
82.0	83.0	ND	24	69	20	90	203
83.0	84.0	ND	25	73	14	115	227
84.0	85.0	ND	49	69	64	228	410
85.0	86.0	ND	19	73	23	125	240
86.0	87.0	ND	15	58	29	149	251
87.0	88.0	ND	7	71	16	140	234
88.0	89.0	ND	ND	87	20	137	not calc
89.0	90.0	ND	7	82	38	195	322
90.0	91.0	ND	17	89	144	935	1185
91.0	92.0	ND	11	90	148	1893	2142
92.0	93.0	ND	ND	81	209	419	not calc
93.0	94.0	ND	ND	71	123	217	not calc
94.0	95.0	ND	ND	95	83	266	not calc
95.0	96.0	ND	ND	73	45	129	not calc
96.0	97.0	ND	ND	86	42	219	not calc
97.0	98.0	ND	ND	72	19	105	not calc
98.0	99.0	ND	ND	73	16	92	not calc
99.0	100.0	ND	ND	70	16	93	not calc
26NGRC006							
0.0	1.0	ND	23	92	377	386	878
1.0	2.0	ND	30	86	482	307	905
2.0	3.0	ND	157	108	578	284	1127
3.0	4.0	ND	95	85	607	135	922
4.0	5.0	ND	177	69	381	157	784
5.0	6.0						not calc
6.0	7.0	ND	86	85	392	151	714
7.0	8.0	ND	ND	113	849	802	not calc
8.0	9.0	ND	28	127	1120	1147	2422
9.0	10.0	ND	33	185	761	720	1699
10.0	11.0	ND	ND	86	84	937	not calc
11.0	12.0	ND	17	53	36	443	549
12.0	13.0	ND	27	61	51	172	311
13.0	14.0	ND	8	55	46	91	200
14.0	15.0	ND	9	70	38	90	207
15.0	16.0	ND	ND	61	183	230	not calc
16.0	17.0	ND	9	58	36	67	170
17.0	18.0	ND	19	71	39	60	189
18.0	19.0	ND	ND	63	56	88	not calc
19.0	20.0	ND	ND	52	53	104	not calc
20.0	21.0	ND	ND	94	685	533	not calc
21.0	22.0	ND	ND	61	23	41	not calc
22.0	23.0	ND	21	68	12	136	237
23.0	24.0	ND	21	73	148	380	622
24.0	25.0	ND	249	63	54	150	516
25.0	26.0	ND	11	55	64	127	257
26.0	27.0	ND	ND	155	731	1494	not calc
27.0	28.0	ND	ND	77	260	313	not calc
28.0	29.0	ND	ND	75	627	649	not calc
29.0	30.0	ND	ND	61	261	314	not calc
30.0	31.0	ND	ND	38	256	306	not calc
31.0	32.0	ND	ND	111	2774	4037	not calc
32.0	33.0	ND	ND	182	2265	1867	not calc
33.0	34.0	ND	66	128	1495	3222	4911
34.0	35.0	ND	84	118	495	3488	4185
35.0	36.0	ND	84	160	729	2907	3880
36.0	37.0	ND	3075	234	6188	9854	19351
37.0	38.0	ND	339	210	1589	4377	6515
38.0	39.0	ND	252	276	5183	5968	11679
39.0	40.0	ND	202	245	1116	3560	5123
40.0	41.0	ND	41	85	370	791	1287
41.0	42.0	ND	27	64	231	414	736
42.0	43.0	ND	ND	78	219	225	not calc
43.0	44.0	ND	ND	72	190	231	not calc
44.0	45.0	ND	ND	74	65	209	not calc
45.0	46.0	ND	ND	81	45	142	not calc
46.0	47.0	ND	10	58	62	156	286
47.0	48.0	ND	12	77	45	96	230
48.0	49.0	ND	ND	53	19	61	not calc
49.0	50.0	ND	ND	61	18	57	not calc
50.0	51.0	ND	7	88	17	99	211
51.0	52.0	ND	44	87	17	65	213

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC006 continued							
52.0	53.0	ND	7	59	17	67	150
53.0	54.0	ND	ND	64	15	73	not calc
54.0	55.0	ND	ND	47	44	77	not calc
55.0	56.0	ND	7	65	11	67	150
56.0	57.0	ND	ND	79	16	59	not calc
57.0	58.0	ND	ND	57	13	56	not calc
58.0	59.0	ND	ND	67	14	57	not calc
59.0	60.0	ND	ND	61	11	40	not calc
60.0	61.0	ND	14	76	57	173	320
61.0	62.0	ND	ND	65	45	96	not calc
62.0	63.0	ND	ND	65	46	87	not calc
63.0	64.0	ND	ND	68	29	73	not calc
64.0	65.0	ND	9	61	40	128	238
65.0	66.0	ND	17	61	60	94	232
66.0	67.0	ND	32	77	382	336	827
67.0	68.0	ND	ND	68	53	86	not calc
68.0	69.0	ND	7	52	43	73	175
69.0	70.0	ND	11	66	42	66	185
70.0	71.0	ND	7	68	27	86	188
71.0	72.0	ND	53	74	116	134	377
72.0	73.0	ND	9	75	26	64	174
73.0	74.0	ND	ND	59	34	55	not calc
74.0	75.0	6	1333	55	119	122	1629
75.0	76.0	6	627	68	21	60	776
76.0	77.0	ND	16	65	26	99	206
77.0	78.0	ND	17	75	140	272	504
78.0	79.0	ND	75	85	294	209	663
79.0	80.0	ND	38	73	52	101	264
80.0	81.0	ND	10	64	53	109	236
81.0	82.0	ND	ND	74	44	133	not calc
82.0	83.0	ND	ND	74	45	108	not calc
83.0	84.0	ND	13	83	98	161	355
84.0	85.0	ND	ND	90	27	108	not calc
85.0	86.0	ND	9	92	45	158	304
86.0	87.0	ND	18	94	62	111	285
87.0	88.0	ND	22	82	39	117	260
88.0	89.0	ND	11	78	19	73	181
89.0	90.0	ND	ND	88	22	126	not calc
90.0	91.0	ND	ND	66	22	187	not calc
91.0	92.0	ND	ND	88	51	124	not calc
92.0	93.0	ND	ND	78	31	103	not calc
93.0	94.0	ND	ND	70	18	97	not calc
94.0	95.0	ND	ND	80	10	85	not calc
95.0	96.0	ND	ND	78	15	116	not calc
96.0	97.0	ND	ND	62	27	174	not calc
97.0	98.0	ND	6	82	7	90	185
98.0	99.0	ND	ND	74	6	78	not calc
99.0	100.0	ND	5	67	ND	85	not calc
26NGRC007							
0.0	1.0	ND	9	54	31	232	326
1.0	2.0	ND	7	64	19	42	132
2.0	3.0	ND	ND	66	24	60	not calc
3.0	4.0	ND	ND	59	25	53	not calc
4.0	5.0	ND	ND	69	14	51	not calc
5.0	6.0	ND	6	56	14	36	112
6.0	7.0	ND	11	52	19	43	125
7.0	8.0	ND	ND	48	18	36	not calc
8.0	9.0	ND	ND	63	17	36	not calc
9.0	10.0	ND	8	62	16	42	128
10.0	11.0	ND	6	62	14	38	120
11.0	12.0	ND	ND	68	16	30	not calc
12.0	13.0	ND	ND	63	21	49	not calc
13.0	14.0	ND	7	55	21	42	125
14.0	15.0	ND	ND	65	22	45	not calc
15.0	16.0	ND	ND	59	19	35	not calc
16.0	17.0	ND	ND	63	38	98	not calc
17.0	18.0	ND	ND	66	80	174	not calc
18.0	19.0	ND	ND	64	60	162	not calc
19.0	20.0	ND	ND	55	15	41	not calc
20.0	21.0	ND	ND	63	24	68	not calc
21.0	22.0	ND	ND	53	25	48	not calc
22.0	23.0	ND	ND	65	25	94	not calc
23.0	24.0	ND	30	108	42	837	1017
24.0	25.0	ND	ND	70	25	64	not calc
25.0	26.0	ND	ND	54	23	62	not calc
26.0	27.0	ND	ND	64	23	64	not calc
27.0	28.0	ND	ND	49	14	57	not calc
28.0	29.0	ND	6	81	20	55	162
29.0	30.0	ND	ND	63	23	66	not calc
30.0	31.0	ND	ND	61	24	69	not calc
31.0	32.0	ND	ND	65	20	65	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC004 continued							
11.0	12.0	ND	73	53	56	239	421
12.0	13.0	ND	88	42	31	232	393
13.0	14.0	ND	15	44	20	109	188
14.0	15.0	ND	14	100	26	94	234
15.0	16.0	ND	11	59	37	118	225
16.0	17.0	ND	8	54	33	88	183
17.0	18.0	ND	8	66	26	78	178
18.0	19.0	ND	ND	57	259	547	not calc
19.0	20.0	ND	11	68	96	174	349
20.0	21.0	ND	ND	56	42	127	not calc
21.0	22.0	ND	ND	58	53	114	not calc
22.0	23.0	ND	ND	58	60	181	not calc
23.0	24.0	ND	47	50	8	80	185
24.0	25.0	ND	17	49	12	79	157
25.0	26.0	ND	ND	62	193	452	not calc
26.0	27.0	ND	11	67	15	59	152
27.0	28.0	ND	ND	62	42	58	not calc
28.0	29.0	ND	ND	56	18	44	not calc
29.0	30.0	ND	ND	61	22	68	not calc
30.0	31.0	ND	13	66	119	439	637
31.0	32.0	ND	13	77	53	122	265
32.0	33.0	ND	70	199	1267	2348	3884
33.0	34.0	ND	20	89	219	373	701
34.0	35.0	ND	ND	69	347	201	not calc
35.0	36.0	ND	1302	600	10778	7434	20114
36.0	37.0	13	2012	307	1581	10225	14125
37.0	38.0	ND	1087	133	1496	2838	5554
38.0	39.0	ND	929	96	504	741	2270
39.0	40.0	ND	780	460	8085	10934	20259
40.0	41.0	ND	ND	83	544	571	not calc
41.0	42.0	ND	ND	86	1231	913	not calc
42.0	43.0	ND	327	74	460	3296	4157
43.0	44.0	ND	372	308	1877	720	3277
44.0	45.0	ND	86	224	2022	1334	3666
45.0	46.0	ND	381	101	1712	492	2686
46.0	47.0	ND	188	98	433	748	1467
47.0	48.0	ND	80	87	433	602	1202
48.0	49.0	ND	10	49	96	115	270
49.0	50.0	ND	12	65	33	100	210
50.0	51.0	ND	ND	66	97	141	not calc
51.0	52.0	ND	ND	72	76	103	not calc
52.0	53.0	ND	13	64	73	82	232
53.0	54.0	ND	ND	63	50	124	not calc
54.0	55.0	ND	18	75	152	448	693
55.0	56.0	ND	91	179	503	3565	4338
56.0	57.0	ND	165	211	1179	2799	4354
57.0	58.0	ND	30	130	184	548	892
58.0	59.0	ND	18	89	127	246	480
59.0	60.0	ND	10	76	105	501	692
60.0	61.0	ND	17	78	167	492	754
61.0	62.0	ND	ND	73	31	77	not calc
62.0	63.0	ND	ND	62	80	253	not calc
63.0	64.0	ND	ND	76	25	74	not calc
64.0	65.0	ND	25	86	136	399	646
65.0	66.0	ND	ND	76	89	200	not calc
66.0	67.0	ND	ND	81	189	453	not calc
67.0	68.0	ND	12	76	43	150	281
68.0	69.0	ND	11	73	44	130	258
69.0	70.0	ND	17	74	45	138	274
70.0	71.0	ND	403	91	33	128	655
71.0	72.0	ND	22	95	20	102	239
72.0	73.0	ND	19	79	18	164	280
73.0	74.0	ND	18	82	12	126	238
74.0	75.0	ND	38	80	25	127	270
75.0	76.0	ND	200	108	316	953	1577
76.0	77.0	11	1247	76	10	113	1446
77.0	78.0	ND	79	79	34	125	317
78.0	79.0	ND	87	72	59	257	475
79.0	80.0	ND	ND	84	303	419	not calc
80.0	81.0	ND	13	74	19	132	238
81.0	82.0	ND	10	58	13	76	157
82.0	83.0	ND	71	83	226	758	1138
83.0	84.0	ND	65	82	219	707	1073
84.0	85.0	ND	14	67	22	200	303
85.0	86.0	ND	18	76	13	123	230
86.0	87.0	ND	12	73	107	224	416
87.0	88.0	ND	ND	53	33	77	not calc
88.0	89.0	ND	ND	64	34	101	not calc
89.0	90.0	ND	ND	57	48	100	not calc
90.0	91.0	ND	ND	68	142	204	not calc
91.0	92.0	ND	28	58	248	269	603

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC004 continued							
92.0	93.0	ND	9	48	32	125	214
93.0	94.0	ND	ND	53	26	66	not calc
94.0	95.0	ND	13	62	142	77	294
95.0	96.0	ND	ND	43	77	56	not calc
96.0	97.0	ND	ND	100	2376	141	not calc
97.0	98.0	ND	ND	49	146	67	not calc
98.0	99.0	ND	56	68	677	515	1316
99.0	100.0	ND	13	69	202	410	694
26NGRC005							
0.0	1.0	ND	87	72	242	296	697
1.0	2.0	ND	79	64	255	274	672
2.0	3.0	ND	111	71	440	248	870
3.0	4.0	ND	51	64	212	151	478
4.0	5.0	ND	53	62	183	143	441
5.0	6.0	ND	26	52	333	224	635
6.0	7.0	ND	34	64	262	237	597
7.0	8.0	ND	ND	66	562	419	not calc
8.0	9.0	ND	ND	129	846	520	not calc
9.0	10.0	ND	ND	56	114	462	not calc
10.0	11.0	ND	50	65	366	397	878
11.0	12.0	ND	316	67	139	279	801
12.0	13.0	ND	105	37	37	76	255
13.0	14.0	ND	ND	48	338	81	not calc
14.0	15.0	ND	11	61	89	69	230
15.0	16.0	ND	11	52	59	74	196
16.0	17.0	ND	ND	56	12	63	not calc
17.0	18.0	ND	ND	62	100	661	not calc
18.0	19.0	ND	16	68	40	156	280
19.0	20.0	ND	9	64	53	317	443
20.0	21.0	ND	8	59	54	207	328
21.0	22.0	ND	7	56	14	61	138
22.0	23.0	ND	ND	49	52	239	not calc
23.0	24.0	ND	8	74	11	72	165
24.0	25.0	ND	ND	49	12	155	not calc
25.0	26.0	ND	ND	64	103	506	not calc
26.0	27.0	ND	ND	186	1129	755	not calc
27.0	28.0	ND	ND	57	83	106	not calc
28.0	29.0	ND	9	53	21	70	153
29.0	30.0	ND	34	57	53	181	325
30.0	31.0	ND	148	61	155	337	701
31.0	32.0	8	380	250	3879	7579	12088
32.0	33.0	ND	811	196	5587	14659	21253
33.0	34.0	ND	486	113	864	2682	4145
34.0	35.0	ND	281	100	436	6718	7535
35.0	36.0	ND	551	345	5239	6661	12796
36.0	37.0	ND	477	304	5966	3726	10473
37.0	38.0	ND	661	257	1446	6238	8602
38.0	39.0	ND	211	133	1316	2126	3786
39.0	40.0	ND	107	103	575	1282	2067
40.0	41.0	ND	26	73	185	487	771
41.0	42.0	ND	20	64	241	495	820
42.0	43.0	ND	29	97	337	672	1135
43.0	44.0	ND	ND	99	1043	581	not calc
44.0	45.0	ND	79	88	797	954	1918
45.0	46.0	ND	17	78	182	210	487
46.0	47.0	ND	16	52	139	250	457
47.0	48.0	ND	23	72	202	452	749
48.0	49.0	ND	13	59	84	295	451
49.0	50.0	ND	28	62	202	451	743
50.0	51.0	ND	30	74	218	539	861
51.0	52.0	ND	139	67	127	313	646
52.0	53.0	ND	7	83	50	170	310
53.0	54.0	ND	ND	57	45	115	not calc
54.0	55.0	ND	ND	76	118	380	not calc
55.0	56.0	ND	ND	71	141	349	not calc
56.0	57.0	ND	18	84	163	407	672
57.0	58.0	ND	11	68	87	225	391
58.0	59.0	ND	21	92	183	446	742
59.0	60.0	ND	30	76	240	627	973
60.0	61.0	ND	9	62	45	186	302
61.0	62.0	ND	ND	66	26	89	not calc
62.0	63.0	ND	ND	76	23	89	not calc
63.0	64.0	ND	ND	86	16	56	not calc
64.0	65.0	ND	ND	66	95	324	not calc
65.0	66.0	ND	ND	142	1169	869	not calc
66.0	67.0	ND	ND	72	97	130	not calc
67.0	68.0	ND	ND	67	74	120	not calc
68.0	69.0	ND	ND	52	26	65	not calc
69.0	70.0	ND	ND	60	16	66	not calc
70.0	71.0	ND	ND	72	21	128	not calc
71.0	72.0	ND	ND	65	22	83	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC002 continued							
133.0	134.0	ND	58	92	350	734	1234
134.0	135.0	ND	56	86	328	481	951
135.0	136.0	ND	44	72	176	287	579
136.0	137.0	ND	71	72	185	333	661
137.0	138.0	ND	79	75	177	258	589
138.0	139.0	ND	46	94	111	318	569
139.0	140.0	ND	47	79	61	136	323
140.0	141.0	ND	ND	75	97	373	not calc
141.0	142.0	ND	ND	96	547	779	not calc
142.0	143.0	ND	17	126	298	2849	3290
143.0	144.0	ND	ND	69	308	426	not calc
144.0	145.0	ND	ND	67	250	347	not calc
145.0	146.0	ND	20	75	437	584	1116
146.0	147.0	ND	ND	70	54	109	not calc
147.0	148.0	ND	ND	57	172	176	not calc
148.0	149.0	ND	27	115	338	703	1183
149.0	150.0	ND	ND	72	175	414	not calc
150.0	151.0	ND	31	88	585	764	1468
151.0	152.0	ND	ND	128	1359	743	not calc
152.0	153.0	ND	ND	90	244	267	not calc
153.0	154.0	ND	ND	70	150	352	not calc
154.0	155.0	ND	13	86	101	142	342
155.0	156.0	ND	17	73	94	132	316
156.0	157.0	ND	ND	72	61	111	not calc
157.0	158.0	ND	15	80	172	203	470
158.0	159.0	ND	12	87	78	84	261
159.0	160.0	ND	ND	83	113	290	not calc
160.0	161.0	ND	ND	65	32	71	not calc
161.0	162.0	ND	11	82	133	150	376
162.0	163.0	ND	11	74	148	242	475
163.0	164.0	ND	27	71	244	395	737
164.0	165.0	ND	ND	306	3488	2956	not calc
165.0	166.0	ND	58	84	506	1359	2007
166.0	167.0	ND	59	97	959	2930	4045
167.0	168.0	ND	ND	89	1687	2555	not calc
168.0	169.0	ND	10	73	139	354	576
169.0	170.0	ND	ND	65	105	279	not calc
170.0	171.0	ND	58	74	31	98	261
171.0	172.0	ND	ND	79	59	92	not calc
172.0	173.0	ND	7	63	44	86	200
173.0	174.0	ND	ND	87	34	72	not calc
26NGRC003							
0.0	1.0	ND	64	58	284	147	553
1.0	2.0	ND	183	80	324	115	702
2.0	3.0	ND	65	85	126	141	417
3.0	4.0	ND	82	74	176	129	461
4.0	5.0	ND	256	81	654	146	1137
5.0	6.0	ND	137	62	257	104	560
6.0	7.0	ND	45	83	110	330	568
7.0	8.0	ND	35	87	336	522	980
8.0	9.0	ND	22	68	36	139	265
9.0	10.0	ND	36	66	57	151	310
10.0	11.0	ND	40	58	31	78	207
11.0	12.0	ND	10	70	16	78	174
12.0	13.0	ND	30	59	113	176	378
13.0	14.0	ND	ND	86	179	618	not calc
14.0	15.0	ND	ND	63	75	255	not calc
15.0	16.0	ND	9	60	36	138	243
16.0	17.0	ND	ND	72	75	153	not calc
17.0	18.0	ND	ND	64	25	90	not calc
18.0	19.0	ND	ND	93	457	956	not calc
19.0	20.0	ND	ND	63	34	146	not calc
20.0	21.0	ND	ND	70	19	79	not calc
21.0	22.0	ND	6	58	13	60	137
22.0	23.0	ND	6	66	14	72	158
23.0	24.0	ND	ND	70	192	179	not calc
24.0	25.0	ND	8	48	41	145	242
25.0	26.0	ND	17	51	14	81	163
26.0	27.0	ND	29	173	1000	1745	2947
27.0	28.0	ND	87	62	194	262	605
28.0	29.0	ND	117	243	3749	2213	6322
29.0	30.0	ND	50	83	649	442	1224
30.0	31.0	ND	ND	66	52	104	not calc
31.0	32.0	ND	548	131	1078	4266	6023
32.0	33.0	ND	733	360	828	3596	5517
33.0	34.0	ND	258	80	399	623	1360
34.0	35.0	ND	141	66	123	301	631
35.0	36.0	ND	43	64	49	112	268
36.0	37.0	ND	11	52	47	108	218
37.0	38.0	ND	ND	56	95	228	not calc
38.0	39.0	ND	9	45	22	81	157

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC003 continued							
39.0	40.0	ND	9	54	26	60	149
40.0	41.0	ND	18	55	14	63	150
41.0	42.0	ND	21	64	30	88	203
42.0	43.0	ND	16	63	47	110	236
43.0	44.0	ND	ND	55	25	69	not calc
44.0	45.0	ND	ND	57	45	92	not calc
45.0	46.0	ND	ND	66	104	157	not calc
46.0	47.0	ND	6	68	31	80	185
47.0	48.0	ND	ND	49	48	104	not calc
48.0	49.0	ND	ND	129	17	66	not calc
49.0	50.0	ND	ND	73	23	75	not calc
50.0	51.0	ND	ND	72	11	62	not calc
51.0	52.0	ND	ND	70	24	86	not calc
52.0	53.0	ND	ND	135	588	665	not calc
53.0	54.0	ND	21	104	243	352	720
54.0	55.0	ND	ND	68	27	145	not calc
55.0	56.0	ND	ND	81	117	469	not calc
56.0	57.0	ND	ND	71	14	59	not calc
57.0	58.0	ND	ND	63	24	95	not calc
58.0	59.0	ND	ND	71	17	56	not calc
59.0	60.0	ND	ND	54	19	72	not calc
60.0	61.0	ND	ND	62	50	199	not calc
61.0	62.0	ND	28	98	913	353	1392
62.0	63.0	ND	ND	71	262	105	not calc
63.0	64.0	ND	14	102	201	239	556
64.0	65.0	ND	ND	70	173	137	not calc
65.0	66.0	ND	8	70	51	89	218
66.0	67.0	ND	ND	77	151	349	not calc
67.0	68.0	ND	11	56	84	129	280
68.0	69.0	ND	ND	132	871	2264	not calc
69.0	70.0	ND	23	94	156	407	680
70.0	71.0	ND	ND	230	1230	1520	not calc
71.0	72.0	ND	ND	119	298	328	not calc
72.0	73.0	ND	ND	84	111	300	not calc
73.0	74.0	ND	13	92	130	431	666
74.0	75.0	ND	16	80	62	209	367
75.0	76.0	ND	ND	71	48	107	not calc
76.0	77.0	ND	ND	68	37	64	not calc
77.0	78.0	ND	ND	64	33	69	not calc
78.0	79.0	ND	ND	414	1661	2970	not calc
79.0	80.0	ND	18	79	164	248	509
80.0	81.0	ND	ND	155	2203	6346	not calc
81.0	82.0	ND	80	237	2221	3624	6162
82.0	83.0	ND	46	206	2047	3843	6142
83.0	84.0	ND	ND	197	1823	1609	not calc
84.0	85.0	ND	ND	88	294	354	not calc
85.0	86.0	ND	11	92	107	572	782
86.0	87.0	ND	ND	85	201	427	not calc
87.0	88.0	ND	32	103	869	1222	2226
88.0	89.0	ND	ND	114	324	1086	not calc
89.0	90.0	ND	ND	68	143	253	not calc
90.0	91.0	ND	ND	85	99	340	not calc
91.0	92.0	ND	ND	70	59	120	not calc
92.0	93.0	ND	ND	82	439	506	not calc
93.0	94.0	ND	ND	79	164	344	not calc
94.0	95.0	ND	ND	219	1860	2964	not calc
95.0	96.0	ND	ND	118	615	573	not calc
96.0	97.0	ND	ND	342	1498	3214	not calc
97.0	98.0	ND	ND	113	373	610	not calc
98.0	99.0	ND	ND	72	83	127	not calc
99.0	100.0	ND	12	65	49	118	244
100.0	101.0	ND	12	66	164	280	522
101.0	102.0	ND	ND	76	278	396	not calc
102.0	103.0	ND	18	74	279	158	529
103.0	104.0	ND	ND	69	408	234	not calc
104.0	105.0	ND	41	72	72	117	302
105.0	106.0	ND	15	76	19	126	236
106.0	107.0	ND	ND	75	20	109	not calc
107.0	108.0	ND	12	78	64	157	311
26NGRC004							
0.0	1.0	ND	64	85	255	279	683
1.0	2.0	ND	19	64	163	155	401
2.0	3.0	ND	82	72	243	202	599
3.0	4.0	ND	63	61	447	173	744
4.0	5.0	ND	48	53	157	142	400
5.0	6.0	ND	17	41	99	153	310
6.0	7.0	ND	21	55	150	172	398
7.0	8.0	ND	22	61	399	434	916
8.0	9.0	ND	29	77	232	560	898
9.0	10.0	ND	143	52	62	254	511
10.0	11.0	ND	99	55	96	304	554



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC001 continued							
162.0	163.0	ND	6	65	57	169	297
163.0	164.0	ND	ND	91	179	370	not calc
164.0	165.0	ND	6	79	79	92	256
165.0	166.0	ND	ND	103	1460	1036	not calc
166.0	167.0	ND	23	92	176	314	605
167.0	168.0	ND	7	79	80	161	327
168.0	169.0	ND	22	98	146	446	712
169.0	170.0	ND	7	73	57	151	288
170.0	171.0	ND	ND	80	173	140	not calc
171.0	172.0	ND	10	66	108	138	322
172.0	173.0	ND	16	82	125	256	479
173.0	174.0	ND	9	79	123	236	447
174.0	175.0	ND	7	92	78	211	388
175.0	176.0	ND	ND	59	68	66	not calc
176.0	177.0	ND	ND	57	49	79	not calc
177.0	178.0	ND	ND	66	47	96	not calc
178.0	179.0	ND	ND	55	43	81	not calc
179.0	180.0	ND	8	66	73	170	317
180.0	181.0	ND	28	68	160	219	475
181.0	182.0	ND	16	70	82	164	332
182.0	183.0	ND	29	63	157	519	768
183.0	184.0	ND	6	69	45	130	250
184.0	185.0	ND	ND	72	28	71	not calc
185.0	186.0	ND	12	63	37	142	254
186.0	187.0	ND	16	53	179	464	712
187.0	188.0	ND	57	80	377	976	1490
188.0	189.0	ND	57	91	487	1590	2225
189.0	190.0	ND	31	77	593	1091	1792
26NGRC002							
0.0	1.0	ND	16	67	29	144	256
1.0	2.0	ND	8	107	29	140	284
2.0	3.0	ND	ND	76	35	124	not calc
3.0	4.0	ND	8	64	22	68	162
4.0	5.0	ND	ND	72	28	72	not calc
5.0	6.0	ND	ND	66	23	59	not calc
6.0	7.0	ND	8	83	25	96	212
7.0	8.0	ND	ND	81	25	68	not calc
8.0	9.0	ND	ND	67	25	67	not calc
9.0	10.0	ND	ND	69	26	87	not calc
10.0	11.0	ND	8	66	11	63	148
11.0	12.0	ND	7	75	15	72	169
12.0	13.0	ND	ND	75	21	86	not calc
13.0	14.0	ND	ND	71	21	72	not calc
14.0	15.0	ND	ND	61	23	69	not calc
15.0	16.0	ND	ND	66	22	69	not calc
16.0	17.0	ND	ND	68	24	59	not calc
17.0	18.0	ND	ND	65	21	57	not calc
18.0	19.0	ND	ND	74	21	66	not calc
19.0	20.0	ND	ND	65	24	58	not calc
20.0	21.0	ND	ND	60	19	58	not calc
21.0	22.0	ND	ND	42	20	72	not calc
22.0	23.0	ND	ND	47	14	44	not calc
23.0	24.0	ND	ND	46	17	50	not calc
24.0	25.0	ND	ND	45	23	68	not calc
25.0	26.0	ND	17	78	22	53	170
26.0	27.0	ND	ND	46	23	71	not calc
27.0	28.0	ND	ND	58	41	106	not calc
28.0	29.0	ND	7	44	33	77	161
29.0	30.0	ND	ND	46	21	52	not calc
30.0	31.0	ND	ND	86	27	72	not calc
31.0	32.0	ND	ND	58	45	115	not calc
32.0	33.0	ND	11	64	65	185	325
33.0	34.0	ND	ND	49	50	174	not calc
34.0	35.0	ND	ND	52	31	85	not calc
35.0	36.0	ND	ND	50	74	311	not calc
36.0	37.0	ND	ND	105	77	100	not calc
37.0	38.0	ND	50	122	898	2090	3160
38.0	39.0	ND	ND	57	138	180	not calc
39.0	40.0	ND	171	251	3986	7331	11739
40.0	41.0	ND	ND	56	168	461	not calc
41.0	42.0	ND	8	53	59	108	228
42.0	43.0	ND	13	51	99	512	675
43.0	44.0	ND	ND	68	70	157	not calc
44.0	45.0	ND	ND	64	69	200	not calc
45.0	46.0	ND	ND	64	61	137	not calc
46.0	47.0	ND	ND	89	48	126	not calc
47.0	48.0	ND	ND	96	301	663	not calc
48.0	49.0	ND	18	95	194	1009	1316
49.0	50.0	ND	ND	81	1259	1772	not calc
50.0	51.0	ND	ND	62	224	256	not calc
51.0	52.0	ND	ND	66	73	166	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC002 continued							
52.0	53.0	ND	ND	79	135	170	not calc
53.0	54.0	ND	12	74	126	278	490
54.0	55.0	ND	15	70	84	174	343
55.0	56.0	ND	48	77	92	259	476
56.0	57.0	ND	993	123	553	463	2132
57.0	58.0	ND	75	75	279	146	575
58.0	59.0	ND	25	76	229	125	455
59.0	60.0	ND	ND	109	175	133	not calc
60.0	61.0	ND	15	73	87	303	478
61.0	62.0	ND	22	88	77	208	395
62.0	63.0	ND	ND	75	44	103	not calc
63.0	64.0	ND	ND	74	585	1007	not calc
64.0	65.0	ND	ND	77	31	90	not calc
65.0	66.0	ND	84	62	146	274	566
66.0	67.0	ND	ND	73	90	139	not calc
67.0	68.0	ND	16	86	280	2482	2864
68.0	69.0	ND	89	204	4025	1108	5426
69.0	70.0	ND	ND	88	411	138	not calc
70.0	71.0	ND	ND	73	84	54	not calc
71.0	72.0	ND	ND	98	199	226	not calc
72.0	73.0	ND	411	95	1319	2076	3901
73.0	74.0	ND	13	63	86	149	311
74.0	75.0	ND	ND	185	75	89	not calc
75.0	76.0	ND	18	88	142	239	487
76.0	77.0	ND	25	88	173	514	800
77.0	78.0	ND	17	79	175	248	519
78.0	79.0	ND	ND	77	75	115	not calc
79.0	80.0	ND	17	69	172	220	478
80.0	81.0	ND	10	64	40	72	186
81.0	82.0	ND	26	95	191	447	759
82.0	83.0	ND	56	72	986	169	1283
83.0	84.0	ND	15	68	218	243	544
84.0	85.0	ND	49	75	249	986	1359
85.0	86.0	ND	89	69	2398	4378	6934
86.0	87.0	ND	12	67	115	273	467
87.0	88.0	ND	1475	213	107	4501	6296
88.0	89.0	5	931	91	92	338	1452
89.0	90.0	ND	134	111	363	249	857
90.0	91.0	5	999	72	79	338	1488
91.0	92.0	14	1945	61	78	217	2301
92.0	93.0	ND	748	71	92	217	1128
93.0	94.0	ND	215	69	136	182	602
94.0	95.0	ND	472	85	326	906	1789
95.0	96.0	ND	127	71	48	109	355
96.0	97.0	ND	78	89	233	354	754
97.0	98.0	ND	228	63	105	258	654
98.0	99.0	ND	184	73	68	197	522
99.0	100.0	ND	217	60	88	250	615
100.0	101.0	ND	141	64	62	172	439
101.0	102.0	5	695	58	156	640	1549
102.0	103.0	ND	340	57	308	358	1063
103.0	104.0	ND	595	49	139	404	1187
104.0	105.0	ND	174	58	110	210	552
105.0	106.0	ND	247	60	108	333	748
106.0	107.0	ND	34	58	29	73	194
107.0	108.0	ND	29	87	80	124	320
108.0	109.0	ND	11	54	32	74	171
109.0	110.0	ND	32	57	65	174	328
110.0	111.0	ND	37	66	96	273	472
111.0	112.0	ND	43	68	156	228	495
112.0	113.0	ND	35	71	153	174	433
113.0	114.0	ND	1084	75	215	1036	2410
114.0	115.0	ND	48	52	66	140	306
115.0	116.0	ND	286	98	319	550	1253
116.0	117.0	ND	27	75	113	219	434
117.0	118.0	ND	133	68	266	341	808
118.0	119.0	ND	228	49	85	177	539
119.0	120.0	ND	56	64	111	304	535
120.0	121.0	ND	846	118	283	741	1988
121.0	122.0	ND	203	71	140	570	984
122.0	123.0	ND	163	79	133	411	786
123.0	124.0	ND	307	76	403	1375	2161
124.0	125.0	ND	206	67	220	594	1087
125.0	126.0	ND	699	79	270	627	1675
126.0	127.0	ND	237	65	191	324	817
127.0	128.0	ND	77	68	242	1251	1638
128.0	129.0	ND	72	86	378	1321	1857
129.0	130.0	7	1389	74	216	476	2155
130.0	131.0	ND	135	60	133	201	529
131.0	132.0	ND	138	71	342	359	910
132.0	133.0	ND	46	160	157	216	579



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC001							
0.0	1.0	ND	35	67	319	422	843
1.0	2.0	ND	6	67	60	123	256
2.0	3.0	ND	22	72	38	78	210
3.0	4.0	ND	5	65	26	65	161
4.0	5.0	ND	ND	66	30	63	not calc
5.0	6.0	ND	ND	59	20	47	not calc
6.0	7.0	ND	ND	71	17	108	not calc
7.0	8.0	ND	5	65	15	54	139
8.0	9.0	ND	4	63	15	42	124
9.0	10.0	ND	10	66	20	48	144
10.0	11.0	ND	ND	65	17	47	not calc
11.0	12.0	ND	6	58	13	45	122
12.0	13.0	ND	11	70	13	52	146
13.0	14.0	ND	5	60	16	41	122
14.0	15.0	ND	ND	62	16	34	not calc
15.0	16.0	ND	4	61	13	36	114
16.0	17.0	ND	5	60	12	58	135
17.0	18.0	ND	6	60	11	34	111
18.0	19.0	ND	6	49	8	33	96
19.0	20.0	ND	5	61	13	45	124
20.0	21.0	ND	ND	61	15	43	not calc
21.0	22.0	ND	ND	58	18	48	not calc
22.0	23.0	ND	10	62	15	35	122
23.0	24.0	ND	6	57	10	33	106
24.0	25.0	ND	10	59	9	219	297
25.0	26.0	ND	9	66	23	59	157
26.0	27.0	ND	6	74	10	56	146
27.0	28.0	ND	23	64	184	100	371
28.0	29.0	ND	4	54	18	130	206
29.0	30.0	ND	7	52	14	55	128
30.0	31.0	ND	7	60	17	64	148
31.0	32.0	ND	8	56	23	55	142
32.0	33.0	ND	4	69	18	60	151
33.0	34.0	ND	ND	68	18	64	not calc
34.0	35.0	ND	5	71	23	72	171
35.0	36.0	ND	12	63	24	74	173
36.0	37.0	ND	7	57	24	75	163
37.0	38.0	ND	27	69	55	149	300
38.0	39.0	ND	9	61	23	67	160
39.0	40.0	ND	16	64	55	121	256
40.0	41.0	ND	13	71	51	135	270
41.0	42.0	ND	8	54	22	79	163
42.0	43.0	ND	11	79	33	184	307
43.0	44.0	ND	11	76	55	165	307
44.0	45.0	ND	34	70	68	124	296
45.0	46.0	ND	ND	61	30	82	not calc
46.0	47.0	ND	7	64	39	117	227
47.0	48.0	ND	ND	77	52	101	not calc
48.0	49.0	ND	41	131	896	466	1534
49.0	50.0	ND	21	155	420	617	1213
50.0	51.0	ND	48	69	124	153	394
51.0	52.0	ND	103	75	120	207	505
52.0	53.0	ND	49	81	68	300	498
53.0	54.0	ND	31	103	104	210	448
54.0	55.0	ND	382	67	91	177	717
55.0	56.0	ND	379	98	342	613	1432
56.0	57.0	ND	59	70	84	221	434
57.0	58.0	ND	76	61	59	134	330
58.0	59.0	ND	ND	65	48	120	not calc
59.0	60.0	ND	30	70	432	747	1279
60.0	61.0	ND	11	115	105	308	539
61.0	62.0	ND	19	102	66	226	413
62.0	63.0	ND	18	101	62	128	309
63.0	64.0	ND	38	90	275	358	761
64.0	65.0	ND	100	108	417	682	1307
65.0	66.0	ND	31	67	191	252	541
66.0	67.0	ND	195	395	2554	6085	9229
67.0	68.0	ND	15	57	120	1084	1276
68.0	69.0	ND	9	71	101	308	489
69.0	70.0	ND	12	60	74	301	447
70.0	71.0	ND	ND	62	88	229	not calc
71.0	72.0	ND	23	70	130	422	645
72.0	73.0	ND	32	59	214	384	689
73.0	74.0	ND	54	76	253	478	861
74.0	75.0	ND	ND	73	135	142	not calc
75.0	76.0	ND	163	437	5062	8834	14496
76.0	77.0	ND	ND	126	444	741	not calc
77.0	78.0	ND	142	255	5029	3002	8428
78.0	79.0	ND	107	127	882	1602	2718
79.0	80.0	ND	19	90	186	1136	1431
80.0	81.0	ND	14	86	103	208	411

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC001 continued							
81.0	82.0	ND	19	108	58	154	339
82.0	83.0	ND	44	77	127	431	679
83.0	84.0	ND	126	112	838	1122	2198
84.0	85.0	ND	65	101	142	414	722
85.0	86.0	ND	8	65	32	153	258
86.0	87.0	ND	12	88	285	915	1300
87.0	88.0	ND	91	117	1283	1089	2580
88.0	89.0	ND	46	107	1234	1706	3093
89.0	90.0	ND	18	69	292	710	1089
90.0	91.0	ND	25	72	207	606	910
91.0	92.0	ND	9	54	135	386	584
92.0	93.0	ND	ND	56	420	662	not calc
93.0	94.0	ND	36	79	395	731	1241
94.0	95.0	ND	144	169	1896	1497	3706
95.0	96.0	ND	17	81	523	1402	2023
96.0	97.0	ND	16	65	103	255	439
97.0	98.0	ND	52	66	653	855	1626
98.0	99.0	ND	10	65	80	115	270
99.0	100.0	ND	15	75	107	723	920
100.0	101.0	ND	235	787	7556	7770	16348
101.0	102.0	ND	132	224	4853	9678	14887
102.0	103.0	ND	ND	77	727	956	not calc
103.0	104.0	ND	ND	80	616	985	not calc
104.0	105.0	ND	332	60	131	455	978
105.0	106.0	ND	100	77	379	1059	1615
106.0	107.0	ND	169	97	693	1561	2520
107.0	108.0	7	1303	109	2988	1794	6194
108.0	109.0	ND	156	72	614	1874	2716
109.0	110.0	4	900	75	194	1408	2577
110.0	111.0	ND	157	86	137	545	925
111.0	112.0	ND	42	64	186	490	782
112.0	113.0	ND	28	69	136	346	579
113.0	114.0	ND	44	70	259	1089	1462
114.0	115.0	ND	28	63	76	370	537
115.0	116.0	ND	1139	62	149	833	2183
116.0	117.0	ND	88	71	448	2724	3331
117.0	118.0	ND	64	74	426	879	1443
118.0	119.0	ND	112	100	2030	362	2604
119.0	120.0	ND	ND	96	1319	1445	not calc
120.0	121.0	ND	15	75	206	310	606
121.0	122.0	ND	ND	106	1147	770	not calc
122.0	123.0	ND	40	141	234	2187	2602
123.0	124.0	ND	53	77	118	419	667
124.0	125.0	ND	15	72	200	334	621
125.0	126.0	ND	24	71	482	1217	1794
126.0	127.0	ND	ND	67	186	510	not calc
127.0	128.0	ND	20	74	346	479	919
128.0	129.0	ND	ND	97	2030	672	not calc
129.0	130.0	ND	174	84	219	611	1088
130.0	131.0	ND	302	41	302	849	1494
131.0	132.0	ND	197	399	3494	3668	7758
132.0	133.0	ND	ND	110	900	475	not calc
133.0	134.0	ND	ND	89	3092	559	not calc
134.0	135.0	ND	37	85	990	652	1764
135.0	136.0	ND	26	53	327	674	1080
136.0	137.0	ND	12	60	275	548	895
137.0	138.0	ND	ND	80	763	1310	not calc
138.0	139.0	ND	ND	73	1197	1450	not calc
139.0	140.0	ND	17	130	665	748	1560
140.0	141.0	ND	ND	178	823	753	not calc
141.0	142.0	ND	32	129	927	875	1963
142.0	143.0	ND	58	89	539	2076	2762
143.0	144.0	ND	101	60	470	482	1113
144.0	145.0	ND	ND	504	2072	813	not calc
145.0	146.0	ND	45	128	919	709	1801
146.0	147.0	ND	ND	134	453	1026	not calc
147.0	148.0	ND	72	67	321	617	1077
148.0	149.0	ND	ND	173	2431	1582	not calc
149.0	150.0	ND	ND	160	1042	2339	not calc
150.0	151.0	ND	12	136	210	256	614
151.0	152.0	ND	9	54	130	133	326
152.0	153.0	ND	17	83	303	413	816
153.0	154.0	ND	15	67	158	211	451
154.0	155.0	ND	ND	62	159	197	not calc
155.0	156.0	ND	27	176	361	1188	1752
156.0	157.0	ND	ND	83	136	321	not calc
157.0	158.0	ND	9	87	103	244	443
158.0	159.0	ND	10	65	57	152	284
159.0	160.0	ND	ND	66	52	110	not calc
160.0	161.0	ND	ND	83	244	509	not calc
161.0	162.0	ND	ND	69	110	169	not calc



From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC020 continued							
100.0	101.0	ND	ND	90	209	840	not calc
101.0	102.0	ND	ND	94	137	1227	not calc
102.0	103.0	ND	ND	71	159	254	not calc
103.0	104.0	ND	ND	57	104	138	not calc
104.0	105.0	ND	ND	77	308	328	not calc
105.0	106.0	ND	ND	72	87	178	not calc
106.0	107.0	ND	ND	65	69	138	not calc
107.0	108.0	ND	ND	71	102	345	not calc
108.0	109.0	ND	ND	91	174	899	not calc
109.0	110.0	ND	ND	80	54	259	not calc
110.0	111.0	ND	ND	58	42	172	not calc
111.0	112.0	ND	18	62	28	138	246
112.0	113.0	ND	6	49	22	91	168
113.0	114.0	ND	6	53	28	97	184
114.0	115.0	ND	ND	62	11	154	not calc
115.0	116.0	ND	182	76	17	86	361
116.0	117.0	ND	7	65	17	74	163
117.0	118.0	ND	8	61	24	89	182
118.0	119.0	ND	ND	53	23	90	not calc
119.0	120.0	ND	ND	53	29	73	not calc
120.0	121.0	ND	64	61	15	158	298
121.0	122.0	ND	28	61	20	99	208
122.0	123.0	ND	ND	58	28	82	not calc
123.0	124.0	ND	ND	66	28	94	not calc
124.0	125.0	ND	ND	59	33	77	not calc
125.0	126.0	ND	ND	45	32	90	not calc
126.0	127.0	ND	10	46	42	1096	1194
127.0	128.0	ND	ND	47	26	72	not calc
128.0	129.0	ND	ND	51	31	79	not calc
129.0	130.0	ND	ND	46	43	86	not calc
130.0	131.0	ND	ND	54	82	96	not calc
131.0	132.0	ND	ND	116	75	134	not calc
132.0	133.0	ND	ND	55	57	294	not calc
133.0	134.0	ND	ND	60	108	198	not calc
134.0	135.0	ND	25	82	79	233	419
135.0	136.0	ND	13	61	41	309	424
136.0	137.0	ND	ND	42	50	87	not calc
137.0	138.0	ND	ND	54	46	93	not calc
138.0	139.0	ND	ND	40	15	140	not calc
139.0	140.0	ND	5	46	19	101	171
140.0	141.0	ND	ND	55	23	73	not calc
141.0	142.0	ND	8	48	24	58	138
142.0	143.0	ND	ND	54	22	78	not calc
143.0	144.0	ND	ND	43	39	66	not calc
144.0	145.0	ND	ND	42	87	194	not calc
145.0	146.0	ND	ND	176	592	2111	not calc
146.0	147.0	ND	ND	133	400	1492	not calc
147.0	148.0	ND	ND	204	675	2368	not calc
148.0	149.0	ND	ND	105	465	882	not calc
149.0	150.0	ND	ND	148	611	1641	not calc
150.0	151.0	ND	ND	195	773	2101	not calc
151.0	152.0	ND	ND	88	660	1420	not calc
152.0	153.0	ND	ND	62	175	452	not calc
153.0	154.0	ND	ND	56	99	316	not calc
154.0	155.0	ND	ND	56	232	169	not calc
155.0	156.0	ND	ND	72	116	300	not calc
156.0	157.0	ND	ND	66	160	238	not calc
157.0	158.0	ND	ND	107	164	764	not calc
158.0	159.0	ND	ND	830	558	1642	not calc
159.0	160.0	ND	ND	109	430	318	not calc
160.0	161.0	ND	ND	53	489	181	not calc
161.0	162.0	ND	ND	192	316	280	not calc
162.0	163.0	ND	ND	125	238	431	not calc
163.0	164.0	ND	18	65	78	247	408
164.0	165.0	ND	ND	82	196	655	not calc
165.0	166.0	ND	ND	197	176	987	not calc
166.0	167.0	ND	ND	61	57	116	not calc
167.0	168.0	ND	ND	44	69	95	not calc
168.0	169.0	ND	7	38	21	165	231
169.0	170.0	ND	16	50	8	97	171
170.0	171.0	ND	ND	47	13	66	not calc
171.0	172.0	ND	6	44	15	80	145
172.0	173.0	ND	ND	36	19	72	not calc
173.0	174.0	ND	ND	56	16	71	not calc
174.0	175.0	ND	ND	37	12	113	not calc
175.0	176.0	ND	ND	58	16	101	not calc
176.0	177.0	ND	ND	54	16	75	not calc
177.0	178.0	ND	ND	61	22	80	not calc
178.0	179.0	ND	ND	62	21	72	not calc
179.0	180.0	ND	ND	72	27	89	not calc
180.0	181.0	ND	ND	48	23	179	not calc

Units: ppm

From	To	Au	As	Cu	Pb	Zn	As+Cu+Pb +Zn
26NGRC020 continued							
181.0	182.0	ND	ND	54	17	78	not calc
182.0	183.0	ND	ND	56	19	73	not calc
183.0	184.0	ND	ND	74	12	71	not calc
184.0	185.0	ND	ND	65	18	68	not calc
185.0	186.0	ND	ND	56	16	77	not calc
186.0	187.0	ND	ND	69	21	117	not calc
187.0	188.0	ND	ND	50	21	76	not calc
188.0	189.0	ND	ND	65	16	75	not calc
189.0	190.0	ND	ND	56	17	82	not calc
190.0	191.0	ND	ND	67	18	76	not calc
191.0	192.0	ND	ND	52	18	78	not calc
192.0	193.0	ND	ND	58	16	149	not calc
193.0	194.0	ND	ND	59	39	142	not calc
194.0	195.0	ND	ND	49	17	60	not calc
195.0	196.0	ND	ND	56	17	67	not calc
196.0	197.0	ND	ND	42	20	68	not calc
197.0	198.0	ND	ND	67	20	90	not calc
198.0	199.0	ND	ND	62	20	104	not calc
199.0	200.0	ND	ND	68	17	99	not calc
200.0	201.0	ND	ND	75	15	79	not calc
201.0	202.0	ND	ND	57	8	65	not calc
202.0	203.0	ND	7	72	15	82	176
203.0	204.0	ND	ND	72	18	102	not calc
204.0	205.0	ND	ND	77	23	87	not calc
205.0	206.0	ND	ND	61	16	76	not calc
206.0	207.0	ND	ND	70	14	82	not calc
207.0	208.0	ND	ND	83	22	80	not calc
208.0	209.0	ND	13	64	13	94	184
209.0	210.0	ND	14	69	19	101	203
210.0	211.0	ND	14	94	122	340	570
211.0	212.0	ND	16	82	32	192	322
212.0	213.0	ND	131	90	43	176	440
213.0	214.0	ND	27	74	193	475	769
214.0	215.0	ND	9	73	18	115	215
215.0	216.0	ND	11	106	35	150	302
216.0	217.0	ND	ND	83	388	554	not calc
217.0	218.0	ND	ND	69	30	161	not calc
218.0	219.0	ND	ND	67	21	129	not calc
219.0	220.0	ND	ND	121	30	550	not calc
220.0	221.0	ND	ND	87	29	157	not calc
221.0	222.0	ND	ND	82	59	145	not calc



JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	Commentary
Sampling techniques	AQX RC Drilling Reverse circulation drilling (RC) was used to obtain 1m primary samples for laboratory analysis. RC drill cuttings were collected through a cyclone and split using a fixed multi-port cone splitter. Bulk rejects were retained and field duplicates collected at selected intervals to assess sampling precision. The splitter was inspected and cleaned at 30 m intervals. Each hole was sampled at 1m intervals from surface to end of hole. The target primary sample weight was approximately 3kg, representing approximately 10% of the nominal metre reference weight of 32.94kg/m. The reference weight was calculated using a 127mm bit diameter and an assumed bulk density of 2.60t/m³ for typical Horn Island lithologies. Primary samples, bulk reject and duplicates were weighed on site using digital CPWplus Floor Scales (CPWplus 200)(up to 200kg). Laboratory Assays Primary RC samples were submitted for laboratory gold analysis by fire assay. All assaying results currently pending. pXRF pXRF readings were collected from RC bulk reject samples through the green plastic mining sample bag using a portable handheld Olympus Vanta VMR M Series instrument. Portable XRF (pXRF) results reported in this announcement are preliminary spot measurements used for geological interpretation and exploration vectoring and should not be considered equivalent to accredited laboratory assay results or representative of bulk or interval grade. Reported pXRF Au responses are considered qualitative indications of the possible presence of gold only and should not be interpreted as definitive gold grades. Samples will be submitted for accredited laboratory gold analysis to determine gold grade. Pxrf reports not detected (ND) when values are below detection limits. Calculations for combined elements As+Cu+Pb+Zn only completed and plotted on sections if all elements returned readings. If any of the 4 elements was not detected calculation was not completed (not cal) Pan concentrate Three RC bulk reject samples were selected for a pan concentrate test. For each selected interval, two spear sub-samples of approximately 5kg total were collected from the bulk reject bag. The material was panned to produce a concentrate and visually assessed for gold. Where present, visible gold grains were subsequently inspected and photographed using a binocular microscope at x10 to x20 magnification, with photographic records retained.
Drilling techniques	Reverse circulation (RC) drilling was undertaken by DRC Drilling using a track-mounted DE810 drill rig. Drilling utilised an RC hammer fitted with bits ranging from 124mm to 130mm in diameter.
Drill sample recovery	Recovery was monitored across all 20 drill holes by comparing combined field weights of primary samples, bulk rejects and field duplicates, where collected, with theoretical masses calculated from interval length, bit diameter and assumed lithological densities. Estimated mean recovery ranged from 56.5% to 81.6% per hole, with an overall average of approximately 71%, weighted by the number of sample intervals. Sample recovery was variable, with poor recovery in some intervals due to ground or drilling conditions. Very low primary sample weights were recorded in some instances, although primary samples were collected from every interval. No supplementary splits were taken from the bulk rejects. Wet samples and cyclone blockages were recorded. The splitter was inspected and cleaned every 30 m to maintain sample flow and representative splitting. Comparison of 232 primary–duplicate pairs identified variable split weights despite equal target masses. Poor recovery may affect sample representativity and the reliability of assay results for affected intervals. Laboratory Assays Samples were also weighed on receipt at the laboratory. Records of both weights are retained in the AQX DB.



Logging	RC chips were geologically logged for the entire length of each hole. All RC chips have been logged to industry standards for lithology, alteration, veining, mineralisation, using company logging codes to ensure consistency in logging between geologists. All RC logging is captured on the company's "in-house" developed Access based digital logging template with a number of validation requirements prior to final acceptance. Logging is quantitative in nature. Chip trays were prepared for completed RC holes and photographed wet in shade with a high-resolution camera as a permanent visual record. Magnetic susceptibility is also recorded at 1m intervals using Terraplus KT-10 v2. pXRF portable XRF recordings collected at every 1m interval on site during drilling operations. Raw data is later validated and merged at end of day operations. Merged data is uploaded into the Leapfrog geological 3D model project.
Sub-sampling techniques and sample preparation	RC samples were collected at 1m intervals through a cyclone and fixed multi-port cone splitter, producing a primary split (first split) and bulk reject for each interval. The target primary sample mass was approximately 3kg; actual primary and total recovered sample masses were recorded in the field and varied with recovery and ground conditions. Field duplicates (second split) were collected from a second splitter outlet at selected intervals to assess sampling precision. The splitter was inspected and cleaned every 30m, and wet samples, cyclone blockages and low-recovery intervals were recorded where observed. Laboratory Assays No assaying completed and currently pending Samples greater than 3kg were split at the laboratory using SPL-21, with the retained split pulverised for 6 minutes in an LM5 mill using PUL-23. The pulverisation specification was 3kg to 90% passing 75µm, with sizing checks at a rate of 1:100. Samples less than 250g were directed to a smaller mill where required. Gold was analysed by Au-AA26. Samples returning greater than 5g/t Au will be selected for screen fire assay, using a 1kg aliquot with gravimetric finish on the oversize fraction and AAS finish on the undersize fraction, reported in duplicate to provide total contained gold. Field duplicate weights indicate variable split masses in some intervals despite equal target masses. Summary of duplicate assay performance once results are available, including whether duplicate precision is acceptable for the reported results. Sample sizes and preparation methods are considered appropriate for RC exploration sampling and gold fire assay, subject to review of duplicate assay performance and any coarse-gold effects identified from screen fire assay results. pXRF pXRF readings were collected on the RC bulk reject samples through the sample bag. Samples were not specifically homogenised prior to pXRF reading. The vast majority of samples were considered dry at the time of measurement. The pXRF programme was undertaken as a proof-of-concept and equipment suitability test, with results to be compared directly against accredited laboratory fire-assay results. Pan concentrate For each selected pan concentrate interval, two spear sub-samples were collected from the RC bulk reject bag to produce an approximately 5kg sample. The full 5kg sample was panned.
Quality of assay data and laboratory tests	Laboratory Assays No assaying completed and currently pending Primary RC samples were submitted to ALS Townsville for gold analysis by 50g fire assay with AAS finish using method Au-AA26. The method is considered a total assay method for gold. No multi-element analysis was requested. Primary laboratory splits and bulk rejects are to be stored at the laboratory for further analytical work if required. Samples returning greater than 5g/t Au were selected for screen fire assay using a 1kg aliquot, with gravimetric finish on the oversize fraction and AAS finish on the undersize fraction, reported in duplicate to provide total contained gold. Report for the performance of CRMs, blanks, field duplicates and laboratory duplicates will be completed once results are available, including any failures, investigations and actions taken. pXRF pXRF results should be treated as indicative field-screening results unless comparison with certified laboratory assays and supporting QAQC demonstrate that the results are suitable for quantitative reporting. pXRF analysis was completed using an Olympus Vanta VMR M Series handheld pXRF, serial number 840462, fitted with a Rh anode X-ray tube. The instrument was operated in Geochem3 Extra mode.



	Three beams were enabled, with beam times set to 5 seconds each, for a total reading time of 15 seconds per test, with the exception of drill hole 26NGRC001 where 10 seconds beam time were set. To speed up the process and optimize operations, the time for each beam was reduced to 5 seconds for drill holes 26NGRC002 to 26NGRC020. Beam 1 operated at 40.0kV using Filter 3; Beam 2 operated at 10.0kV using Filter 5; and Beam 3 operated at 50.0kV using Filter 7. Pxr readings were collected in ambient temperatures between 26-28 degrees Celsius. Pxr readings included the following elements: - beam 1 (40.0kV): Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Ag, Cd, Sn, Sb, Ba, W, Au, Hg, Pb, Bi, Th, U, LE (Light Elements) Filter: Z13-2000-2718 (FILTER 3) - beam 2 (10.0 kV): Mg, Al, Si, P, S, K, Ca, Ti, Mn Filter: Z0-0-2718 (FILTER 5) - beam 3 (50.0kV): Ag, Cd, Sn, Sb, Ba, La, Ce, Pr, Nd, LE (Light Elements) Filter: Z29-350-2718 (FILTER 7) For the purposes of this report and to demonstrate mineralisation associations Au, As, Pb, Zn & Cu has been reported and presented in relevant tables. Certified reference material was scanned prior to the commencement of the scanning process of the drill hole bulk reject samples for the day. No repeats or duplicate readings were completed during the pXRF scanning process. No blank samples were analysed during the pXRF scanning process as well. Pan concentrate Pan concentrates were visually assessed for gold and subsequently verified using a binocular microscope at x10 to x20 magnification, with photographic records retained where visible gold was observed. Pan concentrate observations are visual and qualitative in nature. No quantitative gold assay was completed on the pan concentrate material.
Verification of sampling and assaying	Laboratory Assays No assaying completed and currently pending Sampling, field observations and analytical data are stored in the project's in-house Access database. ALS electronic assay files are prepared for import using the assay importer and loaded into the Master DB. No manual transcription of assay results occurs during this process. Below-detection results are stored as one tenth of the lower detection limit for the relevant method. Above-detection results are stored at the upper detection limit for the method, pending any applicable over-limit or re-assay result. Significant intersections and material results were reviewed against drill logs, sample intervals, QAQC results and original laboratory certificates prior to release. No twinned holes were completed as part of the reported RC programme. pXRF pXRF data were exported electronically from the instrument and retained as primary digital records. Pan concentrate Pan concentrate observations and microscope photographs were retained as supporting records. Observations were linked to the relevant RC sample interval and bulk reject sample.
Location of data points	RC drillhole collar locations were recorded using handheld GPS coordinates with an expected accuracy of approximately +/-3-5m. Collar orientation was recorded using compass and clinometer measurements. All collars pickups completed at end of hole using handheld GPS. Downhole surveys were completed by DRC Drilling Pty Ltd using an in-rod Champ Gyro gyroscopic survey system, with continuous in and out survey readings taken every 15m downhole. Drilling hole deviation on average was approximately 13 degrees on azimuth and -0.6 degrees on dip. Drillhole location data are reported in GDA94/MGA UTM Zone 54. Collar RLs and topographic control are based on a LiDAR-derived DEM from data acquired by the Queensland State Government in 2011, with vertical accuracy of approximately +/-1m.
Data spacing and distribution	The RC drilling was exploratory in nature and designed to test mineralisation trends interpreted from historic and recent Alice Queen drilling. Drillhole spacing and distribution are not considered sufficient to establish geological or grade continuity for Mineral Resource or Ore Reserve estimation. The results are suitable for reporting as Exploration Results and may assist with targeting and planning future drilling. Selective sampling methods applied based on presence of mineralisation & elevated pXRF readings and usually represented between 60-100% of the entire hole. Samples were collected at 1m intervals. No sample compositing has been applied.



Orientation of data in relation to geological structure	The dominant structural and mineralisation trend within the Horn Island deposit is interpreted to strike approximately northwest-southeast, broadly parallel to the orientation of the historic open-pit workings. Measurements of mineralised veins from oriented diamond drill core support this overall structural trend, although individual veins display a relatively wide range of strike and dip orientations. The majority of drillholes were completed on an azimuth of approximately 050°, with additional holes drilled on azimuths of approximately 045° and 225°. These orientations were selected to intersect the interpreted northwest-trending mineralised vein system at a generally high angle and to provide representative sampling across the interpreted mineralised zones. Selected holes drilled between 215–250° azimuth were designed to test the interpreted down-dip and plunge continuity of mineralisation and, in some areas, provide opposing or scissor-hole coverage to assist interpretation of mineralisation geometry. Given the variability in individual vein orientations, drill intersections may not represent true mineralised widths in all cases. However, the overall drilling orientation is considered appropriate for the interpreted geometry of the mineralised system, and no material sampling bias resulting from drill orientation has been identified at this stage.
Sample security	Samples were bagged at the drill site following collection and held in company-controlled facilities prior to dispatch. Samples were grouped into larger polywave bags, packed into bulka bags and strapped to wooden pallets for sea and road transport to the laboratory. Bags were sealed with cable ties prior to transport. Sample dispatch documentation accompanied each shipment and was checked against received samples at the laboratory.
Audits or reviews	The Competent Person for AQX was closely involved in the RC drilling and sampling programme, including field supervision and site visits during drilling. No external audit of the sampling techniques or data has been completed for this work program. Sampling procedures, field records, sample weights, QAQC data and laboratory results will be reviewed internally prior to reporting.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	Commentary
Mineral tenement and land tenure status	The project is located fully within EL25520 which is 100% owned by Kauraru Gold Ltd. Kauraru Gold Ltd is a joint venture company between Alice Queen Ltd and the Kaurareg Aboriginal Land Trust. The tenure is in good standing and compliant with requirements of the lease conditions. There is no known impediment to obtaining a licence to operate in the area.
Exploration done by other parties	Previous explorers include Seltrust Mining Corporation Pty Ltd, BP Minerals, Torres Strait Gold Pty Ltd, Augold NL, Carpentaria Exploration Company Pty Ltd. A mining operation was established by Augold Pty Ltd in 1987 and operated until 1989. Since that time exploration has been undertaken only by AQX and its affiliates.
Geology	Mineralisation at Horn Island is interpreted as 'Intrusion Related Gold' and is thought to be related to intrusions in proximity to the host rocks. Low angle faulting below the deposit forms an effective boundary to the mineralisation and may have offset genetically related intrusions. Gold and silver mineralisation occurs within thin quartz veining and is associated with sulphide minerals dominantly pyrite, galena, sphalerite, arsenopyrite and chalcopyrite. Niche sampling has established that mineralisation is wholly restricted to veining and is not significantly present in wall rock alteration nor disseminated within the host rock. Veining is relatively thin and irregular through the rock mass with more intense stockwork and sheeted vein development associated with zones of higher gold grades although the gold distribution is erratic and variable. Continuity of localised vein sets are thought to be on the order of 10's of metres however persist as repeated zones across kms of strike. The occurrence of the stockworks is concentrated within broad, low dipping zones and subvertical zones within the host granite bodies.
Drill hole Information	Drillhole information material to the reported Exploration Results is provided in the body of this release and accompanying tables, including drillhole ID, collar coordinates, RL, dip, azimuth, downhole depth intervals and total hole depth. Plan map and drill section interpretation of all drill holes completed are presented. RC drillhole collar locations were initially recorded by handheld GPS, with collar RLs assigned from LiDAR elevation data. Final DGPS collar survey pickup is planned to be completed at a later date. Reported fire assay, pXRF and pan concentrate results are referenced by drillhole ID and downhole interval where applicable. No material drillhole information has been excluded.
Data aggregation methods	No assaying completed and currently pending The following will be adopted when assays are returned. Reported laboratory assay intercepts will be calculated using length-weighted averages of individual sample intervals. No top cut or grade capping will be applied unless stated. Below-detection results are treated as one tenth of the lower detection limit for the relevant method. Above-detection results are stored at the upper detection limit pending any applicable over-limit or re-assay result. No metal equivalent values are reported.



	pXRF pXRF results are reported as individual 1m interval readings in the accompanying tables. No aggregated pXRF intercepts have been calculated. No repeats or averages of reading results were used prior to reporting. Pan concentrate Pan concentrate results are reported as visual observations for selected intervals and have NOT been aggregated into assay intercepts. No metal equivalent values are reported for pan concentrate observations.
Relationship between mineralisation widths and intercept lengths	The RC drilling was targeted exploration drilling designed to test interpreted mineralisation trends. Veining was recorded during geological logging as downhole from-to intervals. The relationship between mineralisation widths and drillhole intercept lengths is not yet known precisely. Reported fire assay and pXRF intervals, and pan concentrate sample intervals, are downhole lengths; true widths have not been determined at this stage.
Diagrams	Appropriate plans and sections are included in the body of the release to show the location of reported RC drillholes, relevant geology and pXRF results. Drillhole collar locations are shown on plan view, with relevant drill sections included where appropriate. pXRF and pan concentrate results are presented in accompanying tables. No assaying completed and currently remains pending.
Balanced reporting	No assaying completed and currently pending Reported results are presented to provide a balanced representation of the drilling outcomes, including material high and low results where applicable. Results tables identify the sample interval, analytical or observation method, and relevant sample type. pXRF and pan concentrate results are presented in accompanying tables where reported. Any material sample recovery or representativity limitations are disclosed where relevant.
Other substantive exploration data	Geological logging, sample recovery data, sample condition records, pXRF readings and pan concentrate observations provide supporting exploration information for the reported RC programme. pXRF readings were collected as a proof-of-concept and equipment suitability test. Pan concentrate observations are visual and qualitative, with microscope photographs retained where visible gold was observed. Material recovery or representativity limitations are disclosed in the relevant sections of this table.
Further work	Geological data and subject to gold assay results will assess how the Stage 1 drilling informs the existing Exploration Target Area, refine the geological interpretation and determine priority areas for potential follow-up drilling.

