



28 October 2026

## DEEP EXTENSIONAL DRILLING COMMENCED AT TWO MILE HILL

**First of two rigs on site for a seven-hole, ~6,500m program beneath the  
1.45Moz @ 1.8g/t Au Two Mile Hill-Shillington Mineral Resource**

- **Deep drilling has commenced** at the Two Mile Hill-Shillington deposit, part of the **3.6Moz @ 1.4g/t Au Sandstone Gold Project<sup>1</sup>**, with a second rig to arrive in the coming days
- **Seven-hole, ~6,500m program** designed to extend the Shirvington Zone along strike and at depth, beneath the current MRE of **24.6Mt @ 1.8g/t Au for 1.45Moz Au<sup>1</sup>**
- Follows **305m @ 1.33g/t Au from 584m** in TMHDD26003, which included **173m @ 1.42g/t Au beneath the current Mineral Resource**
- Holes are planned **south of TMHDD26003** and targeting the **undefined western contact** of the tonalite, which is now >400m wide and open at depth<sup>3</sup>
- Assays for TMHDD26004, TMHDD26005 and TMHDD26006 due in November<sup>3</sup>
- All results to feed an **updated Two Mile Hill Mineral Resource** this quarter, with the **Sandstone PFS due this quarter**

Brightstar Resources Limited (ASX: BTR) (**Brightstar** or the **Company**) is pleased to advise that the next phase of extensional diamond drilling has commenced at the Two Mile Hill-Shillington deposit, part of the **3.6Moz @ 1.4g/t Au** Sandstone Gold Project. The first of two diamond drilling rigs is now on site to complete a ~6,500m deep diamond drilling program, with the second rig due to arrive in the coming days.

The program targets the **Shirvington Zone**, a widened, mineralised tonalite beneath the current Mineral Resource first intersected by TMHRCD26020 (305.4m @ 1.82g/t Au)<sup>5</sup> and confirmed at depth by TMHDD26003 (305m @ 1.33g/t Au from 584m)<sup>2</sup>.

**Brightstar's Managing Director, Alex Rovira, commented:**

*"Two Mile Hill has the potential to support a large-scale, bulk underground mining operation that underpins a long-life Sandstone development scenario. The September Mineral Resource showed contained ounces per vertical metre increasing materially as a result of the breadth of the Shirvington Zone at depth. The first deep hole confirmed the tonalite stays mineralised below the Mineral Resource at grades consistent with the model. This program is designed to test continuity and define the edges of the host tonalite at depth.*

*The 6,500m program with two rigs reflects our confidence in the geology. The holes have been planned to extend the Shirvington Zone to the south, north and at depth, and to delineate down the western contact of the tonalite, which the previous program failed to reach despite the holes being extended beyond target depth.*

*With assays for the three previous deep holes still pending, the Sandstone Pre-Feasibility Study due this quarter and the exploration rigs now turning, the Sandstone Gold Project will continue to deliver consistent value-creating catalysts over the coming months."*




Figure 1: Plan view of the Two Mile Hill-Shillington deposit showing planned drillhole collars

## TECHNICAL DISCUSSION

### TWO MILE HILL-SHILLINGTON DEPOSIT

The combined Two Mile Hill-Shillington deposit hosts a current Mineral Resource Estimate (MRE) of **24.6Mt @ 1.8g/t Au for 1.45Moz<sup>1</sup>**. The local geology consists of a tonalite intrusive stock intruded into a northeast-dipping package of basalt and banded iron formation (BIF). Gold mineralisation is predominantly hosted in the tonalite (e.g. 61.6m @ 1.81g/t Au in SN\_TM\_RD\_22\_0004, Figure 2), although significant mineralisation is also found in the neighbouring basalt and BIF (e.g. 14.7m @ 24.3g/t Au from 250m in TRCD733, Figure 2).

The Shirvington Zone is a significant widening of the host tonalite at depth, first highlighted by TMHRCD26020, which returned a bulk, unconstrained intercept of **305.4m @ 1.82g/t Au** from 351.9m and ended in mineralised tonalite<sup>5</sup>.

The four-hole, ~3,800m deep diamond program completed in September 2026 extended the known width of the tonalite to >400m, with all four holes ending in tonalite without reaching the western contact<sup>3</sup>.

TMHDD26003, the southernmost hole, returned **305m @ 1.33g/t Au from 584m**, including **173m @ 1.42g/t Au from 716m** beneath the current MRE<sup>2</sup>.

The 173m extensional interval sits below the depth at which contained ounces in the September 2026 MRE peak (~5,900oz per vertical metre, approximately 595m below surface)<sup>1</sup>, demonstrating that the mineralised tonalite continues beneath the current MRE and remains open at depth.

Assays for TMHDD26004, TMHDD26005 and TMHDD26006 are pending.

### **FOLLOW-UP DRILLING PROGRAM**

The follow-up program comprises **seven deep diamond drillholes for ~6,500m**, including one re-entry, to be drilled by two diamond rigs. The program has been designed to:

- Extend the Shirvington Zone along strike to the south of TMHDD26003, the southernmost hole drilled to date (Figure 3);
- Test the continuity of mineralisation at depth beneath the current MRE, where TMHDD26003 intersected 173m @ 1.42g/t Au (Figure 2);
- Re-enter and extend TMHRCD26020 to test for further mineralisation and intersect the eastern contact
- Define the western contact of the tonalite, which was not reached by the previous program, to constrain the full width of the host unit; and
- Provide the geological, structural and grade-continuity data needed for the next update of the Two Mile Hill Mineral Resource and future mine planning activities.

The first drill rig has now mobilised to site and commenced drilling. The second rig is due on site within a week. Results will be reported as assays are received and, together with the pending assays from TMHDD26004 to TMHDD26006, incorporated into an updated Mineral Resource for Two Mile Hill.




Figure 2: Cross-section A-A' through the Two Mile Hill deposit showing planned drillholes in relation to recent drilling and the current MRE




Figure 3: Cross-section B-B' through the Two Mile Hill deposit showing planned drillholes in relation to the current MRE. The shape of the Two Mile Hill tonalite at depth reflects the extensional, southerly plunging aspect of the Shirvington Zone.

Table 1: Two Mile Hill deep diamond drillhole collar information for completed drilling. All holes are located on tenement M57/128. Grid coordinates shown in MGA94 Zone 50.

| Hole ID    | Hole Type | Easting | Northing | RL  | Dip | Azimuth | Hole Depth (m) | Status                   |
|------------|-----------|---------|----------|-----|-----|---------|----------------|--------------------------|
| TMHDD26003 | DD        | 723362  | 6892451  | 519 | -60 | 270     | 1039.2         | Reported 22 October 2026 |
| TMHDD26004 | DD        | 723353  | 6892546  | 519 | -60 | 265     | 888.3          | Assays pending           |
| TMHDD26005 | DD        | 723362  | 6892592  | 522 | -60 | 267     | 901.4          | Assays pending           |
| TMHDD26006 | DD        | 723436  | 6892529  | 519 | -64 | 268     | 1010.9         | Assays pending           |

Table 2: Two Mile Hill planned diamond drillhole collar information. All planned holes are located on tenement M57/128. Grid coordinates shown in MGA94 Zone 50.

| Planned Hole ID | Hole Type        | Easting | Northing | RL  | Dip | Azimuth | Hole Depth (m)          | Status             |
|-----------------|------------------|---------|----------|-----|-----|---------|-------------------------|--------------------|
| TMH_26PLAN_033  | DD               | 723368  | 6892371  | 514 | -60 | 270     | 1050                    | Planned drill hole |
| TMH_26PLAN_034  | DD               | 723479  | 6892377  | 513 | -60 | 267     | 1100                    | Planned drill hole |
| TMH_26PLAN_035  | DD               | 723470  | 6892567  | 520 | -60 | 267     | 1100                    | Planned drill hole |
| TMH_26PLAN_036  | DD               | 723480  | 6892665  | 520 | -65 | 267     | 1000                    | Planned drill hole |
| TMH_26PLAN_037  | DD               | 722623  | 6892427  | 515 | -65 | 90      | 1000                    | Planned drill hole |
| TMH_26PLAN_038  | DD               | 722606  | 6892556  | 520 | -65 | 90      | 1000                    | Planned drill hole |
| TMHRCD26020     | DD<br>(re-entry) | 722939  | 6892469  | 513 | -73 | 86      | 907<br>(250m extension) | Planned drill hole |

This ASX announcement has been approved by the Managing Director on behalf of the Board of Brightstar.

### FOR FURTHER INFORMATION, PLEASE CONTACT:

#### Alex Rovira

Managing Director

Email: alex@brightstarresources.com.au

#### Investor Relations

Lucas Robinson

Phone: +61 408 228 889

Email: lucas@corporatestorytime.com

#### References:

1. Refer Brightstar Resources announcement dated 28 September 2026 "Sandstone Resource Grows to 3.6Moz, Group MRE to 5.2Moz".
2. Refer Brightstar Resources announcement dated 22 October 2026 "Material growth at TMH confirmed with 305m @ 1.33g/t Au".
3. Refer Brightstar Resources announcement dated 30 September 2026 "Visible Gold Continues From TMH Extensional Drilling".
4. Refer Brightstar Resources announcement dated 25 August 2026 "Significant visible gold in 500m mineralised intersection".
5. Refer Brightstar Resources announcement dated 3 August 2026 "Spectacular 305.4m @ 1.82g/t Au Intercept from Sandstone Extensional Drilling".

## ABOUT BRIGHTSTAR RESOURCES


Brightstar Resources Limited is an emerging gold producer listed on the Australian Securities Exchange (ASX: BTR) and based in Perth, WA.

The Company holds a portfolio of high-quality assets in the Tier-1 jurisdiction of Western Australia, with 5.2Moz of Mineral Resources across the Goldfields and Sandstone regions, ideally located near key infrastructure such as sealed highways and on granted mining leases for ready development.

Brightstar is advancing the Goldfields Project into near-term gold production, with a January 2026 updated Feasibility Study outlining production of +75,000oz per annum over six years and financial metrics including ~A\$1 billion in life-of-mine free cash flow, an A\$606 million NPV<sub>8</sub> and a 74% internal rate of return.

Construction of the 1.5Mtpa processing plant is underway and Brightstar is targeting first gold production in the June 2027 quarter.

Brightstar aspires to be a leading mid-tier gold miner via the staged development of its Goldfields Project and Sandstone Project, with current operations and proposed expansions providing a significant platform for growth.



Consolidated JORC Mineral Resources of the Laverton, Menzies and Sandstone Hubs

| Location                                                  | Cut-off  | Measured   |            |           | Indicated     |            |              | Inferred      |            |              | Total          |            |              |
|-----------------------------------------------------------|----------|------------|------------|-----------|---------------|------------|--------------|---------------|------------|--------------|----------------|------------|--------------|
|                                                           | g/t      | kt         | g/t        | koz       | kt            | g/t        | koz          | kt            | g/t        | koz          | kt             | g/t        | koz          |
|                                                           | Au       |            | Au         |           |               | Au         |              |               | Au         |              |                | Au         |              |
| Alpha                                                     | 0.5      | -          | -          | -         | 371           | 1.9        | 22           | 1,028         | 2.8        | 92           | 1,399          | 2.5        | 115          |
| Beta                                                      | 0.5      | 345        | 1.7        | 19        | 576           | 1.6        | 29           | 961           | 1.7        | 54           | 1,882          | 1.7        | 102          |
| Cork Tree Well                                            | 0.5      | -          | -          | -         | 3,264         | 1.6        | 166          | 3,198         | 1.2        | 126          | 6,462          | 1.4        | 292          |
| Lord Byron                                                | 0.5      | 311        | 1.7        | 17        | 2,104         | 1.5        | 105          | 2,974         | 1.5        | 145          | 5,389          | 1.5        | 267          |
| Fish                                                      | 1.6      | 25         | 5.4        | 4         | 199           | 4.5        | 29           | 153           | 3.2        | 16           | 376            | 4.0        | 49           |
| Gilt Key                                                  | 0.5      | -          | -          | -         | 15            | 2.2        | 1            | 153           | 1.3        | 6            | 168            | 1.3        | 8            |
| Second Fortune (UG)                                       | 2.5      | 24         | 15.3       | 12        | 34            | 13.7       | 15           | 34            | 11.7       | 13           | 92             | 13.4       | 40           |
| <b>Total - Laverton</b>                                   |          | <b>705</b> | <b>2.3</b> | <b>52</b> | <b>6,563</b>  | <b>1.7</b> | <b>367</b>   | <b>8,501</b>  | <b>1.7</b> | <b>452</b>   | <b>15,768</b>  | <b>1.7</b> | <b>873</b>   |
| Lady Shenton System                                       | 0.5/1.2  | -          | -          | -         | 3,725         | 1.4        | 168          | 4,349         | 1.3        | 184          | 8,074          | 1.4        | 352          |
| Yunndaga                                                  | 0.5/1.2  | -          | -          | -         | 2,172         | 2.2        | 152          | 923           | 1.8        | 54           | 3,095          | 2.1        | 206          |
| Aspacia                                                   | 0.5      | -          | -          | -         | 137           | 1.7        | 7            | 1,238         | 1.6        | 62           | 1,375          | 1.6        | 70           |
| Lady Harriet System                                       | 0.5      | -          | -          | -         | 520           | 1.3        | 22           | 590           | 1.1        | 21           | 1,110          | 1.2        | 43           |
| Link Zone                                                 | 0.5      | -          | -          | -         | 160           | 1.3        | 7            | 740           | 1.0        | 23           | 890            | 1.0        | 29           |
| Selkirk                                                   | 0.5      | -          | -          | -         | 30            | 6.3        | 6            | 140           | 1.2        | 5            | 170            | 2.1        | 12           |
| Lady Irene                                                | 0.5      | -          | -          | -         | -             | -          | -            | 100           | 1.7        | 6            | 100            | 1.7        | 6            |
| <b>Total - Menzies</b>                                    |          | <b>-</b>   | <b>-</b>   | <b>-</b>  | <b>6,744</b>  | <b>1.7</b> | <b>362</b>   | <b>8,080</b>  | <b>1.4</b> | <b>355</b>   | <b>14,814</b>  | <b>1.5</b> | <b>718</b>   |
| Montague-Evermore                                         | 0.4      | -          | -          | -         | 1,683         | 2.1        | 114          | 3,122         | 1.3        | 127          | 4,805          | 1.6        | 241          |
| Whistler                                                  | 0.4      | -          | -          | -         | 1,258         | 2.0        | 79           | 565           | 1.4        | 25           | 1,823          | 1.8        | 105          |
| Achilles / Airport                                        | 0.4      | -          | -          | -         | 2,130         | 1.3        | 90           | 4,255         | 1.0        | 134          | 6,385          | 1.1        | 224          |
| Duplex                                                    | 0.4      | -          | -          | -         | -             | -          | -            | 1,003         | 0.9        | 30           | 1,003          | 0.9        | 30           |
| Julias (Attributable)                                     | 0.4      | -          | -          | -         | 1,258         | 1.2        | 49           | 556           | 0.8        | 15           | 1,814          | 1.1        | 64           |
| Lord Nelson                                               | 0.4      | -          | -          | -         | 4,441         | 1.5        | 215          | 1,758         | 1.1        | 64           | 6,199          | 1.4        | 279          |
| Lord Henry                                                | 0.4      | -          | -          | -         | 1,523         | 1.6        | 76           | 883           | 1.4        | 40           | 2,406          | 1.5        | 116          |
| Vanguard Camp                                             | 0.4      | -          | -          | -         | 1,616         | 2.2        | 115          | 2,194         | 1.3        | 90           | 3,809          | 1.7        | 205          |
| Havilah Camp                                              | 0.4      | -          | -          | -         | -             | -          | -            | 1,359         | 1.2        | 54           | 1,359          | 1.2        | 54           |
| Indomitable Camp                                          | 0.4      | -          | -          | -         | 2,099         | 1.2        | 81           | 8,772         | 1.0        | 284          | 10,871         | 1.0        | 366          |
| Bull Oak                                                  | 0.4/0.8  | -          | -          | -         | 1,481         | 0.9        | 44           | 9,056         | 1.0        | 278          | 10,537         | 1.0        | 322          |
| Two Mile Hill / Shillington                               | 0.4/0.73 | -          | -          | -         | 10,413        | 1.6        | 526          | 14,179        | 2.0        | 920          | 24,592         | 1.8        | 1,446        |
| McIntyre                                                  | 0.4      | -          | -          | -         | 513           | 1.2        | 20           | 77            | 0.9        | 2            | 589            | 1.2        | 23           |
| Plum Pudding                                              | 0.4      | -          | -          | -         | 498           | 1.0        | 17           | 52            | 0.9        | 1            | 550            | 1.0        | 18           |
| Central Trend (Eureka, Wirraminna, Old Town, Twin Shafts, | 0.5      | -          | -          | -         | 1,480         | 1.1        | 53           | 1,131         | 1.1        | 39           | 2,612          | 1.1        | 91           |
| <b>Total - Sandstone</b>                                  |          | <b>-</b>   | <b>-</b>   | <b>-</b>  | <b>30,392</b> | <b>1.5</b> | <b>1,481</b> | <b>48,961</b> | <b>1.3</b> | <b>2,104</b> | <b>79,354</b>  | <b>1.4</b> | <b>3,583</b> |
| <b>Total - BTR (Attributable)</b>                         |          | <b>705</b> | <b>2.3</b> | <b>52</b> | <b>43,699</b> | <b>1.6</b> | <b>2,210</b> | <b>65,542</b> | <b>1.4</b> | <b>2,911</b> | <b>109,936</b> | <b>1.5</b> | <b>5,174</b> |

**NOTE:**

- Some rounding discrepancies may occur. Tonnes are reported as thousand tonnes (kt) and rounded to the nearest 1,000; Au ounces are reported as thousands rounded to the nearest 1,000.
- Pericles, Lady Shenton & Stirling deposits consolidated into 'Lady Shenton System' at Menzies.
- Warrior, Lady Harriet & Bellenger deposits consolidated into 'Lady Harriet System' at Menzies.
- Julius is located on M57/427, which is owned 75% by Brightstar and 25% by Estuary Resources Pty Ltd. Gold ounces attributable to Brightstar include 75% of the total.
- Mineral Resources are reported inclusive of Ore Reserves.
- The Mineral Resource estimates include Inferred Mineral Resources that are normally considered too speculative geologically to have economic considerations applied to them that would enable them to be categorised as Ore Reserves. There is also no certainty that Inferred Mineral Resources will be converted to Measured and Indicated categories through further drilling, or into Ore Reserves once economic considerations are applied.
- Mineral Resources are depleted for historical mining.

## Forward-Looking Statements

This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning Brightstar Resources Limited's planned exploration program and other statements that are not historical facts. When used in this document, words such as "could," "plan," "expect," "intend," "may," "potential," "should," and similar expressions are forward-looking statements. Although Brightstar believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that further exploration will result in the estimation of a Mineral Resource.

## Competent Person Statement – Exploration

The information presented here relating to exploration of the Menzies, Laverton and Sandstone Gold Project areas is based on, and fairly represents information and supporting documentation compiled by Mr Michael Kammermann, MAIG. Mr Kammermann is a Member of the Australian Institute of Geoscientists (AIG) and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as a "Competent Person" as that term is defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (JORC Code 2012). Mr Kammermann is a full-time employee of the Company in the position of Exploration Manager and has provided written consent approving the inclusion of the Exploration Results in the form and context in which they appear.

## Competent Person Statement – Mineral Resource Estimates

The information in the report to which this statement is attached that relates to Mineral Resources for the Sandstone deposits, excluding the Central Trend deposits, is based on, and fairly represents information and supporting documentation compiled or reviewed by Mr Graham de la Mare, a Competent Person who is a Fellow of the Australian Institute of Geoscientists. Graham de la Mare is a full-time employee of Brightstar Resources and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Graham de la Mare consents to the inclusion in this announcement of statements based on this information in the form and context in which it appears.

This Announcement contains references to Brightstar's JORC Mineral Resource estimates, extracted from the ASX announcements titled "Aurumin to acquire 784,000oz Au Sandstone Gold Project" dated 15 December 2021, "Cork Tree Well Resource Upgrade Delivers 1Moz Group MRE" dated 23 June 2023, "Maiden Link Zone Mineral Resource" dated 15 November 2023, "Aspacia deposit records maiden Mineral Resource at the Menzies Gold Project" dated 17 April 2024, "Brightstar Makes Recommended Bid for Linden Gold", dated 25 March 2024, "Brightstar to drive consolidation of Sandstone Gold District" dated 1 August 2024, "Scheme Booklet Registered by ASIC" dated 14 October 2024, "Robust Mineral Resource Upgrades at Laverton and Menzies Underpins Future Mining Operations" dated 19 May 2025, "Menzies and Laverton Gold Projects Feasibility Study" dated 30 June 2025, "Brightstar pursues logical consolidation at Sandstone Hub" dated 21 July 2025, "Significant Growth in Menzies Mineral Resource" dated 11 December 2025, "Lord Byron MRE Update" dated 12 January 2026, "Sandstone Mineral Resource Grows to 2.9Moz" dated 15 July 2026 and "Sandstone Resource Grows to 3.6Moz, Group MRE to 5.2Moz" dated 28 September 2026.

Brightstar confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and that all material assumptions and technical parameters underpinning the Mineral Resource estimates in the relevant market announcements continue to apply and have not materially changed. The

Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

#### **Compliance Statement**

With reference to previously reported Exploration Results and Mineral Resources, other than those identified in this announcement, the Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

#### **Compliance Statement – Production Target / Forecast Financial**

Brightstar's production target/forecast financial information referred to was first disclosed in the Company's announcement titled 'Updated Goldfields Feasibility Study' released on ASX on 29 January 2026. The Company confirms that all material assumptions underpinning the production target and forecast financial information contained in the original announcement 'Updated Goldfields Feasibility Study' continue to apply and have not materially changed.

## APPENDIX 1: JORC CODE, 2012 EDITION – TABLE 1

### SECTION 1 SAMPLING TECHNIQUES AND DATA

(Criteria in this section apply to all succeeding sections)

| Criteria                   | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b> | <ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul> | <p>Drilling carried out by Brightstar Resources Ltd (TMHRCD and TMHDD prefixes) and Aurumin Limited (SN-TM prefixes)</p> <ul style="list-style-type: none"> <li>Samples were collected by reverse circulation (RC) and diamond (DD) drilling.</li> <li>RC samples were passed directly from the in-line cyclone through a rig mounted cone splitter. Samples were collected in 1m intervals into bulk plastic bags and 1m calico splits, which were retained for later use.</li> <li>From the bulk 1m sample, a 4m composite sample was collected using a split PVC scoop and then submitted to Intertek Laboratory (Intertek) for analysis by Photon method.</li> <li>RC 1m splits were submitted if the composite sample assay values are equal to or greater than 0.2g/t Au.</li> <li>Diamond core sampling on HQ/HQ3/NQ2 diamond drill core at mostly 1m intervals. Closer spaced sampling around specific mineralised zones or structures. Samples were submitted to Intertek for analysis by Photon method (Brightstar samples) and to ALS Laboratory for analysis by fire assay (Aurumin samples).</li> </ul> |

| Criteria                   | JORC Code Explanation                                                                                                                                                                                                                                                                                                                        | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            |                                                                                                                                                                                                                                                                                                                                              | <p>Drilling carried out by Troy Resources NL (TRCD prefixes)</p> <ul style="list-style-type: none"> <li>Troy Resources (TRY) RC drilling, samples were passed directly from the in-line cyclone through a rig mounted multi-tier riffle splitter. Samples were collected in 1m intervals into bulk plastic bags and 1m calico splits. From the bulk sample, a 5m composite sample was collected using a split PVC scoop and then submitted to the laboratory for analysis. The 1m calico splits were submitted to the laboratory if the composite sample returned assay values equal to or greater than 0.2g/t Au. In certain cases selected samples from some holes were passed from the cyclone through a rig mounted multi-tier riffle splitter, and samples collected into calico bags at 1m intervals were submitted directly for analyses. The remaining bulk sample was placed on the ground in 1m intervals.</li> <li>TRY diamond holes used triple tube coring due to the friable nature of the oxide zone lithologies being drilled. TRY core samples were marked on the core by the geologist according to geological intervals. The core was cut in half by TRY field technicians, with half being placed in a pre-numbered calico bag and the other half returned to the core tray. For duplicate samples the core to be submitted for analysis was quartered.</li> </ul> |
| <b>Drilling techniques</b> | <ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul> | <ul style="list-style-type: none"> <li>BTR RC drill holes were drilled utilising a 5.5 inch face sampling hammer and surveyed using true-North-seeking gyroscopic survey tools. Drilling was conducted by Topdrill, PXD and K-Drill using RC drill rig and support equipment suitable for the ground conditions and depth of drilling.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Criteria                     | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                         | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                               | <ul style="list-style-type: none"> <li>BTR Diamond drilling is drilled by Topdrill and Wallis Drilling using diamond drilling rigs and support equipment suitable for the ground conditions and depth of drilling. HQ and NQ diameter drill core was obtained. In areas of unconsolidated ground, triple tube configuration was used to maximise core recovery. All drill core was oriented (where possible), using the Axis Champ Ori system.</li> <li>AUN drilling used a KWL 350 drill rig with an onboard 1,100cfm/350psi compressor and a truck mounted 1000cfm auxiliary and 1000psi booster. The face sampler had a nominal 140mm hole.</li> <li>AUN diamond drilling is drilled by Terra Drilling. HQ and NQ diameter drill core was obtained. In areas of unconsolidated ground, triple tube configuration was used to maximise core recovery. All drill core was oriented (where possible).</li> <li>TRY used Mt Magnet Drilling.</li> </ul> |
| <b>Drill sample recovery</b> | <ul style="list-style-type: none"> <li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul> | <ul style="list-style-type: none"> <li>RC sample recovery for BTR samples was qualitatively assessed and recorded by comparing drill chip volumes (sample bags) for individual metres. Sample depths were cross-checked every rod (6m). The cyclone was regularly cleaned to ensure no material build up and sample material was checked for any potential downhole contamination. Wet samples were recorded, although the majority of samples were dry. In the CP's opinion, the drilling sample recoveries/quality are acceptable and are appropriately representative for the style of mineralisation</li> </ul>                                                                                                                                                                                                                                                                                                                                    |

| Criteria       | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                      | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                |                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>• Sample recoveries are recorded on sample registers with sample recovery and moisture content estimated. Good sample recovery was standard in reported programs.</li> <li>• All samples are weighed at the laboratory and reported as a part of standard preparation protocols. No water compromised samples are reported in this program.</li> <li>• Drilling is carried out orthogonal to the mineralisation to get representative samples of the mineralisation.</li> <li>• RC samples are collected through a cyclone and cone splitter. The sample required for the assay is collected directly into a calico sample bag at a designed 2kg sample mass which is optimal for the Photon Assay method.</li> <li>• BTR diamond core recoveries are recorded on sample registers and recorded as part of the logging procedure with core loss quantified. Good to moderate sample recovery was observed in reported programs with moderate core loss observed in structurally deformed areas (shear zones).</li> <li>• Short core runs were selected to maximise sample recovery, with core loss noted on core blocks within the core trays and subsequently checked by Brightstar personnel at the core farm.</li> <li>• No grade versus sample recovery biases, or biases relating to the loss or gain of fines have been identified in the drilling.</li> </ul> |
| <b>Logging</b> | <ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean,</i></li> </ul> | <ul style="list-style-type: none"> <li>• BTR RC holes were logged on one metre intervals at the rig by the geologist from drill chips. Logging was recorded directly into Plexer logging software.</li> <li>• Diamond core is logged to specific geological intervals.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| Criteria                                              | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       | <p><i>channel, etc) photography.</i></p> <ul style="list-style-type: none"> <li><i>The total length and percentage of the relevant intersections logged.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                               | <ul style="list-style-type: none"> <li>Detailed geological logging includes the lithology, alteration, veining and mineralisation of the drill chips or core. Structural measurements are also taken from oriented drill core.</li> <li>Photographs are taken of all core as part of the sampling process.</li> <li>Geotechnical consultants logged selected core for geotechnical purposes.</li> <li>Logging is both quantitative and qualitative in nature, depending on the feature.</li> <li>100% of BTR drilling is geologically logged.</li> <li>AUN drill chips were sieved from each 1m sample and geologically logged. Washed drill chips from each 1m sample were stored in chip trays. Geological logging of drill hole intervals was carried out with sufficient detail to meet the requirements of resource estimation.</li> <li>Troy drill holes were logged using detailed geological codes that were correlated with Alto/BTR logging codes and logging is of sufficient detail to meet the requirements of resource estimation.</li> </ul> |
| <b>Sub-sampling techniques and sample preparation</b> | <ul style="list-style-type: none"> <li><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li><i>Measures taken to ensure that the sampling is representative of the in situ</i></li> </ul> | <p>BTR RC drilling</p> <ul style="list-style-type: none"> <li>RC drilling single 1 metre splits were automatically taken at the time of drilling by a cone splitter attached to the cyclone.</li> <li>For interpreted non-mineralised areas, 4 metre composite samples were collected from the drill rig by spearing each 1m collection bag. The 4 metre composites were submitted for assay.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Criteria | JORC Code Explanation                                                                                                                                                                                                                                     | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <p><i>material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> <li><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul> | <ul style="list-style-type: none"> <li>Composite samples returning grade &gt;0.2g/t Au were resampled as 1m cone-split samples with samples having been collected for upcoming laboratory analyses.</li> <li>For interpreted mineralised areas, the 1 metre splits were bagged on the static cyclone splitter on the RC rig.</li> <li>QAQC samples (blanks and standards) were submitted for all samples at a rate between 1:10 and 1:20</li> <li>Duplicate samples were taken over selected interpreted mineralised intervals to determine if sampling is representative.</li> <li>Samples submitted for analysis via Photon assay technique were dried, crushed to nominal 85% passing 2mm, linear split and a nominal 500g sub sample taken.</li> <li>The 500g sample is assayed for gold by Photon Assay along with quality control samples including certified reference materials, blanks and sample duplicates.</li> <li>Sample volumes were typically 1.0-3.0 kg and are considered to be of suitable size for the style of mineralisation.</li> </ul> <p>BTR diamond drilling</p> <ul style="list-style-type: none"> <li>QAQC samples (blanks and standards) were submitted for all samples at a rate between 1:10 and 1:25.</li> <li>Duplicate samples were taken at a rate of 1:50.</li> <li>Single cut (half core) diamond core was selected for sampling with the remaining core left for future reference and/or metallurgical testwork purposes.</li> <li>Sample preparation comprised industry standard oven drying, crushing, and pulverisation to less than 75 microns. Homogenised pulp material was used for assaying.</li> </ul> |

| Criteria | JORC Code Explanation | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                       | <ul style="list-style-type: none"> <li>Internal certified laboratory QAQC is undertaken including check samples, blanks and internal standards.</li> <li>Sample volumes were typically 0.5kg-4.0 kg depending on the length of core sampled and are considered to be of suitable size for the style of mineralisation.</li> </ul> <p>AUN RC drilling</p> <ul style="list-style-type: none"> <li>The 1m samples were collected from a cone splitter via the cyclone directly into pre-numbered calico bags, creating a nominal 2.5kg sample.</li> <li>Composite samples were created using a PVC spear to collect sample from the reject 1m intervals placed on the ground. These were placed into pre-numbered calico bags.</li> <li>All samples were submitted to ALS laboratories in Perth. Most samples were dry with some moisture present at depth in some holes.</li> <li>Field Duplicate samples were taken as per Aurumin's QAQC sample procedure at a rate of 1:20.</li> <li>Sample preparation for drill samples involved drying the whole sample before crushing and pulverising it to 85% passing 75 microns. A 50g sub-sample charge was then used for gold analysis by fire assay.</li> <li>Samples where raw sample weight is greater than 3kg are fine crushed to 70% passing 2mm, then split using a Boyd Rotary Splitter to produce a 3kg sample which is then pulverised to 85% passing 75 microns.</li> <li>QAQC samples were inserted in the field as per Aurumin's QAQC sample procedure.</li> </ul> |

| Criteria | JORC Code Explanation | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                       | <ul style="list-style-type: none"> <li>Sample sizes are considered appropriate for the grain size of material sample.</li> </ul> <p>AUN diamond drilling</p> <ul style="list-style-type: none"> <li>AUN diamond drilling (DD) samples are HQ, HQ3 or NQ2 core with sample intervals defined by the geologist to honour geological boundaries, ranging from 0.3 to 1.2m in length. DD core was aligned and measured by tape, comparing back to down hole core blocks consistent with industry practice. Core was sampled as either half core in HQ core, or as whole core in NQ2 core. Where whole core was sampled a maximum sample length of 0.6m was adhered to so as to keep sample size around 3kg and minimise reduction in sample volumes at larger particle sizes prior to pulverisation to 75 microns.</li> <li>Core samples were submitted at intervals defined by the geologist for drying and pulverising to produce a nominal 50g charge for gold by fire assay analysis. Core sample width was decided with relation to the width of the geological/mineralised features. Through areas of uniform mineralisation or sheeted/stockwork veining, samples were taken at uniform intervals of 0.6m to 1.0m. Visible gold was occasionally encountered in core. Where visible gold was observed a flush was passed through the core saw and a barren flush inserted in the sample sequence. Core was consistently sampled from the same side. All core was photographed within each core tray.</li> <li>AUN inserted CRM standards at a rate of 1:20 while blanks were inserted at 1:50. Duplicates were collected at 1:20 as per Aurumin QAQC procedures using the same method of collection as the original samples. QC samples were assessed</li> </ul> |

| Criteria | JORC Code Explanation | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                       | <p>on a batch by batch basis and no major issues were found.</p> <p>Troy Resources NL drilling</p> <ul style="list-style-type: none"> <li>• RC samples were passed directly from a cyclone through a rig mounted multi-tier riffle splitter and samples were collected in 1m intervals into bulk plastic bags and 1m calico splits (which were retained for later use).</li> <li>• From the bulk sample, a 5m composite sample was collected using a split PVC scoop and then submitted to the laboratory for analysis.</li> <li>• The 1m calico splits were submitted to the laboratory if the composite sample returned assay values +1g/t Au over the anomalous zone.</li> <li>• Troy submitted 1 duplicate for every 50m of drilling.</li> <li>• TRY diamond holes used triple tube coring due to the friable nature of the oxide zone lithologies being drilled. TRY core samples were marked on the core by the geologist according to geological intervals. The core was cut in half by TRY field technicians, with half being placed in a pre-numbered calico bag and the other half returned to the core tray. For duplicate samples the core to be submitted for analysis was quartered.</li> <li>• TRY inserted a minimum of 1 CRM sample with each batch of samples for all exploration work. The actual standard used was dependent on the expected assay results and type of sample being taken (i.e. oxide, transitional or fresh rock). The grade of the standard used was also routinely varied. For RC and DD resource evaluation drilling an average of 1 field duplicate, 1 blank and 1 standard was submitted for every 50 samples. QC</li> </ul> |

| Criteria                                          | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                      | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>samples were inserted randomly throughout the sample sequence.</p> <ul style="list-style-type: none"> <li>TRY's exploration drilling results of QC samples were assessed by TRY on a batch by batch basis. Batches of samples where the results of the submitted standards differed from the expected value by more than 10% were re-analysed by the laboratory. A periodic audit of the exploration QC data was carried out by Data consultants Maxwell Geoservices (Maxwell).</li> <li>TRY's Resource definition drilling results of QC standards were assessed by TRY on a batch by batch basis. Where results of the submitted standards differed from the expected value by more than 10% samples were re-analysed by the laboratory. TRY had independent checking of all QC sample results carried out by Maxwell on a monthly basis. Maxwell monitored the laboratory performance over longer periods and liaised with the laboratory and TRY when QC problems were detected. Maxwell reported that all standards and blanks fall within the expected limits. The field duplicate results had 20 to 25% of the repeat samples outside of +/- 10% compared to the original sample values with no apparent bias. This is to be expected given the style of mineralisation.</li> </ul> |
| <b>Quality of assay data and laboratory tests</b> | <ul style="list-style-type: none"> <li><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> </ul> | <p>BTR Drilling</p> <ul style="list-style-type: none"> <li>1m and 4m RC composite, and diamond drilling samples were assayed via the Photon Assay method at Intertek laboratory, Perth.</li> <li>Laboratory QC involves the use of internal lab standards,</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

| Criteria | JORC Code Explanation                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <ul style="list-style-type: none"> <li><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul> | <p>certified reference material, blanks, splits and replicates. QC results (blanks, coarse reject duplicates, bulk pulverised, standards) are monitored and were within acceptable limits. ~5-10% standards were inserted to check on precision of laboratory results.</p> <ul style="list-style-type: none"> <li>Laboratory QC involves the use of internal lab standards, certified reference material, blanks, splits and replicates. QC results (blanks, coarse reject duplicates, bulk pulverised, standards) are monitored and were within acceptable limits. ~5% standards were inserted to check on precision of laboratory results.</li> </ul> <p>AUN drilling</p> <ul style="list-style-type: none"> <li>All AUN RC samples were submitted to ALS Laboratories for sample preparation and analysis. A 50g sample was used to analyse gold by fire assay (AAS finish) with a 0.005 ppm detection limit.</li> <li>The fire assay analysis undertaken is considered to be a total analysis method.</li> <li>A fire assay fusion-gravimetric analysis is used for gold analysis in samples that return greater than 100ppm Au using the standard fire assay technique.</li> <li>Aurumin QAQC procedures collect field duplicates and insert certified reference materials (CRMs). Standards were inserted at a rate of 1:20 while blanks were inserted at 1:50. Duplicate samples are taken at a rate of 1:20.</li> <li>Laboratory CRMs and repeats have been received and used to assess laboratory reproducibility and accuracy.</li> <li>The assaying techniques and quality control protocols used are considered appropriate for the material tested and for the</li> </ul> |

| Criteria | JORC Code Explanation | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                       | <p>data to be used for reporting exploration drilling results.</p> <ul style="list-style-type: none"> <li>• No geophysical tools were used in determining element concentrations.</li> <li>• AUN diamond samples were submitted to Intertek Laboratories in Maddington for sample preparation and analysed by fire assay with an ICP-OES finish. Single cut (half core) diamond core was selected for sampling with the remaining core left for future reference and/or metallurgical testwork purposes.</li> <li>• Sample preparation comprised industry standard oven drying, crushing, and pulverisation to less than 75 microns. Homogenised pulp material was used for assaying.</li> <li>• Internal certified laboratory QAQC is undertaken including check samples, blanks and internal standards.</li> <li>• Sample volumes were typically 0.5kg-4.0 kg depending on the length of core sampled and are considered to be of suitable size for the style of mineralisation.</li> </ul> <p>Troy Resources NL</p> <ul style="list-style-type: none"> <li>• SGS Australia Pty Ltd (SGS) located in Perth, Western Australia were responsible for sample preparation and assaying for drill hole samples and associated check assays. SGS at the time was certified to the ISO 9001 requirements for all related inspection, verification, testing and certification activities.</li> <li>• RC samples were assayed using a 50g fire assay with AAS finish, and sample sizes were noted as being 2kg.</li> <li>• Diamond core samples were dried and crushed, then split and a subsample pulverised to 95% passing 75 micron. This fraction was then split again to a 50g sample charge for FA/AAS.</li> </ul> |

| Criteria                                     | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                     | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              |                                                                                                                                                                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>An average of 1 field duplicate, 1 blank and 1 standard was submitted for every 50 samples.</li> <li>Troy engaged Maxwell to undertake periodic audit of the exploration QAQC data on a monthly basis.</li> <li>Laboratory repeat assays were reported for Troy drill assays.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Verification of sampling and assaying</b> | <ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul> | <p>Brightstar Resources Ltd</p> <ul style="list-style-type: none"> <li>Significant intersections have been reviewed by several company personnel.</li> <li>Data was captured electronically onsite using Plexer logging software, before syncing to the cloud-based Plexer database</li> <li>No data was adjusted. No transformations or alterations are made to assay data stored in the database. The lab's primary Au field is the one used for plotting purposes. No averaging of results for individual samples is employed. No top cuts are applied to the assays when calculating intercepts.</li> </ul> <p>Aurumin Limited</p> <ul style="list-style-type: none"> <li>No independent verification of results has been conducted.</li> <li>All sampling and assay data are stored in a secure database with restricted access.</li> <li>Twinned holes are not considered necessary at this stage.</li> <li>Field data were collected digitally into Excel spreadsheets at the time of logging. Logging data was validated by geological staff and then imported into the central Aurumin database.</li> <li>All data is stored by geological data management consultancy Expedio and backed up to a cloud-based storage system.</li> </ul> <p>Troy Resources NL</p> <ul style="list-style-type: none"> <li>Drilling carried out by Troy was compiled from WA Dept Mines</li> </ul> |

| Criteria                             | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      |                                                                                                                                                                                                                                                                                                                                                          | <p>Open File records (WAMEX).</p> <ul style="list-style-type: none"> <li>Data was transferred from WAMEX digital files to BTR database. The original WAMEX files were generally in excel or text format and were readily imported into BTR database.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Location of data points</b>       | <ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul> | <p>Brightstar Resources Limited</p> <ul style="list-style-type: none"> <li>All drill collar locations were initially surveyed using a hand-held GPS, accurate to within 3-5m.</li> <li>Post drilling, a qualified contract surveyor is engaged to pick up the hole collars with an RTK DGPS accurate to cm scale.</li> <li>The grid system used is MGA94 Zone 50. All reported coordinates are referenced to this grid.</li> <li>DH Surveys were measured during drilling using a north seeking gyro tool every 30m with a continuous survey at end of hole.</li> </ul> <p>Aurumin Limited</p> <ul style="list-style-type: none"> <li>Drill collars were located using a GPS by Aurumin staff. A Differential GPS was used to finalise hole locations.</li> <li>The grid system used is MGA94 Zone 50.</li> <li>DH Surveys were measured using a north seeking gyro tool every 30m with a continuous survey at end of hole.</li> </ul> <p>Troy Resources NL</p> <ul style="list-style-type: none"> <li>Troy drilling was located with DGPS in AGD84 Zone 50.</li> <li>No downhole survey data was reported; however it is considered unlikely that variation from the reported dip over the short drillhole lengths would be materially significant.</li> </ul> |
| <b>Data spacing and distribution</b> | <ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the</i></li> </ul>                                                                                                                                                     | <ul style="list-style-type: none"> <li>Holes are variably spaced with the intent of infilling hole spacings to a nominal pattern across the deposits.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| Criteria                                                       | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                | <p><i>degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <ul style="list-style-type: none"> <li>• <i>Whether sample compositing has been applied.</i></li> </ul>                                                                                                                                                                          | <ul style="list-style-type: none"> <li>• No sample compositing of field samples has been applied.</li> <li>• Spacing and distribution is sufficient to establish the degree of geological and grade continuity for Mineral Resource estimation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Orientation of data in relation to geological structure</b> | <ul style="list-style-type: none"> <li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul> | <ul style="list-style-type: none"> <li>• The relationship between the drilling orientation and the orientation of mineralised structures is not considered to have introduced a sampling bias. Most holes have been drilled perpendicular to the main orientation of mineralisation.</li> <li>• No drilling orientation related sampling bias has been identified at the project.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Sample security</b>                                         | <ul style="list-style-type: none"> <li>• <i>The measures taken to ensure sample security.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>• BTR samples were collected on site under supervision of the geologist. Visitors needed permission to visit site. Once collected samples were bagged, they were transported to Perth by company personnel or trusted contractors for assaying with Intertek. Despatch and consignment notes were delivered and checked for discrepancies.</li> <li>• All samples collected by Aurumin were stored onsite in a secure location before being transported to Perth by consignment in sealed bags.</li> <li>• Troy reported that their drill samples were collected in a labelled and tied calico bag. Up to six calico bags were then placed in a larger polyweave bag that was labelled with the laboratory address and sender details and tied with wire. The polyweave bags were picked up by a courier firm who counted the number of polyweave bags before taking them to the Mt Magnet depot. The samples were picked up by the courier's road train and transported to Perth. Upon receipt of the samples the laboratory checked the sample IDs and total number of samples and notified Troy of any differences from the submission forms.</li> </ul> |

| Criteria                 | JORC Code Explanation                                                                                                   | Commentary                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Audits or reviews</b> | <ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul> | <ul style="list-style-type: none"> <li>Sampling techniques and data have been reviewed internally by company personnel.</li> </ul> |

## APPENDIX 2: Historical Hole Details: Two Mile Hill

| Hole ID          | Hole Type | Easting | Northing | RL  | Azimuth | Dip | Hole Depth (m) |       | From (m) | To (m) | Drilled Interval (m) | Au (g/t) |
|------------------|-----------|---------|----------|-----|---------|-----|----------------|-------|----------|--------|----------------------|----------|
| SN_TM_RD_22_0004 | DD        | 723153  | 6892633  | 523 | 232     | -66 | 511.4          |       | 92       | 93     | 1.0                  | 1.20     |
|                  |           |         |          |     |         |     |                |       | 99.7     | 105.0  | 5.3                  | 1.75     |
|                  |           |         |          |     |         |     |                |       | 122.0    | 123.6  | 1.6                  | 1.50     |
|                  |           |         |          |     |         |     |                |       | 131.2    | 137.4  | 6.2                  | 1.77     |
|                  |           |         |          |     |         |     |                |       | 149.4    | 150.0  | 0.6                  | 5.75     |
|                  |           |         |          |     |         |     |                |       | 160.8    | 161.4  | 0.6                  | 3.40     |
|                  |           |         |          |     |         |     |                |       | 191.4    | 192.0  | 0.6                  | 2.94     |
|                  |           |         |          |     |         |     |                |       | 223.6    | 251.0  | 27.4                 | 1.47     |
|                  |           |         |          |     |         |     |                | Incl. | 232.4    | 248.7  | 16.3                 | 2.08     |
|                  |           |         |          |     |         |     |                |       | 267.8    | 329.4  | 61.6                 | 1.81     |
|                  |           |         |          |     |         |     |                | Incl. | 267.8    | 276.9  | 9.1                  | 4.58     |
|                  |           |         |          |     |         |     |                |       | 332.9    | 345.4  | 12.5                 | 3.71     |
|                  |           |         |          |     |         |     |                |       | 352.0    | 354.7  | 2.7                  | 1.55     |

| Hole ID | Hole Type | Easting | Northing | RL  | Azimuth | Dip | Hole Depth (m) |  | From (m) | To (m) | Drilled Interval (m) | Au (g/t) |
|---------|-----------|---------|----------|-----|---------|-----|----------------|--|----------|--------|----------------------|----------|
|         |           |         |          |     |         |     |                |  | 360.2    | 372.4  | 12.2                 | 1.43     |
|         |           |         |          |     |         |     |                |  | 379.0    | 392.8  | 13.8                 | 3.27     |
|         |           |         |          |     |         |     |                |  | 415.4    | 416.0  | 0.6                  | 4.04     |
|         |           |         |          |     |         |     |                |  | 419.0    | 423.8  | 4.8                  | 1.89     |
|         |           |         |          |     |         |     |                |  | 427.2    | 453.6  | 26.4                 | 1.67     |
|         |           |         |          |     |         |     |                |  | 476.8    | 478.0  | 1.2                  | 3.11     |
|         |           |         |          |     |         |     |                |  | 487.5    | 491.2  | 3.7                  | 1.00     |
|         |           |         |          |     |         |     |                |  | 493.0    | 494.2  | 1.2                  | 1.76     |
| TRCD733 | RCDT      | 723170  | 6892560  | 519 | 270     | -55 | 285.7          |  | 1        | 4      | 3                    | 1.26     |
|         |           |         |          |     |         |     |                |  | 31       | 32     | 1                    | 1.43     |
|         |           |         |          |     |         |     |                |  | 110      | 111    | 1                    | 1.31     |
|         |           |         |          |     |         |     |                |  | 152      | 153    | 1                    | 1.37     |
|         |           |         |          |     |         |     |                |  | 170      | 171    | 1                    | 1.22     |
|         |           |         |          |     |         |     |                |  | 175      | 176    | 1                    | 4.34     |
|         |           |         |          |     |         |     |                |  | 179      | 180    | 1                    | 4.07     |
|         |           |         |          |     |         |     |                |  | 213      | 216    | 3                    | 1.12     |
|         |           |         |          |     |         |     |                |  | 221      | 222    | 1                    | 1.27     |
|         |           |         |          |     |         |     |                |  | 241.2    | 246.5  | 5.3                  | 13.50    |
|         |           |         |          |     |         |     |                |  | 250.0    | 264.7  | 14.7                 | 24.30    |